

**UK MHRA Data to July 26th, 2023 - Adverse Events from AZ, Pfizer, Moderna, Novavax and Other COVID Vaccines**

Source data in links.

**COVID-19 Vaccine AstraZeneca**

<https://yellowcard.mhra.gov.uk/idaps/CHADOX1%20NCOV-19>

**COVID-19 Vaccine Pfizer/BioNTech monovalent**

<https://yellowcard.mhra.gov.uk/idaps/TOZINAMERAN>

**COVID-19 Vaccine Pfizer/BioNTech bivalent**

<https://yellowcard.mhra.gov.uk/idaps/RILTOZINAMERAN%20AND%20TOZINAMERAN>

**COVID-19 Vaccine Moderna monovalent**

<https://yellowcard.mhra.gov.uk/idaps/ELASOMERAN>

**COVID-19 Vaccine Moderna bivalent**

<https://yellowcard.mhra.gov.uk/idaps/ELASOMERAN%20AND%20IMELASOMERAN>

**COVID-19 Vaccine Novavax**

<https://yellowcard.mhra.gov.uk/idaps/SARS-COV-2%20RS>

**COVID-19 Vaccine - brand unspecified or not in routine use in the UK**

<https://yellowcard.mhra.gov.uk/idaps/SARS-COV-2%20VIRUS>

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
17 ketosteroids urine decreased	1	- X						
Abdomen crushing	3	- X						
Abdominal abscess	3	-			X			
Abdominal adhesions	4	- X			X			
Abdominal bruit	1	- X						
Abdominal discomfort	2,766	- X	X	X	X	X	X	
Abdominal distension	1,592	- X	X	X	X	X	X	
Abdominal hernia	3	- X			X			
Abdominal infection	4	- X			X			
Abdominal injury	1	- X						
Abdominal lymphadenopathy	5	- X			X			
Abdominal mass	7	- X			X		X	
Abdominal migraine	5	- X			X			
Abdominal pain	7,044	1 X	X	X	X	X	X	
Abdominal pain lower	474	- X	X	X	X	X	X	
Abdominal pain upper	10,252	- X	X	X	X	X	X	
Abdominal rigidity	97	- X			X	X	X	
Abdominal sepsis	2	- X						



REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Abdominal symptom	10	- X	X	X				
Abdominal tenderness	47	- X			X		X	
Abdominal wall haematoma	2	-			X			
Abdominal wall infection	1	- X						
Abnormal behaviour	69	- X			X		X	
Abnormal clotting factor	18	- X			X		X	
Abnormal dreams	678	- X	X	X	X	X	X	
Abnormal faeces	56	- X	X	X	X	X	X	
Abnormal loss of weight	166	- X	X	X	X	X	X	
Abnormal menstrual clots	4	- X					X	
Abnormal organ growth	1	-			X			
Abnormal sensation in eye	60	- X			X		X	
Abnormal sleep-related event	4	- X			X		X	
Abnormal uterine bleeding	21	- X	X	X			X	
Abnormal weight gain	83	- X			X		X	
Abnormal withdrawal bleeding	9	- X			X			
Aborted pregnancy	1	- X						
Abortion	2	-			X			
Abortion induced	2	- X			X			
Abortion missed	8	- X			X			
Abortion spontaneous	928	- X	X	X	X	X	X	
Abortion threatened	2	-			X			
Abscess	102	- X			X		X	
Abscess bacterial	3	- X			X			
Abscess drainage	1	-			X			
Abscess jaw	2	- X			X			
Abscess limb	36	- X			X		X	
Abscess neck	1	-			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Abscess oral	11	- X		X			X	
Abscess rupture	1	-					X	
Abscess soft tissue	3	- X		X				
Abscess sweat gland	1	-		X				
Abulia	1	- X						
Acanthosis	1	- X						
Acarodermatitis	19	- X		X			X	
Accelerated hypertension	4	- X		X	X			
Accelerated idioventricular rhythm	1	-				X		
Accident	2	-		X				
Accidental exposure to product	50	- X		X			X	
Accidental exposure to product packaging	1	- X						
Accidental overdose	85	- X		X			X	
Accidental underdose	4	- X					X	
Accommodation disorder	2	-		X			X	
Acetonaemic vomiting	1	- X						
Acetylcholinesterase deficiency	1	-		X				
Achenbach syndrome	17	- X		X	X			
Achlorhydria	1	- X						
Acid base balance abnormal	1	-		X				
Acidosis	10	- X		X	X			
Acinetobacter infection	2	- X		X				
Acne	427	- X		X			X	
Acne cystic	42	- X		X			X	
Acne pustular	2	-		X			X	
Acne varioliformis	1	- X						
Acoustic neuroma	10	- X		X				
Acoustic stimulation tests	13	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Acquired amegakaryocytic thrombocytopenia	1	-			X			
Acquired antithrombin III deficiency	1	-			X			
Acquired cystic kidney disease	1	- X						
Acquired diaphragmatic eventration	3	- X			X			
Acquired factor VIII deficiency	1	-			X			
Acquired haemophilia	7	- X			X			
Acquired hydrocele	1	-			X			
Acquired immunodeficiency syndrome	3	- X			X			
Acquired macroglossia	1	- X						
Acquired oesophageal web	1	- X						
Acquired syringomyelia	2	- X			X			
Acral lentiginous melanoma stage III	1	- X						
Acral peeling skin syndrome	2	-			X	X		
Acrochordon	18	- X			X		X	
Acrophobia	2	- X						
Actinic keratosis	4	- X			X			
Actinic prurigo	1	-			X			
Action tremor	6	- X			X			
Activated partial thromboplastin time	1	- X						
Activated partial thromboplastin time abnormal	1	- X						
Activated partial thromboplastin time prolonged	138	- X			X			
Activated partial thromboplastin time shortened	1	-			X			
Acute abdomen	27	- X			X		X	
Acute aortic syndrome	2	- X			X			
Acute cardiac event	9	2 X			X			
Acute chest syndrome	1	-			X			
Acute coronary syndrome	25	1 X	X	X	X	X	X	
Acute disseminated encephalomyelitis	30	- X	X	X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Acute encephalitis with refractory, repetitive partial seizures	1	- X						
Acute endocarditis	2	- X						
Acute febrile neutrophilic dermatosis	8	- X		X		X	X	
Acute flaccid myelitis	1	- X						
Acute generalised exanthematous pustulosis	3	- X		X				
Acute hepatic failure	5	- X		X		X		
Acute kidney injury	158	5 X	X	X	X	X	X	
Acute left ventricular failure	3	2 X	X	X				
Acute leukaemia	2	-		X				
Acute lung injury	1	- X						
Acute macular neuroretinopathy	11	- X		X			X	
Acute motor axonal neuropathy	10	- X		X				
Acute motor-sensory axonal neuropathy	1	-		X				
Acute myeloid leukaemia	5	3 X	X					
Acute myocardial infarction	118	22 X	X	X	X	X	X	
Acute on chronic liver failure	1	-					X	
Acute polyneuropathy	3	- X						
Acute psychosis	9	- X		X			X	
Acute pulmonary oedema	7	- X		X			X	
Acute respiratory distress syndrome	4	1 X		X				
Acute respiratory failure	4	3 X		X				
Acute sinusitis	14	- X		X			X	
Acute stress disorder	5	- X					X	
Acute vestibular syndrome	2	-		X				
Acute yellow liver atrophy	1	- X						
Adams-Stokes syndrome	1	- X						
ADAMTS13 activity abnormal	1	- X						
ADAMTS13 activity decreased	2	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Addison's disease	11	1 X		X				
Adenocarcinoma	2	- X						
Adenocarcinoma metastatic	1	-		X				
Adenoidal disorder	1	-		X				
Adenomyosis	32	- X	X	X			X	
Adenoviral conjunctivitis	1	-		X				
Adenovirus infection	2	- X		X				
Adhesion	1	-		X				
Adjustment disorder	2	- X		X				
Adjustment disorder with depressed mood	11	- X		X				
Adjustment disorder with mixed anxiety and depressed mood	2	- X						
Administration related reaction	3	- X		X				
Administration site bruise	31	- X		X	X		X	
Administration site cellulitis	5	- X		X			X	
Administration site coldness	1	- X						
Administration site erythema	12	- X		X			X	
Administration site extravasation	5	- X		X			X	
Administration site haematoma	3	-		X				
Administration site haemorrhage	1	- X						
Administration site indentation	1	- X						
Administration site induration	1	- X						
Administration site inflammation	1	-		X				
Administration site injury	1	- X						
Administration site irritation	2	- X		X				
Administration site joint discomfort	2	-		X				
Administration site joint movement impairment	3	- X		X				
Administration site joint pain	1	-		X				
Administration site lymphadenopathy	1	-					X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Administration site mass	1	- X						
Administration site movement impairment	1	- X						
Administration site nerve damage	1	-		X				
Administration site pain	68	- X		X		X		
Administration site rash	10	- X		X				
Administration site reaction	9	- X		X		X		
Administration site swelling	8	- X		X				
Administration site urticaria	7	- X		X				
Administration site warmth	5	- X		X		X		
Adnexa uteri mass	1	-		X				
Adnexa uteri pain	144	- X		X		X		
Adnexal torsion	1	-		X				
Adrenal disorder	8	- X		X				
Adrenal gland cancer	1	-		X				
Adrenal haematoma	2	- X						
Adrenal haemorrhage	11	- X		X				
Adrenal insufficiency	30	- X		X		X		
Adrenal mass	4	- X		X				
Adrenal thrombosis	2	- X						
Adrenalectomy	2	- X		X				
Adrenocortical insufficiency acute	58	- X	X	X			X	
Adrenomegaly	2	- X						
Advanced sleep phase	1	- X						
Adverse drug reaction	1,253	- X	X	X	X	X	X	X
Adverse event	14	- X		X				X
Adverse event following immunisation	11	- X		X			X	
Adverse food reaction	10	- X	X	X				
Adverse reaction	26	- X	X	X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Aerophagia	5	- X		X				
Affect lability	32	- X			X		X	
Affective disorder	11	- X	X	X			X	
African trypanosomiasis	14	- X			X	X		
Age-related macular degeneration	1	-			X			
Ageusia	1,964	- X	X	X	X	X	X	X
Aggression	42	- X			X		X	
Agitated depression	12	- X	X	X				
Agitation	375	- X	X	X	X	X	X	
Agitation neonatal	3	- X			X		X	
Agonal respiration	4	- X	X	X			X	
Agoraphobia	9	- X			X			
Agranulocytosis	4	- X						
Agraphia	1	- X						
Air embolism	1	- X						
Airway burns	2	- X			X			
Airway complication of anaesthesia	4	- X			X			
Airway peak pressure increased	1	-			X			
Airway secretion clearance therapy	2	- X			X			
Akathisia	19	- X			X		X	
Akinesia	2	- X			X			
Alanine aminotransferase	1	-			X			
Alanine aminotransferase decreased	1	- X						
Alanine aminotransferase increased	70	- X	X	X			X	
Alanine aminotransferase normal	1	- X						
Albumin urine	1	-			X			
Albuminuria	1	-			X			
Alcohol abuse	2	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Alcohol interaction	7	-			X		X	
Alcohol intolerance	29	- X	X	X			X	
Alcohol poisoning	4	- X			X			
Alcohol problem	1	-			X			
Alcohol use disorder	3	- X						
Alcohol withdrawal syndrome	1	- X						
Alcoholic	4	- X						
Alcoholic hangover	2	- X			X			
Alcoholic pancreatitis	1	-			X			
Alcoholic seizure	1	- X						
Alcoholism	9	- X			X		X	
Alexia	9	- X			X			
Alice in wonderland syndrome	4	- X					X	
Allergic cough	22	- X	X	X			X	
Allergic hepatitis	1	- X						
Allergic oedema	46	- X	X	X			X	
Allergic reaction to excipient	10	- X			X			
Allergic respiratory disease	4	- X			X		X	
Allergic respiratory symptom	17	- X			X			
Allergic sinusitis	5	- X			X			
Allergy alert test	6	- X			X		X	
Allergy alert test positive	2	-			X		X	
Allergy to animal	4	- X			X		X	
Allergy to arthropod bite	8	- X			X			
Allergy to arthropod sting	6	- X			X			
Allergy to chemicals	22	- X			X		X	
Allergy to metals	6	- X			X	X	X	
Allergy to sting	2	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Allergy to vaccine	141	- X		X	X	X	X	
Allergy to venom	1	- X						
Allodynia	104	- X	X	X			X	
Alopecia	1,348	- X	X	X	X	X	X	
Alopecia areata	182	- X	X	X			X	
Alopecia scarring	4	- X			X			
Alopecia totalis	14	- X	X	X			X	
Alopecia universalis	6	- X			X			
Alpha 1 globulin decreased	1	-			X			
Alpha 2 globulin decreased	1	-			X			
Alpha tumour necrosis factor increased	1	- X						
Alpha-1 antitrypsin deficiency	1	-			X			
Altered state of consciousness	37	- X	X	X	X			
Altered visual depth perception	11	- X			X			
Alveolar proteinosis	1	- X						
Alveolitis	3	- X			X			
Amalgam tattoo	1	- X						
Amaurosis	1	- X						
Amaurosis fugax	17	- X			X		X	
Amblyopia	27	- X	X	X			X	
Amegakaryocytic thrombocytopenia	1	-			X			
Amenorrhoea	1,553	- X	X	X	X	X	X	
Amnesia	974	- X	X	X	X	X	X	
Amniocentesis abnormal	1	-			X			
Amniorrhoea	2	-			X			
Amniotic cavity infection	1	-			X			
Amniotic fluid volume decreased	1	-			X			
Amplified musculoskeletal pain syndrome	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Amylase increased	3	- X		X			X	
Amyloidosis	1	-			X			
Amyotrophic lateral sclerosis	7	- X		X				
Anaemia	404	1 X	X	X	X	X	X	
Anaemia folate deficiency	4	- X		X				
Anaemia macrocytic	2	-		X				
Anaemia megaloblastic	1	-		X				
Anaemia vitamin B12 deficiency	25	- X		X				
Anaesthesia	3	- X						
Anaesthesia oral	12	- X		X				
Anaesthetic complication	4	- X					X	
Anaesthetic complication neurological	2	- X		X				
Anal abscess	5	- X		X				
Anal blister	3	- X		X				
Anal cancer	1	- X						
Anal candidiasis	6	- X		X			X	
Anal eczema	1	-		X				
Anal erythema	1	-		X				
Anal fissure	4	- X		X				
Anal fistula	1	- X						
Anal haemorrhage	86	1 X		X	X		X	
Anal hypoesthesia	9	- X		X				
Anal incontinence	99	- X	X	X	X	X	X	
Anal inflammation	3	- X				X		
Anal paraesthesia	2	- X						
Anal pruritus	12	- X		X	X		X	
Anal rash	3	- X		X			X	
Anal sex	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Anal spasm	2	- X		X				
Anal sphincter atony	2	-		X			X	
Anal ulcer	3	- X		X				
Analgesic drug level	31	- X		X			X	
Analgesic drug level increased	1	- X						
Analgesic drug level therapeutic	1	- X						
Analgesic therapy	4	- X		X			X	
Anamnestic reaction	1	-		X				
Anaphylactic reaction	1,481	3 X	X	X	X	X	X	X
Anaphylactic shock	215	- X	X	X	X		X	
Anaphylactoid reaction	63	- X	X	X			X	X
Anaphylactoid shock	8	- X		X				
Anaphylaxis prophylaxis	5	- X		X				
Anaphylaxis treatment	13	- X		X	X		X	
Anaplastic thyroid cancer	1	-		X				
Anastomotic leak	1	-		X				
Anastomotic ulcer	1	- X						
Androgen deficiency	1	-		X				
Androgenetic alopecia	4	- X		X				
Anembryonic gestation	4	- X		X				
Anencephaly	3	- X		X				
Aneurysm	25	2 X	X	X				
Aneurysm ruptured	4	- X		X			X	
Anger	173	- X	X	X	X		X	
Angina bullosa haemorrhagica	5	- X		X				
Angina pectoris	781	1 X	X	X	X		X	
Angina unstable	30	- X	X	X			X	
Angiodermatitis	3	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Angioedema	816	- X	X	X	X	X	X	
Angioimmunoblastic T-cell lymphoma	1	-			X			
Angiopathy	9	- X			X			
Angiosarcoma	1	-			X			
Angle closure glaucoma	8	- X			X			
Angular cheilitis	18	- X			X	X		
Anhedonia	7	- X			X			
Anhidrosis	5	- X			X			
Animal bite	1	- X						
Animal scratch	1	-			X			
Anisocoria	30	- X			X		X	
Anisocytosis	3	- X						
Anisomastia	1	- X						
Ankle fracture	5	- X			X			
Ankle impingement	1	- X						
Ankyloglossia congenital	3	- X			X			
Ankylosing spondylitis	54	- X	X	X			X	
Anogenital warts	12	- X			X		X	
Anomalous pulmonary venous connection	1	-			X			
Anonychia	1	- X						
Anorectal discomfort	20	- X			X	X	X	
Anorectal infection	1	-			X			
Anorectal swelling	2	- X			X			
Anorectal varices	1	- X						
Anorgasmia	11	- X			X			
Anosmia	841	- X	X	X	X	X	X	X
Anosognosia	1	-	X					
Anovulatory cycle	100	- X			X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Antacid therapy	1	- X						
Anterior capsule contraction	2	- X						
Anti factor VIII antibody positive	1	- X						
Antiallergic therapy	1	- X						
Antibiotic therapy	2	- X						
Antibody test	10	- X		X				
Antibody test abnormal	9	- X						
Antibody test negative	23	- X		X			X	
Antibody test positive	5	- X		X				
Anticholinergic syndrome	1	-		X				
Anticoagulant therapy	3	- X		X				
Anticoagulation drug level above therapeutic	4	- X		X				
Anticoagulation drug level below therapeutic	10	- X		X				
Anticoagulation drug level increased	2	- X		X				
Antidepressant drug level decreased	1	- X						
Antidepressant therapy	1	- X						
Anti-glomerular basement membrane disease	2	- X		X				
Anti-HLA antibody test positive	1	-						
Antimitochondrial antibody positive	2	- X						
Anti-Muellerian hormone level decreased	4	- X						
Antineutrophil cytoplasmic antibody positive	2	- X		X				
Anti-neutrophil cytoplasmic antibody positive vasculitis	6	1 X		X				
Antinuclear antibody	6	- X		X				
Antinuclear antibody increased	3	- X		X				
Antinuclear antibody positive	6	- X		X				
Antiphospholipid antibodies	3	- X						
Antiphospholipid antibodies positive	5	- X						
Antiphospholipid syndrome	47	- X	X	X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Anti-platelet factor 4 antibody positive	1	- X						
Antisocial behaviour	2	- X						
Anti-sperm antibody	1	- X						
Antisynthetase syndrome	3	-		X				
Anti-thyroid antibody	2	- X		X				
Antitussive therapy	1	- X						
Anuria	11	- X		X				
Anxiety	3,177	- X	X	X	X		X	
Anxiety disorder	13	- X		X			X	
Aorta hypoplasia	1	- X						
Aortic aneurysm	16	- X	X	X	X		X	
Aortic aneurysm rupture	-	2 X		X				
Aortic arteriosclerosis	2	- X						
Aortic bruit	1	- X						
Aortic dilatation	1	- X						
Aortic disorder	1	-		X				
Aortic dissection	6	3 X		X			X	
Aortic dissection rupture	-	1		X				
Aortic embolus	30	1 X		X				
Aortic injury	2	-		X				
Aortic intramural haematoma	1	- X						
Aortic occlusion	3	- X		X				
Aortic rupture	1	2 X		X				
Aortic stenosis	8	- X		X			X	
Aortic thrombosis	23	4 X		X	X		X	
Aortic valve incompetence	7	- X		X				
Aortic valve replacement	2	- X						
Aortic valve sclerosis	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Aortic valve stenosis	1	- X						
Aortitis	4	- X			X			
APACHE II score	1	- X						
Apathy	147	- X	X	X	X	X	X	
Aphasia	367	- X	X	X	X	X	X	
Aphonia	320	- X	X	X	X	X	X	
Aphthous ulcer	140	- X		X	X	X	X	
Aplasia	1	-				X		
Aplasia pure red cell	2	-			X			
Aplastic anaemia	12	1 X			X		X	
Apnoea	24	- X	X	X			X	
Apnoeic attack	2	- X			X			
Apparent death	1	- X						
Appendectomy	14	- X	X	X	X			
Appendicitis	113	- X	X	X	X	X	X	
Appendicitis noninfective	3	- X			X			
Appendicitis perforated	13	- X		X			X	
Appendicolith	1	-			X			
Appendix disorder	6	- X			X			
Appetite disorder	69	- X	X	X			X	
Application site acne	3	- X			X			
Application site bruise	39	- X		X	X	X	X	
Application site burn	6	- X			X		X	
Application site cellulitis	1	-					X	
Application site coldness	2	- X						
Application site discharge	1	- X						
Application site discolouration	2	- X						
Application site dryness	2	-			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Application site erythema	59	- X	X	X			X	
Application site exfoliation	2	- X					X	
Application site haemorrhage	2	- X			X			
Application site hypersensitivity	1	- X						
Application site hypoesthesia	4	- X			X			
Application site inflammation	3	- X					X	
Application site irritation	1	-			X			
Application site joint erythema	2	-			X		X	
Application site joint pain	2	- X			X			
Application site laceration	1	- X						
Application site mass	1	-			X			
Application site movement impairment	1	- X						
Application site odour	3	- X			X			
Application site pain	72	- X	X	X			X	
Application site pruritus	35	- X			X		X	
Application site rash	8	- X	X	X			X	
Application site reaction	4	- X	X	X			X	
Application site scar	1	- X						
Application site swelling	10	- X			X		X	
Application site vesicles	26	- X			X		X	
Application site warmth	6	- X	X	X			X	
Application site wound	1	- X						
Apraxia	7	- X			X			
Aptyalism	14	- X			X		X	
Arachnoid cyst	2	- X						
Arachnoiditis	5	- X			X			
Arcus lipoides	1	- X						
Areflexia	45	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Argyria	1	-			X			
Arm amputation	2	- X			X			
Arnold-Chiari malformation	4	- X			X		X	
Arrhythmia	453	7 X	X	X	X		X	
Arrhythmia neonatal	2	- X			X			
Arrhythmia supraventricular	48	- X	X	X	X		X	
Arterial disorder	2	- X						
Arterial fibrosis	3	-			X		X	
Arterial haemorrhage	1	-			X			
Arterial injury	1	- X						
Arterial occlusive disease	20	- X			X			
Arterial rupture	1	- X						
Arterial spasm	4	- X			X		X	
Arterial stenosis	3	- X						
Arterial thrombosis	41	2 X		X	X		X	
Arteriogram carotid	1	- X						
Arteriosclerosis	17	1 X	X	X			X	
Arteriosclerosis coronary artery	18	2 X			X		X	
Arteriospasm coronary	11	- X			X			
Arteriovenous fistula	1	- X						
Arteriovenous fistula operation	1	- X						
Arteriovenous malformation	1	- X						
Arteritis	8	- X			X			
Artery dissection	9	- X			X	X		
Arthralgia	41,325	- X	X	X	X	X	X	X
Arthritis	1,314	- X	X	X	X	X	X	X
Arthritis allergic	1	-					X	
Arthritis bacterial	19	- X			X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Arthritis enteropathic	<b>3</b>	- X					X	
Arthritis infective	<b>8</b>	- X			X		X	
Arthritis reactive	<b>198</b>	- X	X	X	X	X	X	
Arthritis viral	<b>6</b>	- X		X			X	
Arthropathy	<b>101</b>	- X	X	X	X		X	
Arthropod bite	<b>24</b>	- X		X			X	
Arthropod sting	<b>19</b>	- X			X			
Artificial menopause	<b>3</b>	- X			X			
Asbestosis	<b>1</b>	- X						
Ascending flaccid paralysis	<b>1</b>	- X						
Ascites	<b>15</b>	- X			X		X	
Asocial behaviour	<b>1</b>	- X						
Aspartate aminotransferase	<b>4</b>	- X			X		X	
Aspartate aminotransferase abnormal	<b>1</b>	-			X			
Aspartate aminotransferase increased	<b>6</b>	- X			X			
Aspermia	<b>3</b>	- X			X			
Asphyxia	<b>5</b>	4 X			X	X		
Aspiration	<b>13</b>	2 X			X			
Aspiration bone marrow	<b>1</b>	-			X			
Aspiration pleural cavity	<b>1</b>	-						
Asterixis	<b>1</b>	- X						
Asthenia	<b>9,098</b>	5 X	X	X	X	X	X	X
Asthenopia	<b>591</b>	- X	X	X	X	X	X	
Asthma	<b>1,362</b>	2 X	X	X	X	X	X	
Asthma exercise induced	<b>7</b>	- X			X		X	
Asthma late onset	<b>7</b>	- X			X		X	
Asthma prophylaxis	<b>7</b>	- X			X		X	
Asthma-chronic obstructive pulmonary disease overlap syndrome	<b>2</b>	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Asthmatic crisis	7	- X					X	
Astigmatism	6	-			X		X	
Astraphobia	2	- X				X		
Astrocytoma malignant	1	-						
Ataxia	94	- X	X	X			X	
Atelectasis	13	- X			X			
Atheroembolism	1	- X						
Atonic seizures	26	- X			X	X	X	
Atonic urinary bladder	1	- X						
Atopic cough	1	-			X			
Atopy	9	- X			X			
Atrial fibrillation	979	3 X	X	X	X	X	X	
Atrial flutter	130	- X	X	X	X	X	X	
Atrial septal defect	4	- X			X			
Atrial tachycardia	40	- X	X	X	X	X	X	
Atrial thrombosis	7	- X			X			
Atrioventricular block	82	3 X	X	X	X	X	X	
Atrioventricular block complete	8	2 X			X	X	X	
Atrioventricular block first degree	10	- X			X			
Atrioventricular block second degree	14	- X			X			
Atrophic vulvovaginitis	3	- X			X			
Atrophy	8	- X			X			
Attention deficit hyperactivity disorder	35	- X			X		X	
Attention-seeking behaviour	2	- X			X			
Atypical femur fracture	2	- X			X			
Atypical haemolytic uraemic syndrome	1	- X						
Atypical pneumonia	3	- X					X	
Audiogram	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Audiogram abnormal	2	-		X			X	
Auditory disorder	14	- X		X				
Auditory nerve disorder	1	-		X				
Aura	65	- X		X			X	
Aural polyp	1	- X						
Auricular swelling	3	-		X				
Autism spectrum disorder	10	- X		X				
Autoimmune anaemia	6	- X		X			X	
Autoimmune arthritis	30	- X	X	X			X	
Autoimmune blistering disease	2	- X		X				
Autoimmune colitis	7	- X		X				
Autoimmune demyelinating disease	2	- X	X					
Autoimmune dermatitis	6	- X		X			X	
Autoimmune disorder	187	- X	X	X	X		X	X
Autoimmune encephalopathy	8	2 X	X	X				
Autoimmune eye disorder	1	- X						
Autoimmune haemolytic anaemia	33	- X	X	X			X	
Autoimmune heparin-induced thrombocytopenia	1	- X						
Autoimmune hepatitis	40	- X	X	X	X		X	
Autoimmune hypothyroidism	2	-	X	X				
Autoimmune inner ear disease	2	- X		X				
Autoimmune lung disease	4	- X		X				
Autoimmune myocarditis	1	- X						
Autoimmune myositis	5	- X			X			
Autoimmune neuropathy	8	- X					X	
Autoimmune neutropenia	5	- X			X		X	
Autoimmune pancreatitis	2	-			X			
Autoimmune pericarditis	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Autoimmune thyroid disorder	2	- X		X				
Autoimmune thyroiditis	24	- X		X			X	
Autoimmune uveitis	4	- X		X				
Autoinflammatory disease	2	- X		X				
Automatic bladder	2	- X		X				
Automatism	1	-		X				
Autonomic nervous system imbalance	70	- X	X	X			X	
Autonomic neuropathy	5	- X		X				
Autonomic seizure	2	- X		X				
Autoscopy	55	- X	X	X			X	
Aversion	2	- X		X				
Axial spondyloarthritis	4	- X		X			X	
Axillary lymphadenectomy	6	- X		X			X	
Axillary mass	500	- X	X	X	X		X	
Axillary nerve injury	1	-		X				
Axillary pain	6,051	- X	X	X	X		X	
Axillary vein thrombosis	4	- X		X			X	
Axillary web syndrome	6	- X		X				
Axonal and demyelinating polyneuropathy	1	- X						
Axonal neuropathy	6	- X		X			X	
Azotaemia	1	-		X				
Bacille Calmette-Guerin scar reactivation	175	- X	X	X	X		X	X
Bacillus infection	1	- X						
Back disorder	12	- X		X				
Back injury	13	- X		X			X	
Back pain	10,879	- X	X	X	X		X	X
Bacteraemia	1	- X						
Bacterial colitis	1	-		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Bacterial diarrhoea	1	-			X			
Bacterial infection	60	1 X			X		X	
Bacterial sepsis	2	- X			X			
Bacterial test	1	- X						
Bacterial test positive	1	-			X			
Bacterial vaginosis	8	- X			X		X	
Bacterial vulvovaginitis	1	- X						
Balance disorder	1,913	- X	X	X	X		X	
Balance test	2	- X			X			
Balanitis candida	3	- X			X			
Balanoposthitis	10	- X			X	X		
Ballismus	2	- X			X			
Band sensation	11	- X			X		X	
Barium swallow	2	- X						
Barotitis media	1	-			X			
Barotrauma	4	- X			X		X	
Barrett's oesophagus	4	- X			X	X		
Bartholinitis	1	-			X			
Bartholin's abscess	1	-			X			
Bartholin's cyst	5	- X			X			
Basal cell carcinoma	10	- X	X	X				
Basal ganglia haemorrhage	4	- X			X			
Basal ganglia infarction	2	- X			X			
Basal ganglia stroke	1	1 X						
Basilar artery occlusion	1	- X						
Basilar artery thrombosis	4	3 X			X			
Basilar migraine	7	- X			X		X	
B-cell aplasia	2	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
B-cell lymphoma	<b>3</b>	<b>1 X</b>			<b>X</b>			
B-cell lymphoma stage II	<b>1</b>	-					<b>X</b>	
B-cell lymphoma stage III	<b>1</b>	-					<b>X</b>	
Bed bug infestation	<b>1</b>	-			<b>X</b>			
Bed sharing	<b>1</b>	-			<b>X</b>			
Bedridden	<b>177</b>	- X	<b>X</b>	<b>X</b>	<b>X</b>		<b>X</b>	
Behaviour disorder	<b>4</b>	- X	<b>X</b>	<b>X</b>				
Behcet's syndrome	<b>10</b>	- X			<b>X</b>	<b>X</b>		
Bell's palsy	<b>1,596</b>	- X	<b>X</b>	<b>X</b>	<b>X</b>		<b>X</b>	
Benign breast neoplasm	<b>9</b>	- X			<b>X</b>			<b>X</b>
Benign ear neoplasm	<b>1</b>	- X						
Benign familial pemphigus	<b>1</b>	- X						
Benign hydatidiform mole	<b>7</b>	- X			<b>X</b>			
Benign lymph node neoplasm	<b>2</b>	- X						
Benign neoplasm of eye	<b>1</b>	-			<b>X</b>			
Benign neoplasm of thyroid gland	<b>1</b>	- X						
Benign ovarian tumour	<b>1</b>	- X						
Benign prostatic hyperplasia	<b>4</b>	- X			<b>X</b>			
Benign spleen tumour	<b>1</b>	- X						
Beta haemolytic streptococcal infection	<b>2</b>	- X			<b>X</b>			
Beta-2 glycoprotein antibody positive	<b>1</b>	-			<b>X</b>			
Bickerstaff's encephalitis	<b>1</b>	- X						
Bicuspid aortic valve	<b>4</b>	- X	<b>X</b>	<b>X</b>				
Bifascicular block	<b>1</b>	-			<b>X</b>			
Bile acid malabsorption	<b>6</b>	- X			<b>X</b>			
Bile duct cancer	<b>2</b>	- X			<b>X</b>			
Bile duct stenosis	<b>1</b>	-			<b>X</b>			
Bile output	<b>8</b>	- X					<b>X</b>	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Biliary colic	64	- X	X	X	X	X	X	
Biliary dilatation	2	- X			X			
Biliary obstruction	2	- X			X			
Biliary sepsis	7	1 X			X			
Biliary tract disorder	1	-			X			
Binge eating	3	- X					X	
Binocular eye movement disorder	1	-			X			
Biochemical pregnancy	9	- X	X	X				
Biopsy	1	- X						
Biopsy bone	1	-			X			
Biopsy brain	1	- X						
Biopsy breast	3	- X			X			
Biopsy endometrium	1	-			X			
Biopsy kidney	2	- X			X			
Biopsy lymph gland	3	- X			X			
Biopsy skin	2	- X						
Biopsy vagina	1	- X						
Bipolar disorder	15	- X			X		X	
Bipolar I disorder	11	- X			X			
Birdshot chorioretinopathy	2	-			X			
Bite	3	- X			X		X	
Bladder cancer	6	- X			X			
Bladder catheterisation	3	- X			X			
Bladder cyst	2	- X			X			
Bladder dilatation	2	- X					X	
Bladder discomfort	17	- X			X		X	
Bladder disorder	50	- X			X		X	
Bladder dysfunction	24	- X			X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Bladder fibrosis	1	-			X			
Bladder fistula repair	1	- X						
Bladder hypertrophy	1	-				X		
Bladder injury	3	- X			X		X	
Bladder irritation	28	- X			X		X	
Bladder pain	127	- X	X	X			X	
Bladder scan	3	- X			X		X	
Bladder spasm	3	- X			X			
Bladder training	2	- X						
Bleeding anovulatory	1	-			X			
Bleeding time	14	- X			X		X	
Bleeding time abnormal	6	- X			X		X	
Bleeding time prolonged	18	- X			X			
Bleeding time shortened	3	- X	X					
Bleeding varicose vein	2	- X						
Blepharal pigmentation	1	- X						
Blepharitis	57	- X			X	X	X	
Blepharitis allergic	1	-			X			
Blepharochalasis	1	-			X			
Blepharospasm	391	- X	X	X	X	X	X	
Blindness	621	- X	X	X	X	X	X	
Blindness cortical	2	- X			X			
Blindness day	1	- X						
Blindness transient	65	- X			X		X	
Blindness traumatic	1	-					X	
Blindness unilateral	89	- X			X	X	X	
Blister	1,455	- X	X	X	X	X	X	
Blister infected	4	- X			X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Blister rupture	11	- X		X			X	
Block vertebra	1	-		X				
Blood albumin abnormal	1	- X						
Blood albumin increased	1	-		X				
Blood alkaline phosphatase	1	- X						
Blood alkaline phosphatase abnormal	1	-		X				
Blood alkaline phosphatase decreased	1	- X						
Blood alkaline phosphatase increased	10	- X		X			X	
Blood aluminium	1	- X						
Blood antimony	1	-	X					
Blood arsenic normal	1	- X						
Blood bilirubin	1	- X						
Blood bilirubin decreased	1	-		X				
Blood bilirubin increased	15	- X		X			X	
Blood blister	160	- X		X	X	X	X	
Blood caffeine decreased	1	-		X				
Blood calcium	2	- X						
Blood calcium decreased	2	- X					X	
Blood calcium increased	4	- X		X			X	
Blood cannabinoids	1	- X						
Blood carbon monoxide increased	3	- X						
Blood cholesterol abnormal	1	-		X				
Blood cholesterol increased	47	- X		X			X	
Blood copper increased	1	-		X				
Blood corticotrophin	2	- X		X				
Blood corticotrophin abnormal	1	- X						
Blood cortisol	1	- X						
Blood creatine decreased	1	-		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Blood creatine increased	2	- X				X		
Blood creatine phosphokinase increased	24	- X			X		X	
Blood creatinine	2	-			X			
Blood creatinine abnormal	1	- X						
Blood creatinine decreased	5	- X			X			
Blood creatinine increased	10	- X			X		X	
Blood culture	3	- X						
Blood culture negative	1	- X						
Blood cyanide	1	- X						
Blood disorder	23	2 X			X		X	
Blood donor	2	- X						
Blood electrolytes decreased	2	- X						
Blood fibrinogen	1	-					X	
Blood fibrinogen abnormal	2	- X						
Blood fibrinogen decreased	8	- X						
Blood fibrinogen increased	2	- X						
Blood folate	3	- X						
Blood folate abnormal	2	- X			X			
Blood folate decreased	32	- X			X		X	
Blood follicle stimulating hormone increased	5	- X			X			
Blood gases	1	- X						
Blood gases abnormal	1	- X						
Blood gastrin	1	- X						
Blood gastrin normal	1	- X						
Blood glucose	35	- X			X		X	
Blood glucose abnormal	42	- X			X	X	X	
Blood glucose decreased	94	- X	X		X	X	X	
Blood glucose fluctuation	54	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Blood glucose increased	<b>340</b>	- X	X	X	X	X	X	
Blood glucose normal	<b>1</b>	-			X			
Blood group O	<b>2</b>	- X						
Blood grouping	<b>1</b>	- X						
Blood growth hormone	<b>3</b>	-			X			
Blood growth hormone increased	<b>1</b>	- X						
Blood HIV RNA increased	<b>1</b>	- X						
Blood immunoglobulin A increased	<b>2</b>	- X						
Blood immunoglobulin E	<b>1</b>	- X						
Blood immunoglobulin E increased	<b>6</b>	- X			X			
Blood immunoglobulin G	<b>1</b>	- X						
Blood immunoglobulin G increased	<b>1</b>	-			X			
Blood immunoglobulin M	<b>2</b>	- X			X			
Blood immunoglobulin M increased	<b>4</b>	- X			X			
Blood insulin	<b>6</b>	- X			X			
Blood insulin abnormal	<b>2</b>	- X				X		
Blood insulin decreased	<b>3</b>	- X			X			
Blood insulin increased	<b>3</b>	- X						
Blood iron	<b>21</b>	- X			X		X	
Blood iron decreased	<b>67</b>	- X	X	X	X	X	X	
Blood iron increased	<b>9</b>	- X			X			
Blood ketone body	<b>13</b>	- X			X			
Blood ketone body increased	<b>2</b>	- X			X			
Blood ketone body present	<b>2</b>	- X			X			
Blood lactate dehydrogenase	<b>2</b>	- X			X			
Blood lactate dehydrogenase increased	<b>3</b>	- X			X		X	
Blood lactic acid	<b>10</b>	- X			X		X	
Blood lactic acid decreased	<b>1</b>	-			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Blood lactic acid increased	11	- X		X				
Blood lead	2	- X		X				
Blood loss anaemia	5	- X		X				
Blood magnesium decreased	5	- X		X		X		
Blood oestrogen	4	- X		X				
Blood oestrogen abnormal	1	-		X				
Blood oestrogen decreased	4	- X	X	X				
Blood oestrogen increased	3	- X						
Blood osmolarity	1	- X						
Blood parathyroid hormone decreased	1	- X						
Blood pH	29	- X	X	X				
Blood pH abnormal	1	-		X				
Blood pH increased	32	- X	X	X				
Blood phosphorus abnormal	1	- X						
Blood phosphorus decreased	9	- X		X				
Blood phosphorus increased	5	- X		X				
Blood potassium abnormal	1	-		X				
Blood potassium decreased	22	- X		X	X	X		
Blood potassium increased	12	- X		X				
Blood pressure abnormal	42	- X		X			X	
Blood pressure ambulatory increased	1	-		X				
Blood pressure decreased	226	- X	X	X	X	X	X	
Blood pressure diastolic	3	- X		X				
Blood pressure diastolic decreased	3	- X		X				
Blood pressure diastolic increased	13	- X	X	X			X	
Blood pressure difference of extremities	3	- X		X				
Blood pressure fluctuation	67	- X		X	X	X	X	
Blood pressure increased	820	- X	X	X	X	X	X	X

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Blood pressure measurement	194	- X	X	X	X	X	X	
Blood pressure normal	9	- X		X			X	
Blood pressure orthostatic	1	-		X				
Blood pressure orthostatic decreased	1	- X						
Blood pressure systolic	2	- X		X				
Blood pressure systolic abnormal	1	- X						
Blood pressure systolic decreased	4	-		X				
Blood pressure systolic increased	9	- X	X	X			X	
Blood prolactin	3	-		X				
Blood prolactin increased	5	- X		X				
Blood sodium	2	- X						
Blood sodium decreased	17	- X		X				
Blood test	84	- X		X			X	
Blood test abnormal	155	- X		X			X	
Blood test normal	4	- X		X			X	
Blood testosterone decreased	10	- X		X			X	
Blood testosterone increased	3	- X		X				
Blood thrombin	1	-					X	
Blood thromboplastin	2	- X		X				
Blood thromboplastin abnormal	1	- X						
Blood thromboplastin increased	1	- X						
Blood thyroid stimulating hormone	1	- X						
Blood thyroid stimulating hormone abnormal	1	- X						
Blood thyroid stimulating hormone decreased	6	- X		X			X	
Blood thyroid stimulating hormone increased	20	- X		X			X	
Blood triglycerides	2	- X						
Blood triglycerides increased	3	- X						
Blood urea	8	- X					X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Blood urea increased	2	- X					X	
Blood uric acid increased	7	- X			X			
Blood urine	71	- X	X	X	X	X	X	
Blood urine present	230	- X	X	X	X	X	X	
Blood viscosity abnormal	2	- X		X				
Blood viscosity decreased	2	- X		X				
Blood viscosity increased	8	- X		X			X	
Blood zinc increased	1	- X						
Bloody discharge	45	- X		X			X	
Blue toe syndrome	92	- X	X	X	X	X	X	
Blunted affect	1	- X						
Body dysmorphic disorder	3	- X		X				
Body fat disorder	1	-		X				
Body height decreased	1	- X						
Body surface area	3	- X						
Body surface area decreased	1	- X						
Body temperature	1,518	- X	X	X	X	X	X	
Body temperature abnormal	176	- X	X	X	X	X	X	
Body temperature decreased	221	- X		X	X	X	X	
Body temperature fluctuation	316	- X	X	X	X	X	X	
Body temperature increased	1,939	- X	X	X	X	X	X	X
Body temperature normal	4	- X		X				
Body tinea	18	- X		X			X	
Bone atrophy	1	-		X				
Bone cancer	4	1 X		X				
Bone contusion	2	-		X				
Bone cyst	2	-		X				
Bone deformity	1	-		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Bone densitometry	1	- X						
Bone density decreased	1	- X						
Bone disorder	7	- X			X			
Bone erosion	2	- X					X	
Bone loss	4	- X			X			
Bone marrow disorder	4	- X			X			
Bone marrow oedema	2	- X			X			
Bone marrow transplant	1	-					X	
Bone neoplasm	1	-			X			
Bone pain	1,834	- X	X	X	X	X	X	X
Bone scan	1	-					X	
Bone swelling	23	- X			X		X	
Booster dose missed	1	- X						
Boredom	1	-			X			
Botulinum toxin injection	1	-					X	
Bowel movement irregularity	20	- X			X		X	
Bowen's disease	2	- X			X			
Brachial plexopathy	4	- X			X			
Brachial plexus injury	3	- X			X			
Brachial pulse decreased	1	- X						
Brachiocephalic vein thrombosis	2	- X			X			
Brachyolmia	1	-			X			
Bradyarrhythmia	2	- X			X			
Bradycardia	209	1 X	X	X	X	X	X	
Bradycardia foetal	2	-			X			
Bradykinesia	75	- X	X	X	X	X	X	
Bradyphrenia	156	- X	X	X	X	X	X	
Brain abscess	5	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Brain cancer metastatic	3	- X		X				
Brain compression	6	- X		X				
Brain contusion	23	- X	X	X	X			
Brain death	4	7 X		X				
Brain fog	1,891	- X	X	X	X	X	X	
Brain herniation	12	1 X		X			X	
Brain hypoxia	7	1 X	X	X				
Brain injury	76	5 X	X	X	X			
Brain malformation	3	- X	X					
Brain natriuretic peptide increased	3	- X		X				
Brain neoplasm	23	5 X		X			X	
Brain neoplasm malignant	4	- X		X				
Brain oedema	57	4 X		X	X			
Brain operation	1	- X						
Brain scan abnormal	2	- X						
Brain stem embolism	-	1 X						
Brain stem haemorrhage	5	4 X		X				
Brain stem infarction	1	4 X		X			X	
Brain stem microhaemorrhage	1	- X						
Brain stem stroke	10	2 X		X				
Brain stem syndrome	2	- X						
Brain stem thrombosis	1	1 X						
Branchial cyst	4	- X	X					
Breakthrough COVID-19	1	- X						
Breakthrough pain	1	-		X				
Breast abscess	11	- X		X			X	
Breast atrophy	2	-		X				
Breast cancer	111	- X		X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Breast cancer female	6	- X		X	X			
Breast cancer in situ	1	- X						
Breast cancer male	5	- X		X				
Breast cancer metastatic	1	- X						
Breast cancer stage I	2	- X		X				
Breast cancer stage III	6	- X		X				
Breast cancer stage IV	2	- X				X		
Breast conserving surgery	10	- X	X	X	X			
Breast cyst	40	- X		X			X	
Breast discharge	20	- X	X	X			X	
Breast discolouration	1	- X						
Breast discomfort	29	- X		X			X	
Breast disorder	8	- X		X				
Breast engorgement	17	- X		X				
Breast enlargement	48	- X		X			X	
Breast feeding	32	- X		X			X	
Breast haematoma	1	-		X				
Breast haemorrhage	3	- X				X	X	
Breast implant palpable	1	-		X				
Breast induration	1	- X						
Breast inflammation	15	- X	X	X			X	
Breast injury	1	-		X				
Breast mass	271	- X	X	X	X	X	X	
Breast milk discolouration	4	-		X				
Breast milk odour abnormal	2	-		X				
Breast milk substitute intolerance	1	-		X				
Breast oedema	13	- X		X			X	
Breast pain	1,673	- X	X	X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Breast prosthesis user	5	- X		X				
Breast scan	1	-			X			
Breast swelling	307	- X	X	X	X	X	X	
Breast tenderness	205	- X		X	X	X	X	
Breath holding	16	- X		X			X	
Breath odour	64	- X		X	X	X	X	
Breath sounds	4	- X					X	
Breath sounds abnormal	13	- X		X			X	
Breathing-related sleep disorder	1	-		X				
Brief resolved unexplained event	1	- X						
Bromhidrosis	1	-		X				
Bromoderma	2	-				X	X	
Bronchial carcinoma	6	- X		X			X	
Bronchial haemorrhage	1	- X						
Bronchial injury	1	-		X				
Bronchial oedema	1	- X						
Bronchial secretion retention	7	- X	X	X				
Bronchiectasis	35	- X			X		X	
Bronchitis	73	- X	X	X	X	X	X	
Bronchitis bacterial	4	- X	X	X	X	X		
Bronchitis chronic	2	- X						
Bronchitis viral	5	- X	X	X	X			
Bronchopulmonary aspergillosis	1	-		X				
Bronchospasm	40	- X			X		X	
Brucellosis	1	- X						
Brugada syndrome	1	- X						
Bruxism	60	- X	X	X			X	
Budd-Chiari syndrome	1	1 X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Bulbar palsy	7	- X		X				
Bulimia nervosa	1	-		X				
Bullous haemorrhagic dermatosis	1	- X						
Bundle branch block	7	- X		X	X	X	X	
Bundle branch block left	24	- X	X	X			X	
Bundle branch block right	24	- X	X	X	X	X	X	
Burkitt's lymphoma	-	1 X						
Burn oesophageal	6	- X		X			X	
Burn of internal organs	8	- X		X				
Burn oral cavity	17	- X		X				
Burning feet syndrome	59	- X	X	X			X	
Burning mouth syndrome	29	- X	X	X				
Burning sensation	2,021	- X	X	X	X	X	X	
Burning sensation mucosal	6	- X		X				
Burnout syndrome	20	- X		X	X	X	X	
Burns second degree	8	- X		X			X	
Burns third degree	1	-		X				
Bursa injury	7	- X		X				
Bursa removal	1	- X						
Bursitis	427	- X	X	X	X	X	X	X
Bursitis infective	4	- X		X				
Butterfly rash	18	- X		X			X	
Buttock injury	1	-						X
Cachexia	4	- X		X				
Caesarean section	3	-		X				
Caffeine allergy	1	-		X				
Calcinosis	5	- X		X				
Calculus bladder	2	-		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Calculus urinary	1	-			X			
Campnocormia	1	- X						
Campylobacter colitis	1	- X						
Campylobacter gastroenteritis	2	- X			X			
Campylobacter infection	2	- X			X			
Campylobacter test positive	1	-					X	
Cancer fatigue	4	- X						
Cancer pain	4	- X	X		X			
Cancer staging	1	-			X			
Candida infection	173	- X	X		X			X
Capillaritis	8	- X			X	X		X
Capillary disorder	2	- X			X			
Capillary fragility	20	- X			X			
Capillary leak syndrome	22	- X			X			X
Capillary nail refill test	1	- X						
Capsular contracture associated with breast implant	3	- X			X			
Capsular contracture associated with implant	1	-			X			
Carbohydrate antigen 15-3	1	- X						
Carbohydrate antigen 15-3 increased	1	-			X			
Carbon dioxide increased	1	- X						
Carbuncle	1	- X						
Carcinoembryonic antigen increased	3	- X			X			
Carcinoid syndrome	1	- X						
Cardiac amyloidosis	1	-			X			
Cardiac aneurysm	1	1 X			X			
Cardiac arrest	305	116 X	X		X	X	X	X
Cardiac asthma	1	- X						
Cardiac autonomic neuropathy	2	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Cardiac death	3	12 X	X	X			X	
Cardiac discomfort	76	- X	X	X	X		X	
Cardiac disorder	293	6 X	X	X	X	X	X	X
Cardiac dysfunction	7	- X		X			X	
Cardiac failure	246	34 X	X	X	X		X	
Cardiac failure acute	20	8 X		X			X	
Cardiac failure chronic	5	1 X		X				
Cardiac failure congestive	10	9 X	X	X			X	
Cardiac fibrillation	12	- X		X			X	
Cardiac flutter	1,214	- X	X	X	X		X	
Cardiac infection	4	- X	X	X				
Cardiac monitoring	3	- X	X	X				
Cardiac murmur	122	- X	X	X			X	
Cardiac neoplasm unspecified	1	-		X				
Cardiac operation	2	- X		X				
Cardiac output	3	-		X	X			
Cardiac pacemaker insertion	3	- X						
Cardiac sarcoidosis	4	- X		X				
Cardiac septal defect	1	-	X					
Cardiac septal hypertrophy	-	1 X						
Cardiac tamponade	3	2 X		X				
Cardiac telemetry	1	- X						
Cardiac valve disease	9	1 X		X				
Cardiac valve vegetation	1	-		X				
Cardiac ventricular scarring	5	- X		X				
Cardiac ventricular thrombosis	17	2 X		X			X	
Cardiogenic shock	16	4 X		X			X	
Cardiolipin antibody positive	1	-		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Cardiomegaly	127	6 X	X	X			X	
Cardiomyopathy	46	3 X		X	X		X	
Cardiomyopathy acute	1	- X						
Cardiomyopathy neonatal	1	- X						
Cardiopulmonary failure	2	4 X		X			X	
Cardio-respiratory arrest	2	4 X	X	X				
Cardiospasm	14	1 X		X				
Cardiovascular deconditioning	1	-		X				
Cardiovascular disorder	21	- X		X				
Cardiovascular insufficiency	10	- X						
Cardiovascular symptom	7	- X		X				
Carditis	17	- X		X			X	
Carotid arteriosclerosis	2	- X		X				
Carotid artery aneurysm	2	- X						
Carotid artery disease	1	- X						
Carotid artery dissection	3	- X		X				
Carotid artery occlusion	18	- X		X				
Carotid artery stenosis	5	- X						
Carotid artery thrombosis	17	- X		X	X			
Carotid bruit	1	- X						
Carotid pulse	3	- X		X				
Carotid pulse abnormal	1	-		X				
Carotid sinus syndrome	2	- X						
Carpal collapse	1	-		X				
Carpal tunnel decompression	1	- X						
Carpal tunnel syndrome	103	- X	X	X			X	
Cartilage injury	4	- X						
Cat scratch disease	1	-		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Cataplexy	5	- X		X				
Cataract	56	- X		X	X		X	
Cataract cortical	2	- X						
Cataract subcapsular	4	- X						
Cataract traumatic	1	- X						
Catarrh	124	- X	X	X	X		X	
Catastrophic reaction	1	1 X						
Catatonia	4	- X		X				
Catheter management	4	- X						
Catheter placement	2	- X						
Catheter site infection	3	- X		X				
Catheter site pain	1	-		X				
Catheter site related reaction	2	-					X	
Catheter site urticaria	1	- X						
Catheterisation cardiac	1	-		X				
Cauda equina syndrome	8	- X		X				
Cavernous sinus syndrome	3	-		X				
Cavernous sinus thrombosis	10	- X		X				
CD4 lymphocytes decreased	1	- X						
Cells in urine	3	- X		X				
Cellulite	5	- X		X				
Cellulitis	922	- X	X	X	X	X	X	
Cellulitis orbital	8	- X	X	X				
Cellulitis streptococcal	1	- X						
Central nervous system infection	3	- X					X	
Central nervous system inflammation	20	- X		X			X	
Central nervous system injury	1	- X						
Central nervous system lesion	20	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Central nervous system lupus	1	- X						
Central nervous system stimulation	3	- X						
Central nervous system vasculitis	4	- X		X				
Central pain syndrome	4	- X		X				
Central serous chorioretinopathy	16	- X		X		X		
Central sleep apnoea syndrome	1	-		X				
Central venous pressure	2	- X		X				
Central vision loss	9	- X		X				
Cerebellar artery thrombosis	1	-		X				
Cerebellar ataxia	6	- X		X				
Cerebellar haemorrhage	8	3 X		X	X			
Cerebellar infarction	12	- X		X				
Cerebellar ischaemia	1	-		X				
Cerebellar stroke	23	3 X		X	X	X		
Cerebellar syndrome	3	- X		X				
Cerebral amyloid angiopathy	8	- X		X				
Cerebral arteriosclerosis	2	- X						
Cerebral arteritis	1	- X						
Cerebral artery embolism	17	1 X		X	X	X		
Cerebral artery occlusion	6	1 X		X				
Cerebral artery stenosis	1	- X						
Cerebral artery thrombosis	24	- X		X				
Cerebral atrophy	2	-		X	X			
Cerebral congestion	12	- X	X	X		X		
Cerebral cyst	1	- X						
Cerebral disorder	13	- X		X				
Cerebral haematoma	16	1 X		X				
Cerebral haemorrhage	232	88 X	X	X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Cerebral infarction	136	10 X		X	X	X	X	
Cerebral ischaemia	9	- X		X	X			
Cerebral mass effect	12	- X						
Cerebral microangiopathy	1	- X						
Cerebral microhaemorrhage	4	- X						
Cerebral palsy	6	- X		X				
Cerebral revascularisation	1	- X						
Cerebral small vessel ischaemic disease	10	- X	X	X	X			
Cerebral thrombosis	64	6 X		X				
Cerebral vascular occlusion	2	1 X						
Cerebral vasoconstriction	3	- X						
Cerebral venous sinus thrombosis	315	35 X	X	X	X	X	X	
Cerebral venous thrombosis	61	5 X		X			X	
Cerebral ventricle dilatation	2	-		X				
Cerebrospinal fluid circulation disorder	6	- X						
Cerebrospinal fluid leakage	3	- X		X				
Cerebrovascular accident	2,100	91 X	X	X	X	X	X	X
Cerebrovascular disorder	9	- X		X				
Cerebrovascular insufficiency	1	- X						
Cerebrovascular operation	1	-		X				
Cerumen removal	2	- X						
Cervical dysplasia	3	-		X				
Cervical friability	1	- X						
Cervical polyp	3	- X		X				
Cervical radiculopathy	11	- X		X	X	X	X	
Cervical spinal stenosis	3	- X		X			X	
Cervicobrachial syndrome	18	- X	X	X				
Cervicogenic headache	9	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Cervicogenic vertigo	1	-			X			
Cervix carcinoma	8	- X			X			
Cervix disorder	2	-			X			
Cervix haemorrhage uterine	7	- X			X		X	
Cervix inflammation	1	-			X			
Cervix injury	1	-			X			
Cervix warts	1	- X						
Chalazion	11	- X			X			
Change in seizure presentation	9	- X			X			
Change in sustained attention	1	- X						
Change of bowel habit	52	- X			X	X	X	
Chapped lips	60	- X			X		X	
Charles Bonnet syndrome	3	- X			X			
Cheilitis	85	- X	X		X			X
Chemical burn	3	- X			X			
Chemical burn of oral cavity	2	- X						
Chemical burn of skin	16	- X			X			
Chemical cystitis	3	-			X			
Chemical phlebitis	2	- X						
Chemical poisoning	1	- X						
Chemical submission	1	- X						
Chemokine increased	1	- X						
Chemotherapy toxicity attenuation	1	- X						
Chest crushing	37	- X			X		X	
Chest discomfort	5,182	- X	X	X	X	X	X	
Chest injury	2	- X						
Chest pain	17,840	- X	X	X	X	X	X	X
Chest scan	3	-			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Chest wall mass	1	-			X			
Chest X-ray	40	- X			X			
Chest X-ray abnormal	1	-			X			
Chest X-ray normal	2	-			X			
Cheyne-Stokes respiration	2	- X						
Child maltreatment syndrome	1	- X						
Childhood	1	- X						
Childhood asthma	2	-					X	
Childhood depression	1	- X						
Chillblains	188	- X			X	X	X	
Chills	64,075	- X	X	X	X		X	X
Chlamydial infection	1	- X						
Chloasma	4	- X			X			
Chloropsia	4	- X			X			
Choking	59	- X			X			X
Choking sensation	23	- X			X			
Cholangiocarcinoma	1	- X						
Cholangiosarcoma	1	- X						
Cholangitis	4	- X			X			
Cholecystectomy	1	- X						
Cholecystitis	22	- X			X	X		
Cholecystitis acute	8	- X			X			
Cholecystitis infective	6	-			X	X		
Cholelithiasis	37	- X			X			X
Cholelithotomy	1	- X						
Cholestasis	10	- X			X			X
Cholestasis of pregnancy	2	- X			X			
Cholestatic liver injury	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Cholesterol granuloma	1	- X						
Chondritis	3	- X			X		X	
Chondrocalcinosis	8	- X			X			
Chondrodermatitis nodularis chronica helicis	1	-			X			
Chondromalacia	1	-			X			
Chondropathy	3	- X			X			
Chondrosarcoma	2	-			X			
Chorea	8	- X			X		X	
Choreoathetosis	2	- X				X		
Chorioretinal disorder	1	-			X			
Chorioretinitis	1	-					X	
Chorioretinopathy	1	- X						
Choroidal haemorrhage	1	-			X			
Choroidal neovascularisation	1	-			X			
Choroiditis	1	-			X			
Chromatopsia	2	- X			X			
Chromaturia	226	- X	X	X	X	X	X	
Chronic cheek biting	1	- X						
Chronic cutaneous lupus erythematosus	10	- X			X			
Chronic disease	2	- X			X			
Chronic fatigue syndrome	311	- X	X	X			X	
Chronic gastritis	9	- X			X			
Chronic inflammatory demyelinating polyradiculoneuropathy	22	- X			X		X	
Chronic inflammatory response syndrome	1	-			X			
Chronic kidney disease	31	1 X			X		X	
Chronic leukaemia	1	-			X			
Chronic lymphocytic leukaemia	11	- X			X	X	X	
Chronic myeloid leukaemia	3	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Chronic obstructive pulmonary disease	92	8 X	X	X			X	
Chronic paroxysmal hemicrania	1	- X						
Chronic pigmented purpura	1	-				X		
Chronic respiratory disease	1	1 X						
Chronic respiratory failure	1	- X						
Chronic sinusitis	28	- X	X	X			X	
Chronic spontaneous urticaria	36	- X	X	X	X		X	
Chronic tonsillitis	2	- X	X					
Circadian rhythm sleep disorder	8	- X			X			
Circulatory collapse	273	2 X	X	X	X		X	
Circumoral oedema	3	- X			X			
Circumoral swelling	1	-			X			
Circumstance or information capable of leading to medication error	24	- X			X		X	
Cirrhosis alcoholic	2	- X			X			
Clamping of blood vessel	1	- X						
Claudication of jaw muscles	3	- X	X	X				
Claustrophobia	2	- X			X			
Clavicle fracture	57	- X			X		X	
Clear cell endometrial carcinoma	1	- X						
Clear cell renal cell carcinoma	3	- X			X			
Cleft lip and palate	3	- X			X			
Clinical death	-	1			X			
Clinically isolated syndrome	4	- X			X			
Clinomania	1	- X						
Clitoral engorgement	2	- X			X			
Clonic convulsion	17	- X			X			
Clonus	9	- X			X		X	
Clostridium difficile colitis	5	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Clostridium difficile infection	6	- X		X				
Clot retraction	1	1 X			X			
Clubbing	1	- X						
Clumsiness	88	- X		X		X		
Cluster headache	1,193	- X	X	X	X	X	X	
CNS ventriculitis	1	-		X				
Coagulation factor	1	- X						
Coagulation factor VIII level decreased	7	- X			X			
Coagulation test abnormal	1	- X						
Coagulation time	10	- X						
Coagulation time prolonged	23	- X			X			
Coagulation time shortened	10	- X			X		X	
Coagulopathy	135	1 X	X	X			X	
Coarctation of the aorta	1	- X						
Coating in mouth	7	- X			X		X	
Coccydynia	14	- X			X		X	
Coeliac artery occlusion	1	- X						
Coeliac disease	47	- X	X	X			X	
Cognitive disorder	434	- X	X	X	X	X	X	
Cognitive linguistic deficit	1	-			X			
Coinfection	1	- X						
Coital bleeding	18	- X			X		X	
Cold agglutinins positive	2	- X						
Cold burn	5	- X			X		X	
Cold exposure injury	1	-			X			
Cold shock response	3	-			X	X	X	
Cold sweat	3,077	- X	X	X	X	X	X	
Cold type haemolytic anaemia	3	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Cold urticaria	27	- X		X			X	
Cold-stimulus headache	152	- X	X	X	X		X	
Colectomy	2	- X						
Colitis	145	1 X		X	X		X	
Colitis ischaemic	10	1 X		X			X	
Colitis microscopic	10	- X		X				
Colitis ulcerative	246	- X	X	X	X		X	
Collagen disorder	2	- X						
Collateral circulation	1	- X						
Colon cancer	6	- X		X				
Colon injury	1	- X						
Colorectal cancer	4	- X		X				
Colour blindness	14	- X		X			X	
Colour blindness acquired	3	-		X			X	
Coma	56	- X	X	X	X			
Coma scale abnormal	27	- X	X	X			X	
Combined immunodeficiency	2	- X		X				
Combined pulmonary fibrosis and emphysema	1	-		X				
Communication disorder	22	- X		X				
Compartment syndrome	8	- X		X				
Completed suicide	-	7 X		X				
Complex regional pain syndrome	24	- X		X			X	
Complicated appendicitis	1	-		X				
Complication associated with device	2	- X					X	
Complication of device removal	4	- X		X				
Complication of pregnancy	1	-		X				
Compression fracture	1	-					X	
Compulsions	1	-	X					

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Compulsive cheek biting	1	- X						
Compulsive shopping	2	- X						
Computerised tomogram	12	- X		X				
Computerised tomogram abdomen	5	- X		X				
Computerised tomogram head	45	- X	X	X	X	X	X	
Computerised tomogram liver	1	-		X				
Computerised tomogram neck	1	-					X	
Computerised tomogram normal	1	- X						
Computerised tomogram thorax	6	- X		X				
Concomitant disease aggravated	1	-		X				
Concomitant disease progression	-	1		X				
Concussion	23	- X		X			X	
Condition aggravated	879	- X	X	X	X	X	X	X
Condom	1	-		X				
Conductive deafness	2	- X		X				
Confabulation	1	- X						
Confusional arousal	4	- X		X				
Confusional state	4,025	- X	X	X	X	X	X	
Congenital anomaly	7	- X		X				
Congenital arterial malformation	1	-					X	
Congenital central nervous system anomaly	1	-		X				
Congenital cystic kidney disease	2	- X		X				
Congenital diaphragmatic hernia	3	- X		X				
Congenital eye disorder	1	-		X				
Congenital facial diplegia	1	-		X				
Congenital great vessel anomaly	1	-		X				
Congenital hydrocephalus	1	-		X				
Congenital hypothyroidism	1	-		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Congenital LUMBAR syndrome	1	-			X			
Congenital methaemoglobinæmia	1	-			X			
Congenital midline defect	1	- X						
Congenital multiplex arthrogryposis	1	- X						
Congenital musculoskeletal disorder of limbs	1	-			X			
Congenital pulmonary airway malformation	1	-			X			
Congestive hepatopathy	2	-			X			
Conjunctival bleb	1	- X						
Conjunctival cyst	1	-			X			
Conjunctival disorder	1	- X						
Conjunctival haemorrhage	220	- X	X	X	X		X	
Conjunctival hyperaemia	4	- X			X			
Conjunctival irritation	1	-			X			
Conjunctival oedema	3	-			X			
Conjunctival ulcer	1	-			X			
Conjunctivitis	206	- X	X	X	X	X	X	
Conjunctivitis allergic	4	- X			X			
Conjunctivitis bacterial	1	-			X			
Conjunctivitis viral	7	- X	X	X			X	
Connective tissue disorder	15	- X	X	X	X			
Connective tissue inflammation	6	- X	X	X	X			
Consciousness fluctuating	9	- X			X		X	
Constipation	917	- X	X	X	X	X	X	
Constricted affect	28	- X	X	X			X	
Continuous passive motion machine therapy	1	- X						
Contraception	5	- X			X			
Contraceptive diaphragm	3	- X						
Contraceptive implant	4	-			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Contraindicated product administered	8	- X		X				
Contraindicated product prescribed	13	- X		X			X	
Contraindication to medical treatment	1	- X						
Contraindication to vaccination	2	- X						
Contrast media reaction	6	- X		X	X	X		
Contusion	5,909	- X	X	X	X			
Convalescent	1	- X						
Conversion disorder	114	- X	X	X			X	
Convulsions local	2	-		X				
Convulsive threshold lowered	2	- X		X				
Coombs negative haemolytic anaemia	1	-		X				
Coordination abnormal	258	- X	X	X	X		X	
Copper deficiency	3	- X		X			X	
Cor pulmonale	1	-		X				
Corneal abrasion	1	-		X				
Corneal defect	1	- X						
Corneal graft rejection	16	- X		X	X		X	
Corneal neovascularisation	1	- X						
Corneal oedema	3	-		X				
Corneal perforation	1	- X						
Corneal reflex decreased	4	- X		X			X	
Corneal scar	2	- X		X				
Corneal transplant	2	- X						
Coronary artery bypass	2	- X						
Coronary artery disease	27	3 X	X	X			X	
Coronary artery dissection	8	1 X	X	X				
Coronary artery embolism	1	- X						
Coronary artery occlusion	11	2 X	X	X	X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Coronary artery reocclusion	1	- X						
Coronary artery stenosis	2	- X					X	
Coronary artery thrombosis	36	6 X			X		X	
Coronavirus infection	16	- X			X		X	
Coronavirus pneumonia	1	-			X			
Coronavirus test	59	- X			X		X	
Coronavirus test positive	4	-			X			
Corrective lens user	1	- X						
Cortisol decreased	8	- X			X			
Cortisol increased	2	- X						
Costochondritis	292	1 X	X	X	X		X	
Costovertebral angle tenderness	2	- X			X			
Cough	9,007	1 X	X	X	X		X	X
Cough decreased	3	-			X	X		
Cough variant asthma	18	- X			X		X	
COVID-19	7,682	77 X	X	X	X		X	X
COVID-19 immunisation	398	- X	X	X	X		X	X
COVID-19 pneumonia	108	31 X			X		X	
COVID-19 prophylaxis	1	-			X			
COVID-19 treatment	12	- X			X			
Cow pox	1	- X						
Coxsackie viral infection	1	- X						
Cranial nerve disorder	9	- X			X		X	
Cranial nerve injury	2	- X					X	
Cranial nerve neoplasm benign	1	-			X			
Cranial nerve paralysis	2	- X			X			
Craniocerebral injury	3	- X			X			
Craniosynostosis	1	-			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
C-reactive protein	1	- X						
C-reactive protein abnormal	3	- X						
C-reactive protein decreased	1	- X						
C-reactive protein increased	97	- X		X	X	X		
Crepitations	16	- X		X			X	
Creutzfeldt-Jakob disease	3	- X						
Crohn's disease	192	- X	X	X			X	
Croup infectious	2	- X		X				
Crush injury	1	-		X				
Crying	547	- X	X	X	X		X	
Cryptorchism	1	-		X				
Crystal arthropathy	2	-		X				
Crystal urine	4	- X						
CSF cell count abnormal	1	- X						
CSF glucose decreased	1	-						
CSF lymphocyte count abnormal	1	- X						
CSF oligoclonal band present	1	- X						
CSF pressure	6	- X		X			X	
CSF protein increased	3	- X		X				
CSF test abnormal	1	- X						
CSF white blood cell count increased	1	- X						
CT hypotension complex	3	- X		X				
Cubital tunnel syndrome	6	- X		X			X	
Cuboid syndrome	1	-		X				
Culture negative	1	-		X				
Culture urine	1	-		X				
Cushingoid	6	- X		X				
Cushing's syndrome	2	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Cutaneous lupus erythematosus	<b>3</b>	- X		X			X	
Cutaneous lymphoma	<b>1</b>	- X						
Cutaneous sarcoidosis	<b>2</b>	- X		X				
Cutaneous symptom	<b>25</b>	- X	X	X			X	
Cutaneous vasculitis	<b>40</b>	- X	X	X	X	X	X	
Cyanopsia	<b>11</b>	- X		X			X	
Cyanosis	<b>223</b>	- X	X	X	X	X	X	
Cyanosis central	<b>1</b>	-		X				
Cyclic vomiting syndrome	<b>3</b>	- X		X				
Cyst	<b>117</b>	- X	X	X	X	X	X	
Cyst rupture	<b>2</b>	- X						
Cystic fibrosis	<b>3</b>	- X		X				
Cystic lung disease	<b>1</b>	- X						
Cystitis	<b>223</b>	- X	X	X	X	X	X	
Cystitis haemorrhagic	<b>2</b>	- X		X				
Cystitis interstitial	<b>23</b>	- X	X	X			X	
Cystitis klebsiella	<b>1</b>	- X						
Cystitis noninfective	<b>5</b>	- X		X				
Cystitis-like symptom	<b>1</b>	-		X				
Cystocele	<b>3</b>	- X		X				
Cystoid macular oedema	<b>2</b>	- X		X				
Cystoscopy	<b>5</b>	- X		X				
Cytogenetic abnormality	<b>1</b>	-		X				
Cytokine abnormal	<b>1</b>	- X						
Cytokine increased	<b>2</b>	- X		X				
Cytokine release syndrome	<b>3</b>	- X		X				
Cytokine storm	<b>9</b>	- X		X				
Cytokine test	<b>1</b>	-		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Cytomegalovirus colitis	1	-			X			
Cytomegalovirus hepatitis	1	-			X			
Cytomegalovirus infection	5	-			X		X	
Cytomegalovirus infection reactivation	2	-					X	
Cytomegalovirus syndrome	1	-			X			
Cytomegalovirus test	1	- X						
Cytomegalovirus test positive	1	-			X			
Cytopenia	1	- X						
Dacryostenosis acquired	2	-			X			
Dacryostenosis congenital	1	- X						
Dactylitis	7	- X			X	X		
Dairy intolerance	10	- X			X			
Dandruff	9	- X			X			
Dark circles under eyes	23	- X	X		X			
Daydreaming	28	- X			X		X	
Deafness	902	1 X	X	X	X	X	X	
Deafness bilateral	36	- X			X			
Deafness neurosensory	80	- X	X		X		X	
Deafness transitory	16	- X			X		X	
Deafness traumatic	3	- X			X	X		
Deafness unilateral	123	- X	X		X		X	
Death	1	649 X	X	X	X	X	X	
Death neonatal	-	1			X			
Decerebrate posture	1	-			X			
Decidual cast	12	- X			X		X	
Decompression sickness	2	- X						
Decorticate posture	1	-			X			
Decreased activity	29	- X			X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Decreased appetite	8,893	- X	X	X	X	X	X	
Decreased eye contact	4	- X				X		
Decreased gait velocity	3	- X						
Decreased immune responsiveness	8	- X		X				
Decreased interest	39	- X	X	X	X	X	X	
Decreased vibratory sense	1	- X						
Decubitus ulcer	13	- X		X			X	
Deep vein thrombosis	2,124	13 X	X	X	X	X	X	
Deep vein thrombosis postoperative	1	- X						
Defaecation urgency	32	- X		X			X	
Deficiency anaemia	3	- X		X				
Deformity	6	- X		X				
Deformity thorax	1	-		X				
Degenerative bone disease	1	-		X				
Dehydration	1,098	- X	X	X	X	X	X	
Deja vu	9	- X		X			X	
Delayed dark adaptation	1	- X						
Delayed menarche	9	- X		X			X	
Delayed recovery from anaesthesia	9	- X		X				
Delayed sleep phase	2	- X					X	
Delirium	802	- X	X	X	X	X	X	
Delirium febrile	4	- X		X				
Delivery	1	- X						
Delusion	85	- X	X	X	X	X	X	
Delusion of parasitosis	4	- X					X	
Delusional perception	2	- X						
Dementia	72	- X	X	X	X	X	X	
Dementia Alzheimer's type	5	2 X		X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Dementia with Lewy bodies	5	- X		X				
Demodicidosis	1	-		X				
Demyelinating polyneuropathy	15	- X		X		X		
Demyelination	47	1 X		X		X		
Dengue fever	3	- X				X		
Dental care	2	- X						
Dental caries	11	- X		X		X		
Dental discomfort	24	- X	X	X	X	X	X	
Dental paraesthesia	40	- X	X	X	X	X	X	
Dental pulp disorder	3	- X					X	
Dependence	3	- X		X				
Dependence on oxygen therapy	1	- X						
Depersonalisation/derealisation disorder	43	- X	X	X	X	X	X	
Deposit eye	1	- X						
Depressed level of consciousness	185	- X		X	X	X	X	
Depressed mood	1,372	- X	X	X	X	X	X	X
Depression	1,402	- X	X	X	X	X	X	
Depression suicidal	42	- X		X			X	
Depressive symptom	4	- X		X				
Derealisation	37	- X	X	X			X	
Dermal cyst	61	- X	X	X			X	
Dermal filler injection	10	- X		X	X	X	X	
Dermal filler overcorrection	2	- X		X				
Dermal filler reaction	5	-		X			X	
Dermatillomania	2	- X						
Dermatitis	463	- X	X	X	X	X	X	
Dermatitis acneiform	28	- X		X	X	X	X	
Dermatitis allergic	804	- X	X	X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Dermatitis atopic	155	- X	X	X	X	X	X	
Dermatitis bullous	50	- X		X	X		X	
Dermatitis contact	83	- X		X			X	
Dermatitis diaper	7	- X		X				
Dermatitis exfoliative	5	- X		X				
Dermatitis exfoliative generalised	18	1 X		X			X	
Dermatitis herpetiformis	2	- X						
Dermatitis infected	15	- X		X			X	
Dermatitis psoriasiform	9	- X		X				
Dermatochalasis	2	- X		X				
Dermatologic examination abnormal	1	- X						
Dermatomyositis	28	- X		X	X		X	
Dermatophagia	4	-					X	
Dermatosis	3	- X		X				
Dermo-hypodermitis	1	- X						
Detachment of retinal pigment epithelium	1	- X						
Developmental delay	4	- X		X				
Developmental hip dysplasia	1	-		X				
Device breakage	1	-		X				
Device connection issue	1	-		X				
Device defective	9	-		X				
Device dislocation	2	- X						
Device electrical impedance issue	1	- X						
Device expulsion	5	- X		X			X	
Device failure	1	-		X				
Device infusion issue	1	-		X				
Device interaction	5	-						
Device issue	7	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Device kink	1	-			X			
Device leakage	3	- X					X	
Device malfunction	1	-			X			
Device occlusion	1	- X						
Device pacing issue	1	-			X			
Device related infection	3	- X						
Device stimulation issue	1	-			X			
Device use issue	1	- X						
Diabetes insipidus	10	- X						
Diabetes mellitus	217	- X	X	X	X		X	
Diabetes mellitus inadequate control	54	1 X	X	X			X	
Diabetic coma	5	- X		X	X			
Diabetic complication	3	- X		X				
Diabetic foot	3	- X						
Diabetic ketoacidosis	55	2 X		X			X	
Diabetic ketosis	6	- X		X				
Diabetic mononeuropathy	1	- X						
Diabetic nephropathy	1	- X						
Diabetic neuropathy	4	- X		X				
Diabetic retinal oedema	1	-		X				
Diabetic retinopathy	4	- X		X				
Dialysis	3	- X		X				
Diaphragm muscle weakness	3	-	X	X			X	
Diaphragmalgia	31	- X		X	X	X	X	
Diaphragmatic disorder	1	-		X				
Diaphragmatic paralysis	2	- X		X				
Diaphragmatic spasm	2	- X						
Diarrhoea	19,009	- X	X	X	X	X	X	X

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Diarrhoea haemorrhagic	75	- X		X			X	
Diarrhoea infectious	5	- X			X			
Diastema	1	- X						
Diastolic dysfunction	4	- X		X				
Diastolic hypertension	12	- X	X	X				
Diastolic hypotension	2	- X			X			
Diet failure	1	- X						
Diet refusal	3	- X			X			
Diffuse alopecia	13	- X			X		X	
Diffuse idiopathic skeletal hyperostosis	1	-			X			
Diffuse large B-cell lymphoma	2	- X						
Diffuse large B-cell lymphoma stage IV	1	- X						
Diffuse vasculitis	2	1 X			X			
Dihydrotestosterone decreased	1	- X						
Dilatation ventricular	2	- X			X			
Dilated cardiomyopathy	31	1 X	X	X			X	
Diphtheria	5	- X			X			
Diplacusis	2	-			X			
Diplegia	77	- X	X	X			X	
Diplopia	688	- X	X	X	X		X	
Disability	22	- X			X		X	
Discharge	27	- X			X		X	
Discogram abnormal	1	- X						
Discoloured vomit	35	- X			X	X	X	
Discomfort	1,445	- X	X	X			X	
Disease prodromal stage	1	- X						
Disease progression	4	1 X			X			
Disease recurrence	41	- X	X	X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Disinhibition	6	- X		X			X	
Disorganised speech	36	- X		X	X	X	X	
Disorientation	1,310	- X	X	X	X	X	X	
Disseminated Bacillus Calmette-Guerin infection	2	- X		X				
Disseminated intravascular coagulation	21	3 X		X				
Disseminated varicella zoster vaccine virus infection	1	-						
Dissociation	143	- X	X	X			X	
Dissociative amnesia	6	- X		X				
Dissociative disorder	5	- X		X				
Distractibility	8	- X		X			X	
Distributive shock	3	- X		X				
Disturbance in attention	1,399	- X	X	X	X	X	X	
Disturbance in sexual arousal	12	- X		X			X	
Diversion colitis	1	-		X				
Diverticular fistula	2	-		X				
Diverticular perforation	2	- X						
Diverticulitis	75	- X	X	X	X	X	X	
Diverticulum	26	- X	X	X			X	
Diverticulum intestinal	2	- X		X				
Dizziness	43,516	- X	X	X	X	X	X	X
Dizziness exertional	189	- X	X	X	X	X	X	
Dizziness postural	3,467	1 X	X	X	X	X	X	
DNA antibody negative	1	- X						
DNA antibody positive	1	- X						
Documented hypersensitivity to administered product	1	- X						
Dose calculation error	4	- X		X				
Double outlet right ventricle	1	- X						
Dreamy state	27	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Drooling	58	- X		X			X	
Drop attacks	8	- X		X			X	
Dropped shoulder syndrome	3	-		X				
Drowning	1	- X						
Drug abuse	3	- X					X	
Drug administered in wrong device	1	- X						
Drug delivery system malfunction	1	-						
Drug dependence	1	- X						
Drug effect less than expected	1	- X						
Drug eruption	83	- X	X	X			X	
Drug exposure before pregnancy	1	- X						
Drug hypersensitivity	153	- X	X	X			X	
Drug ineffective	1,143	1 X	X	X	X		X	
Drug interaction	85	- X		X	X		X	
Drug intolerance	15	- X		X			X	
Drug level decreased	1	-		X				
Drug level increased	3	- X						
Drug monitoring procedure incorrectly performed	1	-		X				
Drug reaction with eosinophilia and systemic symptoms	17	- X		X				
Drug resistance	1	-		X				
Drug screen positive	6	- X		X				
Drug titration error	1	- X						
Drug tolerance decreased	1	-						
Drug withdrawal convulsions	2	- X						
Drug withdrawal headache	22	- X		X			X	
Drug withdrawal syndrome	14	- X		X			X	
Drug-device interaction	23	- X		X			X	
Drug-induced liver injury	7	- X		X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Dry age-related macular degeneration	3	- X		X				
Dry eye	629	- X	X	X	X	X	X	
Dry gangrene	2	- X						
Dry lung syndrome	1	-		X				
Dry mouth	1,922	- X	X	X	X	X	X	
Dry skin	988	- X	X	X	X	X	X	
Dry throat	498	- X	X	X	X	X	X	
Duodenal ulcer	4	- X		X			X	
Duodenal ulcer haemorrhage	2	1 X		X				
Duodenal ulcer perforation	3	-		X				
Duodenitis	2	- X		X				
Duodenogastric reflux	11	- X		X				
Duplicate therapy error	3	- X		X				
Dupuytren's contracture	9	- X		X			X	
Dural arteriovenous fistula	2	- X						
Dust allergy	5	- X		X				
Dwarfism	1	- X						
Dysacusis	2	- X		X				
Dysaesthesia	28	- X		X			X	
Dysarthria	843	1 X	X	X	X	X	X	X
Dyschezia	19	- X		X				
Dyschromatopsia	40	- X		X			X	
Dysdiadochokinesis	2	- X		X				
Dysentery	7	- X		X			X	
Dysgeusia	3,766	- X	X	X	X	X	X	
Dysgraphia	15	- X		X			X	
Dyshidrotic eczema	77	- X		X	X	X	X	
Dyskinesia	257	1 X	X	X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Dyslexia	4	- X		X				
Dysmenorrhoea	5,809	- X	X	X	X	X	X	
Dysmetria	1	-			X			
Dysmetropsia	2	- X		X				
Dysmorphism	3	- X					X	
Dyspareunia	14	- X		X				
Dyspepsia	1,829	- X	X	X	X	X	X	X
Dysphagia	665	1 X	X	X	X	X	X	X
Dysphemia	79	- X		X	X	X	X	
Dysphonia	453	- X	X	X	X	X	X	
Dysphoria	5	- X		X				
Dysplasia	3	- X						
Dyspnoea	20,318	7 X	X	X	X	X	X	X
Dyspnoea at rest	29	- X		X			X	X
Dyspnoea exertional	142	1 X		X	X	X	X	
Dyspnoea paroxysmal nocturnal	1	- X						
Dyspraxia	12	- X		X			X	
Dyssomnia	6	- X		X				
Dysstasia	268	- X	X	X	X	X	X	X
Dystonia	48	- X		X	X	X	X	
Dystonic tremor	4	- X						
Dysuria	178	- X		X	X	X		
Ear canal erythema	3	- X		X			X	
Ear canal injury	2	- X					X	
Ear canal stenosis	1	-					X	
Ear congestion	83	- X		X			X	
Ear discomfort	273	- X	X	X	X	X	X	
Ear disorder	59	- X	X	X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Ear haemorrhage	37	- X	X	X				
Ear infection	283	- X	X	X	X	X	X	
Ear infection bacterial	3	- X			X			
Ear infection fungal	2	- X						
Ear infection viral	3	- X			X			
Ear inflammation	6	- X			X		X	
Ear injury	2	-			X			
Ear irrigation	1	-			X			
Ear pain	3,947	- X	X	X	X	X	X	X
Ear pruritus	19	- X			X			
Ear swelling	134	- X			X	X	X	
Ear, nose and throat disorder	3	- X			X		X	
Early satiety	2	- X						
Eating disorder	44	- X			X		X	
Eating disorder symptom	7	- X			X		X	
Ecchymosis	7	- X			X			
Echocardiogram	5	- X			X			
Ectopic pregnancy	28	- X			X		X	
Ectropion	2	- X			X			
Ectropion of cervix	8	- X			X		X	
Eczema	1,111	- X	X	X	X	X	X	X
Eczema asteatotic	42	- X			X		X	
Eczema eyelids	25	- X	X	X	X			
Eczema herpeticum	9	- X			X		X	
Eczema impetiginous	1	-					X	
Eczema infantile	1	-			X			
Eczema infected	9	- X			X		X	
Eczema nummular	18	- X			X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Eczema vesicular	1	-			X			
Eczema weeping	17	- X			X	X	X	
Educational problem	2	- X			X			
Effusion	6	- X			X		X	
EGFR status assay	1	-			X			
Ehlers-Danlos syndrome	13	- X			X		X	
Ejaculation delayed	3	- X					X	
Ejaculation disorder	7	- X			X			
Ejaculation failure	10	- X			X		X	
Ejection fraction decreased	15	- X			X	X	X	
Elastofibroma	2	-					X	
Elbow deformity	2	- X			X			
Elderly	-	1						
Electric shock	73	- X		X	X		X	
Electric shock sensation	218	- X		X	X	X	X	
Electrocardiogram	16	- X			X	X	X	
Electrocardiogram abnormal	55	- X			X	X	X	
Electrocardiogram change	4	- X			X		X	
Electrocardiogram normal	4	- X			X			
Electrocardiogram P wave abnormal	2	- X					X	
Electrocardiogram pacemaker spike	1	- X						
Electrocardiogram PR prolongation	1	-		X				
Electrocardiogram QRS complex prolonged	1	-			X			
Electrocardiogram QT prolonged	19	- X			X		X	
Electrocardiogram repolarisation abnormality	1	-			X			
Electrocardiogram ST segment depression	4	- X			X			
Electrocardiogram ST segment elevation	21	- X			X		X	
Electrocardiogram ST-T segment abnormal	11	- X			X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Electrocardiogram T wave inversion	13	- X		X			X	
Electroconvulsive therapy	3	-		X			X	
Electroencephalogram abnormal	1	- X						
Electrolyte imbalance	8	- X		X				
Electromagnetic interference	2	- X		X				
Electromyogram abnormal	3	- X					X	
Embolic cerebral infarction	1	- X						
Embolic stroke	29	1 X		X				
Embolism	334	2 X		X	X	X	X	
Embolism arterial	6	- X		X				
Embolism venous	24	2 X		X			X	
Emergency care examination	1	- X						
Emotional disorder	213	- X	X	X	X	X	X	
Emotional disorder of childhood	1	- X						
Emotional distress	189	- X	X	X	X	X	X	
Emotional poverty	5	- X		X			X	
Emphysema	16	- X	X	X			X	
Empty sella syndrome	1	- X						
Empyema	1	1 X					X	
Enanthema	1	-					X	
Encephalitis	85	1 X		X			X	
Encephalitis allergic	1	-					X	
Encephalitis autoimmune	8	- X		X			X	
Encephalitis cytomegalovirus	1	- X						
Encephalitis Japanese B	1	-					X	
Encephalitis post immunisation	2	-		X	X			
Encephalitis viral	14	1 X		X				
Encephalomalacia	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Encephalomyelitis	5	- X		X				
Encephalopathy	22	- X			X	X		
End stage renal disease	5	- X			X			
Endocardial fibroelastosis	-	2 X						
Endocarditis	18	- X			X		X	
Endocarditis bacterial	2	- X						
Endocarditis noninfective	-	1			X			
Endocrine disorder	2	- X			X			
Endocrine ophthalmopathy	10	- X			X			
Endolymphatic hydrops	1	- X						
Endometrial ablation	8	- X			X			
Endometrial cancer	4	- X			X			
Endometrial hyperplasia	4	- X			X		X	
Endometrial scratching	1	-			X			
Endometrial thickening	7	- X			X			
Endometriosis	228	- X	X	X			X	
Endometritis	6	- X			X			
Endothelial dysfunction	1	-			X			
Energy increased	54	- X			X		X	
Enlarged clitoris	1	- X						
Enlarged uvula	28	- X			X		X	
Enostosis	1	- X						
Enteritis	9	- X			X			
Enterobiasis	1	-					X	
Enterococcal infection	1	- X						
Enterovirus infection	1	-			X			
Enthesopathy	5	- X			X			
Enuresis	111	- X	X	X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Enzyme level increased	1	-			X			
Eosinophil count	2	- X			X			
Eosinophil count abnormal	2	- X						
Eosinophil count decreased	2	- X			X			
Eosinophil count increased	10	- X			X			
Eosinophilia	38	- X			X		X	
Eosinophilic colitis	1	-			X			
Eosinophilic fasciitis	1	- X						
Eosinophilic granulomatosis with polyangiitis	2	- X						
Eosinophilic myocarditis	1	-			X			
Eosinophilic oesophagitis	5	- X			X			
Eosinophilic pneumonia	4	1 X			X		X	
Ephelides	4	- X			X		X	
Epicondylitis	65	- X	X		X			X
Epididymal cyst	1	- X						
Epididymitis	24	- X			X	X	X	
Epidural haemorrhage	2	- X						
Epigastric discomfort	42	- X			X		X	
Epiglottic oedema	2	- X			X			
Epiglottitis	4	- X			X			
Epilepsy	642	1 X	X		X	X	X	
Epilepsy with myoclonic-atonic seizures	1	- X						
Epileptic aura	7	- X			X			
Epileptic encephalopathy	2	-			X			
Epinephrine	1	-			X			
Epinephrine abnormal	1	-			X			
Epinephrine increased	2	- X			X			
Epiphyses premature fusion	2	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Epiploic appendagitis	2	-			X			
Epiretinal membrane	3	- X			X			
Episcleritis	39	- X			X	X	X	
Epistaxis	4,318	- X	X	X	X	X	X	
Epstein Barr virus positive mucocutaneous ulcer	1	- X						
Epstein-Barr virus antibody positive	1	- X						
Epstein-Barr virus infection	13	- X			X		X	
Epstein-Barr virus infection reactivation	6	- X			X			
Epulis	1	- X						
Erectile dysfunction	218	- X	X	X			X	
Erection increased	14	- X			X		X	
Eruption	220	- X	X	X	X	X	X	
Erysipelas	1	- X						
Erythema	7,722	- X	X	X	X		X	
Erythema ab igne	1	- X						
Erythema annulare	4	- X			X			
Erythema induratum	1	- X						
Erythema infectiosum	1	-					X	
Erythema migrans	2	- X						
Erythema multiforme	123	- X	X	X	X	X	X	
Erythema nodosum	95	- X	X	X	X	X	X	
Erythema of eyelid	26	- X	X	X	X	X	X	
Erythematotelangiectatic rosacea	5	- X			X	X		
Erythrodermic psoriasis	4	- X						
Erythromelalgia	19	- X	X	X	X	X	X	
Erythropsia	9	- X			X			
Escherichia bacteraemia	1	-			X			
Escherichia infection	3	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Escherichia sepsis	2	- X						
Essential hypertension	6	-			X			
Essential thrombocythaemia	5	- X			X			
Essential tremor	26	- X	X	X			X	
Euglycaemic diabetic ketoacidosis	1	- X						
Euphoric mood	138	- X			X		X	
Eustachian tube disorder	16	- X	X	X				
Eustachian tube dysfunction	23	- X	X	X			X	
Eustachian tube obstruction	20	- X			X		X	
Euthyroid sick syndrome	1	- X						
Evans syndrome	2	- X			X			
Exaggerated startle response	5	- X					X	
Excessive cerumen production	60	- X	X	X			X	
Excessive eye blinking	17	- X			X			
Excessive masturbation	1	- X						
Executive dysfunction	1	-			X			
Exercise adequate	2	-			X			
Exercise electrocardiogram	1	- X						
Exercise tolerance decreased	129	- X	X	X	X	X	X	
Exercise tolerance increased	2	-			X			
Exertional headache	22	- X			X			
Exfoliative rash	52	- X	X	X			X	
Exhibitionism	1	-					X	
Exophthalmos	15	- X			X		X	
Exostosis	6	- X			X		X	
Expired product administered	135	- X			X	X	X	
Exploding head syndrome	12	- X			X		X	
Exposure during pregnancy	33	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Exposure to chemical pollution	1	- X						
Exposure to extreme temperature	7	- X			X	X	X	
Exposure to household chemicals	1	- X						
Exposure to noise	2	- X						
Exposure to SARS-CoV-2	15	- X			X		X	X
Exposure to toxic agent	1	- X						
Exposure to vaccinated person	10	- X			X			
Exposure via body fluid	1	- X						
Exposure via breast milk	299	- X			X	X	X	
Exposure via contaminated device	1	-			X			
Exposure via partner	1	- X						
Exposure via unknown route	2	- X			X			
Extensive swelling of vaccinated limb	47	- X			X			X
Extensor plantar response	5	- X			X			
External compression headache	7	- X			X			
External ear cellulitis	1	-			X			
External ear inflammation	7	- X			X			X
External ear pain	22	- X			X			X
Ex-tobacco user	1	-			X			
Extra dose administered	98	- X						X
Extradural abscess	2	- X			X			
Extradural haematoma	2	- X						
Extranodal marginal zone B-cell lymphoma (MALT type)	1	-		X				
Extraocular muscle disorder	1	-			X			
Extrapyramidal disorder	23	- X			X			X
Extraskeletal ossification	1	- X						
Extrasystoles	548	- X		X	X	X	X	
Extremity contracture	2	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Extremity necrosis	7	- X		X			X	
Eye abscess	1	-			X			
Eye allergy	63	- X			X		X	
Eye colour change	12	- X			X			
Eye contusion	83	- X	X	X	X	X	X	
Eye degenerative disorder	1	-			X			
Eye discharge	75	- X			X	X	X	
Eye disorder	113	- X			X		X	
Eye haematoma	10	- X			X		X	
Eye haemorrhage	177	- X	X	X	X		X	
Eye infection	87	- X			X		X	
Eye infection bacterial	2	- X						
Eye infection chlamydial	1	-					X	
Eye infection intraocular	1	-			X			
Eye infection viral	3	- X			X			
Eye inflammation	95	- X			X		X	
Eye injury	111	- X	X	X	X	X	X	
Eye irrigation	5	- X					X	
Eye irritation	353	- X	X	X	X	X	X	
Eye movement disorder	122	- X			X	X	X	
Eye muscle operation	1	- X						
Eye naevus	7	- X			X			
Eye oedema	42	- X			X		X	
Eye opacity	1	- X						
Eye pain	5,477	- X	X	X	X	X	X	
Eye paraesthesia	7	- X			X			
Eye pruritus	688	- X	X	X	X	X	X	
Eye swelling	1,547	- X	X	X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Eye symptom	22	- X		X				
Eye ulcer	18	- X		X	X			
Eyelash changes	1	-		X				
Eyelid bleeding	4	- X		X				
Eyelid boil	6	- X		X		X		
Eyelid contusion	5	- X						
Eyelid cyst	30	- X		X		X		
Eyelid disorder	40	- X		X		X		
Eyelid exfoliation	6	- X		X				
Eyelid function disorder	4	- X		X				
Eyelid haematoma	3	- X						
Eyelid infection	10	- X		X		X		
Eyelid irritation	11	- X		X		X		
Eyelid margin crusting	8	- X		X				
Eyelid myokymia	8	- X		X				
Eyelid oedema	35	- X		X	X	X	X	
Eyelid pain	39	- X		X			X	
Eyelid ptosis	136	- X	X	X	X	X	X	
Eyelid rash	38	- X		X			X	
Eyelid sensory disorder	8	- X		X				
Eyelid skin dryness	8	- X		X				
Eyelid thickening	5	- X		X				
Eyelid tumour	1	-		X				
Eyelids pruritus	25	- X		X		X		
Face and mouth X-ray abnormal	1	-					X	
Face crushing	4	- X		X				
Face injury	3	- X		X				
Face lift	4	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Face oedema	94	- X	X	X			X	
Face presentation	1	- X						
Facial asymmetry	6	- X			X		X	
Facial bones fracture	1	-			X			
Facial discomfort	52	- X	X	X	X	X	X	
Facial nerve disorder	22	- X			X		X	
Facial pain	654	- X	X	X	X	X	X	
Facial paralysis	1,014	- X	X	X	X	X	X	
Facial paresis	311	- X			X	X	X	
Facial spasm	125	- X	X	X			X	
Facial wasting	3	-			X			
Factitious disorder	10	- X			X	X	X	
Factor IX deficiency	1	-			X			
Factor VII deficiency	1	- X						
Factor VIII deficiency	1	-			X			
Faecal calprotectin	3	- X			X			
Faecal calprotectin increased	13	- X			X			
Faecal volume	1	-					X	
Faecal vomiting	5	- X	X					
Faecaloma	13	- X			X			
Faeces discoloured	139	- X			X	X	X	
Faeces hard	9	- X			X		X	
Faeces pale	14	- X			X			
Faeces soft	38	- X			X		X	
Failed back surgery syndrome	1	-			X			
Failed in vitro fertilisation	1	-			X			
Fall	706	- X	X	X	X	X	X	
Fallopian tube abscess	2	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Fallopian tube operation	1	- X						
Fallopian tube spasm	2	- X					X	
False negative pregnancy test	16	- X			X		X	
False positive investigation result	1	-			X			
Familial hemiplegic migraine	4	- X			X		X	
Familial periodic paralysis	1	-			X			
Family stress	1	-			X			
Fasciitis	3	- X			X		X	
Fat necrosis	9	- X			X			
Fat tissue increased	2	-			X		X	
Fatigue	94,061	2 X	X	X	X	X	X	X
Fatigue management	2	- X			X			
Fear	131	- X	X	X	X	X	X	
Fear of death	26	- X	X	X			X	
Fear of disease	2	- X						
Fear of eating	3	- X			X		X	
Fear of falling	9	- X			X			
Fear of injection	16	- X			X		X	
Fear of open spaces	2	- X						
Fear-related avoidance of activities	4	- X	X					
Febrile convulsion	122	- X	X	X			X	
Febrile neutropenia	1	- X						
Feeding disorder	434	- X	X	X	X	X	X	
Feeding tube user	1	-			X			
Feeling abnormal	4,447	- X	X	X	X	X	X	X
Feeling cold	7,535	- X	X	X	X	X	X	
Feeling drunk	244	- X	X	X	X	X	X	
Feeling guilty	3	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Feeling hot	4,367	- X	X	X	X	X	X	
Feeling jittery	104	- X	X	X			X	
Feeling of body temperature change	1,545	- X	X	X	X	X	X	
Feeling of despair	33	- X		X			X	
Feeling of relaxation	5	- X		X				
Feelings of worthlessness	2	-		X				
Felty's syndrome	1	- X						
Female genital tract fistula	1	- X						
Female orgasmic disorder	3	- X		X				
Female reproductive tract disorder	1	-						
Female sex hormone level	4	- X		X				
Female sexual dysfunction	1	- X						
Feminisation acquired	1	-					X	
Femoral artery embolism	3	- X		X				
Femoral neck fracture	3	- X		X				
Femoral nerve injury	1	-		X				
Femoral pulse	1	- X						
Femoroacetabular impingement	2	- X						
Femur fracture	3	- X		X				
Fetishism	2	- X						
Fibrin D dimer	1	- X						
Fibrin D dimer decreased	1	- X						
Fibrin D dimer increased	109	- X	X	X	X	X	X	
Fibrin degradation products increased	1	-					X	
Fibroadenoma of breast	4	- X		X			X	
Fibrocystic breast disease	2	-		X			X	
Fibroma	1	- X						
Fibromyalgia	563	- X	X	X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Fibrosis	12	- X		X			X	
Fibrous histiocytoma	1	-			X			
Fibula fracture	1	-			X			
Fine motor delay	4	- X					X	
Fine motor skill dysfunction	44	- X	X	X	X	X	X	
Finger deformity	12	- X	X	X	X	X	X	
Fingerprint loss	1	-			X			
First bite syndrome	2	-			X	X		
Fistula	4	- X			X			
Fistula discharge	2	-			X			
Fixed eruption	17	- X	X	X			X	
Flagellate dermatitis	1	-					X	
Flank pain	208	- X		X			X	
Flashback	7	- X			X			
Flat affect	30	- X	X	X			X	
Flatulence	717	- X	X	X	X	X	X	
Flight of ideas	1	-			X			
Flooding	2	-			X			
Floppy eyelid syndrome	1	-			X			
Fluctuance	2	-			X		X	
Fluid imbalance	3	- X			X			
Fluid intake reduced	15	- X			X	X	X	
Fluid replacement	1	- X						
Fluid retention	204	- X	X	X			X	
Flushing	1,394	- X	X	X	X	X	X	
Foaming at mouth	12	- X			X		X	
Focal dyscognitive seizures	15	- X			X		X	
Focal segmental glomerulosclerosis	5	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Foetal cardiac disorder	1	-			X			
Foetal death	1	2			X			
Foetal distress syndrome	3	-			X			
Foetal exposure during pregnancy	140	- X	X	X	X	X	X	
Foetal exposure timing unspecified	1	-			X			
Foetal growth restriction	9	1			X		X	
Foetal heart rate	1	- X						
Foetal heart rate abnormal	4	2 X			X			
Foetal heart rate decreased	1	-					X	
Foetal heart rate increased	2	-			X		X	
Foetal hypokinesia	17	-			X		X	
Foetal malformation	1	1	X	X				
Foetal monitoring	1	-			X			
Foetal movement disorder	8	-			X		X	
Foetal non-stress test	1	-			X			
Foetal vascular malperfusion	3	- X			X			
Folate deficiency	29	- X			X		X	
Follicular lymphoma	6	- X			X			
Follicular lymphoma stage IV	1	-					X	
Folliculitis	37	- X			X		X	
Fontanelle bulging	6	- X			X			
Food allergy	139	- X	X	X	X	X	X	
Food aversion	80	- X	X	X			X	
Food contamination	1	- X						
Food craving	42	- X			X		X	
Food interaction	2	- X						
Food intolerance	66	- X	X	X			X	
Food poisoning	22	- X			X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Food protein-induced enterocolitis syndrome	1	-			X			
Food refusal	70	- X	X	X	X	X	X	
Foot amputation	2	- X						
Foot deformity	15	- X		X	X	X	X	
Foot fracture	5	- X		X				
Foot operation	1	-						
Forced expiratory volume	4	- X		X	X			
Forced expiratory volume decreased	2	- X					X	
Forced expiratory volume increased	20	- X		X			X	
Forced expiratory volume normal	1	- X						
Forced vital capacity decreased	2	- X						
Forearm fracture	1	-		X				
Foreign body	11	- X		X				
Foreign body in eye	7	- X		X				
Foreign body in throat	4	- X		X				
Foreign body in urogenital tract	1	-		X				
Foreign body reaction	1	-		X				
Foreign body sensation in eyes	67	- X	X	X			X	
Foreskin oedema	1	-		X				
Formication	161	- X	X	X	X	X	X	
Fractional exhaled nitric oxide normal	2	- X		X				
Fracture	5	- X		X				
Fracture blisters	1	-		X				
Fractured skull depressed	1	-		X				
Freezing phenomenon	197	- X		X			X	
Frequent bowel movements	105	- X	X	X	X	X	X	
Frontotemporal dementia	1	- X						
Frostbite	2	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Frustration tolerance decreased	28	- X	X	X	X	X	X	
Full blood count	32	- X	X	X				
Full blood count abnormal	23	- X		X			X	
Full blood count decreased	3	- X						
Full blood count increased	1	- X						
Full blood count normal	1	- X						
Fulminant type 1 diabetes mellitus	2	- X		X				
Functional gastrointestinal disorder	43	- X		X	X		X	
Fungal infection	63	- X		X			X	
Fungal skin infection	24	- X	X	X			X	
Fungal test	2	- X					X	
Funisitis	1	-		X				
Furuncle	145	1 X	X	X	X	X	X	
Gait deviation	1	-		X				
Gait disturbance	1,028	- X	X	X	X	X	X	X
Gait inability	500	- X	X	X	X	X	X	
Gait spastic	2	- X	X					
Galactorrhoea	10	- X		X			X	
Galactostasis	3	- X		X				
Gallbladder disorder	8	- X		X				
Gallbladder enlargement	3	-		X				
Gallbladder injury	2	-		X				
Gallbladder oedema	1	- X						
Gallbladder polyp	1	- X						
Gallbladder rupture	1	-	X					
Gamma-glutamyltransferase	2	-		X				
Gamma-glutamyltransferase increased	11	- X		X				
Gangrene	5	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Gasping syndrome	4	- X	X	X				
Gastric antral vascular ectasia	25	- X			X		X	
Gastric cancer	2	1 X			X			
Gastric dilatation	28	- X			X		X	
Gastric disorder	39	- X			X		X	
Gastric haemorrhage	21	2 X			X	X		
Gastric infection	3	- X			X			
Gastric operation	1	-			X			
Gastric perforation	1	-			X			
Gastric pH	3	- X					X	
Gastric pH decreased	7	- X			X		X	
Gastric ulcer	23	- X			X		X	
Gastric ulcer haemorrhage	1	- X						
Gastric ulcer perforation	1	- X						
Gastric varices	1	-			X			
Gastritis	231	- X	X	X	X	X	X	X
Gastritis erosive	1	-					X	
Gastritis viral	1	- X						
Gastroenteritis	96	- X	X	X	X	X	X	
Gastroenteritis bacillus	1	- X						
Gastroenteritis Escherichia coli	1	- X						
Gastroenteritis norovirus	4	- X			X			
Gastroenteritis rotavirus	3	- X			X		X	
Gastroenteritis viral	121	- X	X	X	X	X	X	
Gastrointestinal bacterial overgrowth	1	-			X			
Gastrointestinal carcinoma	15	1 X	X	X			X	
Gastrointestinal disorder	103	- X			X		X	
Gastrointestinal haemorrhage	68	4 X			X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Gastrointestinal hypermotility	1	-			X			
Gastrointestinal infection	7	- X			X			
Gastrointestinal inflammation	13	- X			X		X	
Gastrointestinal malformation	1	- X						
Gastrointestinal motility disorder	15	- X			X		X	
Gastrointestinal necrosis	2	- X						
Gastrointestinal oedema	3	- X						
Gastrointestinal pain	608	- X	X	X	X		X	
Gastrointestinal perforation	1	- X						
Gastrointestinal sounds abnormal	51	- X			X	X	X	
Gastrointestinal stoma complication	6	- X			X			
Gastrointestinal stoma output increased	1	- X						
Gastrointestinal toxicity	1	-	X					
Gastrointestinal tract adenoma	1	- X						
Gastrointestinal tract irritation	6	- X		X	X			
Gastrointestinal ulcer	1	- X						
Gastrointestinal viral infection	1	- X						
Gastrointestinal wall thickening	1	-			X			
Gastrooesophageal reflux disease	570	- X	X	X	X		X	
Gastroparesis	1	- X						
Gastroschisis	3	-			X			
Gaze palsy	9	- X			X		X	
Gelastic seizure	1	- X						
Gender dysphoria	1	-			X			
General physical condition abnormal	6	- X			X	X		
General physical health deterioration	76	5 X	X	X			X	
General symptom	15	- X			X			
Generalised anxiety disorder	8	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Generalised oedema	8	- X		X				
Generalised tonic-clonic seizure	230	- X		X	X		X	
Genetic polymorphism	1	-		X				
Genital abscess	3	- X		X				
Genital blister	7	- X		X			X	
Genital burning sensation	11	- X		X				
Genital cyst	2	- X						
Genital discolouration	1	-		X				
Genital discomfort	3	- X						
Genital dysaesthesia	1	- X						
Genital erosion	1	-		X				
Genital erythema	2	- X		X				
Genital haemorrhage	65	- X		X	X		X	
Genital herpes	226	- X	X	X	X		X	
Genital herpes simplex	7	- X		X				
Genital herpes zoster	2	- X		X				
Genital hyperaesthesia	1	- X						
Genital hypoesthesia	4	- X		X				
Genital infection female	1	- X						
Genital lesion	4	- X		X				
Genital odour	1	-					X	
Genital pain	17	- X		X			X	
Genital paraesthesia	7	- X		X			X	
Genital rash	14	- X		X			X	
Genital swelling	8	- X		X				
Genital tract inflammation	3	- X		X				
Genital ulceration	25	- X	X	X			X	
Genito-pelvic pain/penetration disorder	4	- X		X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Genitourinary symptom	2	-			X			
Genitourinary tract infection	1	- X						
Gestational diabetes	9	- X			X		X	
Gianotti-Crosti syndrome	1	-			X			
Giant cell arteritis	122	- X	X	X	X	X	X	
Gingival abscess	13	- X			X			
Gingival atrophy	2	- X			X			
Gingival bleeding	298	- X			X	X	X	
Gingival blister	41	- X	X	X				
Gingival discolouration	1	- X						
Gingival discomfort	18	- X			X		X	
Gingival disorder	27	- X	X	X			X	
Gingival erythema	2	-			X			
Gingival hypertrophy	2	- X			X			
Gingival injury	1	-			X			
Gingival oedema	4	- X			X			
Gingival pain	424	- X	X	X	X	X	X	
Gingival pruritus	3	- X			X			
Gingival recession	4	- X			X			
Gingival swelling	117	- X	X	X			X	
Gingival ulceration	13	- X			X			
Gingivitis	52	- X	X	X			X	
Gingivitis ulcerative	3	- X			X			
Glare	2	-	X	X				
Glassy eyes	17	- X			X		X	
Glaucoma	33	- X			X			
Glioblastoma	4	1 X						
Glioblastoma multiforme	3	- X			X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Gliosis	<b>3</b>	-			X			
Glomerular filtration rate abnormal	<b>1</b>	-					X	
Glomerular filtration rate decreased	<b>12</b>	- X			X			
Glomerular filtration rate increased	<b>1</b>	-			X			
Glomerulonephritis	<b>1</b>	- X						
Glomerulonephritis acute	<b>1</b>	-					X	
Glomerulonephritis membranoproliferative	<b>1</b>	- X						
Glomerulonephritis membranous	<b>7</b>	- X			X		X	
Glomerulonephritis minimal lesion	<b>21</b>	- X	X	X	X	X	X	
Glomerulonephritis rapidly progressive	<b>2</b>	-			X			
Glomerulosclerosis	<b>1</b>	-			X			
Glossitis	<b>53</b>	- X		X	X	X	X	
Glossodynia	<b>571</b>	- X	X	X	X	X	X	
Glossopharyngeal neuralgia	<b>4</b>	- X			X			X
Glucocorticoid deficiency	<b>1</b>	- X						
Glucose tolerance impaired	<b>9</b>	- X			X			
Glucose urine	<b>1</b>	- X						
Glucose urine present	<b>1</b>	-			X			
Gluten free diet	<b>2</b>	- X						
Gluten sensitivity	<b>16</b>	- X			X		X	
Glycopenia	<b>1</b>	-			X			
Glycosuria	<b>1</b>	- X						
Glycosylated haemoglobin increased	<b>5</b>	- X			X	X		
Goitre	<b>58</b>	- X			X		X	
Gonorrhoea	<b>2</b>	- X			X			
Good syndrome	<b>5</b>	- X					X	
Goodpasture's syndrome	<b>1</b>	-			X			
Gout	<b>407</b>	- X	X	X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Gouty arthritis	2	-			X			
Gouty tophus	1	- X						
Graft versus host disease	3	-			X			
Granuloma	5	- X			X		X	
Granuloma annulare	25	- X	X	X			X	
Granuloma skin	1	- X						
Granulomatosis with polyangiitis	11	1 X			X		X	
Granulomatous rosacea	1	- X						
Graves' disease	60	- X	X	X			X	
Greater trochanteric pain syndrome	13	- X			X		X	
Grip strength	21	- X	X	X			X	
Grip strength decreased	82	- X	X	X			X	
Groin abscess	4	- X			X			
Groin infection	3	- X			X		X	
Groin pain	415	- X	X	X	X		X	
Growing pains	9	- X			X			
Growth disorder	2	-			X			
Growth of eyelashes	13	- X			X			
Growth retardation	1	-					X	
Grunting	4	- X			X	X		
Guillain-Barre syndrome	718	8 X	X	X	X		X	
Guttate psoriasis	68	- X			X		X	
Gynaecological disorder prophylaxis	1	- X						
Gynaecological examination	1	-			X			
Gynaecomastia	20	- X			X	X		
H1N1 influenza	2	- X			X			
H2N2 influenza	3	- X						
Habit cough	70	- X			X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Haemangioma	11	- X	X	X			X	
Haemangioma of liver	3	- X			X			
Haemangioma of skin	31	- X			X		X	
Haemangioma-thrombocytopenia syndrome	1	- X						
Haemarthrosis	14	- X			X			
Haematemesis	142	2 X	X	X	X		X	
Haematinuria	1	- X						
Haematochezia	205	- X	X	X	X		X	
Haematocrit	11	- X			X			
Haematocrit decreased	3	- X			X			
Haematocrit increased	4	- X			X			
Haematological infection	1	- X						
Haematological malignancy	2	- X						
Haematology test abnormal	2	- X						
Haematoma	196	- X	X	X	X		X	
Haematoma infection	3	- X			X			
Haematoma muscle	5	- X			X			
Haematospermia	28	- X			X		X	
Haematuria	161	- X	X	X	X		X	
Haemochromatosis	7	- X			X			X
Haemodynamic instability	5	- X			X			
Haemofiltration	1	- X						
Haemoglobin	7	- X						
Haemoglobin abnormal	1	- X						
Haemoglobin decreased	50	- X	X	X			X	
Haemoglobin E	2	-					X	
Haemoglobin increased	4	- X			X			
Haemoglobin urine	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Haemolysis	18	- X		X			X	
Haemolytic anaemia	22	- X		X			X	
Haemoperitoneum	5	- X		X				
Haemophagocytic lymphohistiocytosis	23	1 X		X				
Haemophilia	3	-	X	X				
Haemoptysis	250	- X	X	X	X	X	X	
Haemorrhage	3,227	4 X	X	X	X	X	X	
Haemorrhage foetal	1	- X						
Haemorrhage in pregnancy	5	- X		X				
Haemorrhage intracranial	66	21 X	X	X			X	
Haemorrhage subcutaneous	44	- X		X	X		X	
Haemorrhage urinary tract	107	2 X		X	X		X	
Haemorrhagic adrenal infarction	5	- X						
Haemorrhagic cerebellar infarction	1	- X						
Haemorrhagic cerebral infarction	3	1 X		X				
Haemorrhagic diathesis	1	-		X				
Haemorrhagic infarction	6	- X		X			X	
Haemorrhagic ovarian cyst	3	-		X				
Haemorrhagic stroke	55	17 X		X			X	
Haemorrhagic transformation stroke	6	3 X						
Haemorrhagic varicella syndrome	1	- X						
Haemorrhoidal haemorrhage	6	- X		X				
Haemorrhoids	127	1 X		X	X		X	
Haemorrhoids thrombosed	16	- X		X				
Haemosiderin stain	2	- X		X				
Haemothorax	1	- X						
Hair colour changes	29	- X		X	X			
Hair disorder	3	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Hair dye user	<b>3</b>	- X		X				
Hair growth abnormal	<b>36</b>	- X		X			X	
Hair growth rate abnormal	<b>1</b>	-		X				
Hair injury	<b>7</b>	- X		X				
Hair texture abnormal	<b>25</b>	- X		X			X	
Hallucination	<b>1,615</b>	- X	X	X	X		X	
Hallucination, auditory	<b>82</b>	- X		X			X	
Hallucination, olfactory	<b>32</b>	- X		X			X	
Hallucination, tactile	<b>3</b>	- X		X			X	
Hallucination, visual	<b>107</b>	- X		X	X		X	
Hallucinations, mixed	<b>16</b>	- X		X			X	
Halo vision	<b>35</b>	- X		X	X		X	
Hand deformity	<b>14</b>	- X		X			X	
Hand dermatitis	<b>16</b>	- X		X	X		X	
Hand-eye coordination impaired	<b>3</b>	- X						
Hand-foot-and-mouth disease	<b>1</b>	-				X		
Hanging	<b>1</b>	1 X						
Hangover	<b>320</b>	- X	X	X	X		X	
Hashimoto's encephalopathy	<b>2</b>	-		X				
Hashitoxicosis	<b>1</b>	- X						
Head and neck procedural complication	<b>1</b>	- X						
Head banging	<b>69</b>	- X		X			X	
Head deformity	<b>3</b>	- X		X				
Head discomfort	<b>1,371</b>	- X	X	X	X		X	
Head injury	<b>94</b>	- X		X	X		X	
Head lag	<b>33</b>	- X	X	X			X	
Head titubation	<b>46</b>	- X		X	X		X	
Headache	<b>130,661</b>	1 X	X	X	X	X	X	X

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Hearing aid user	<b>3</b>	- X						
Hearing disability	<b>9</b>	- X	X	X				
Heart alternation	<b>9</b>	- X		X			X	
Heart disease congenital	<b>38</b>	- X		X			X	
Heart rate	<b>2,207</b>	- X	X	X	X	X	X	X
Heart rate abnormal	<b>206</b>	- X	X	X	X	X	X	
Heart rate decreased	<b>300</b>	- X	X	X	X	X	X	
Heart rate increased	<b>4,194</b>	- X	X	X	X	X	X	X
Heart rate irregular	<b>806</b>	- X	X	X	X	X	X	X
Heart rate normal	<b>1</b>	-		X				
Heart rate variability decreased	<b>4</b>	- X		X			X	
Heart rate variability increased	<b>4</b>	- X		X				
Heart sounds	<b>38</b>	- X	X	X			X	
Heart sounds abnormal	<b>18</b>	- X		X			X	
Heart valve incompetence	<b>8</b>	- X		X				
Heart valve replacement	<b>1</b>	- X						
Heart valve stenosis	<b>1</b>	- X						
Heat cramps	<b>4</b>	- X		X				
Heat exhaustion	<b>9</b>	- X		X			X	
Heat illness	<b>7</b>	- X		X			X	
Heat oedema	<b>38</b>	- X	X	X			X	
Heat stroke	<b>25</b>	- X		X			X	
Heat therapy	<b>3</b>	- X						
Heavy menstrual bleeding	<b>13,855</b>	- X	X	X	X	X	X	
Heavy metal test	<b>1</b>	- X						
Helicobacter gastritis	<b>1</b>	-		X				
Helicobacter infection	<b>5</b>	- X		X			X	
Helminthic infection	<b>1</b>	-		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Helplessness	7	- X	X	X			X	
Hemianaesthesia	4	- X			X		X	
Hemianopia	14	- X			X	X	X	
Hemianopia homonymous	6	- X			X			
Hemihypoesthesia	7	- X			X		X	
Hemiparaesthesia	12	- X	X	X				
Hemiparesis	226	- X	X	X	X		X	
Hemiplegia	138	- X	X	X	X		X	
Hemiplegic migraine	115	- X	X	X			X	
Henoch-Schonlein purpura	44	- X	X	X	X		X	
Heparin-induced thrombocytopenia	17	- X						
Heparin-induced thrombocytopenia test positive	1	- X						
Hepatic artery embolism	1	-			X			
Hepatic artery thrombosis	1	- X						
Hepatic cancer	2	1 X	X	X				
Hepatic cancer recurrent	2	- X						
Hepatic cirrhosis	15	1 X			X		X	
Hepatic cyst	2	-			X		X	
Hepatic encephalopathy	2	- X						
Hepatic enzyme	2	-	X	X				
Hepatic enzyme abnormal	3	- X					X	
Hepatic enzyme increased	29	- X			X	X		
Hepatic failure	16	2 X			X			
Hepatic fibrosis	2	- X						
Hepatic function abnormal	31	- X			X		X	
Hepatic haemorrhage	3	- X			X			
Hepatic hypoperfusion	1	- X						
Hepatic infarction	3	1 X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Hepatic infection	1	-			X			
Hepatic lesion	1	-			X			
Hepatic necrosis	1	1 X						
Hepatic neoplasm	3	- X			X			
Hepatic pain	147	- X	X	X	X	X	X	X
Hepatic steatosis	26	- X			X		X	
Hepatic vascular thrombosis	2	- X						
Hepatic vein thrombosis	23	- X			X			
Hepatitis	59	- X	X	X			X	
Hepatitis A	2	-			X		X	
Hepatitis acute	12	1 X			X			
Hepatitis B core antibody positive	1	- X						
Hepatitis B surface antibody positive	1	- X						
Hepatitis E	2	- X			X			
Hepatitis fulminant	1	- X						
Hepatitis toxic	2	-			X			
Hepatitis viral	7	- X			X			
Hepatoblastoma	1	- X						
Hepatocellular carcinoma	6	- X			X			
Hepatomegaly	12	- X			X			
Hepatorenal syndrome	1	- X						
Hepatosplenomegaly	1	-			X			
Hepatotoxicity	2	-			X			
HER2 positive breast cancer	1	-			X			
Hereditary angioedema	1	-					X	
Hereditary ataxia	3	-			X		X	
Hereditary neuropathy with liability to pressure palsies	1	-			X			
Hereditary pancreatitis	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Hernia	6	- X						
Hernia pain	5	- X					X	
Hernia repair	1	-			X			
Herpes dermatitis	2	- X						
Herpes gestationis	3	-			X			
Herpes ophthalmic	23	- X			X	X	X	
Herpes pharyngitis	1	- X						
Herpes simplex	99	- X			X	X	X	
Herpes simplex encephalitis	-	1			X			
Herpes simplex reactivation	11	- X			X		X	
Herpes virus infection	34	- X			X		X	
Herpes virus test	1	- X						
Herpes zoster	3,819	- X	X		X	X	X	
Herpes zoster disseminated	2	- X			X			
Herpes zoster meningoencephalitis	1	-			X			
Herpes zoster oticus	41	- X			X	X	X	
Herpes zoster reactivation	7	- X			X			
Heteronymous diplopia	1	-			X			
Heterotaxia	2	- X			X			
Hiatus hernia	34	- X	X		X		X	
Hiccups	107	- X			X	X	X	
Hidradenitis	14	- X			X		X	
High density lipoprotein decreased	1	-			X			
High income	1	-			X			
High-pitched crying	12	- X			X		X	
Hilar lymphadenopathy	5	- X			X			
Hip fracture	2	-			X			
Hip surgery	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Hirsutism	2	-			X			
Histamine abnormal	7	- X			X		X	
Histamine intolerance	19	- X	X	X			X	
Histamine level	6	- X			X			
Histamine level increased	3	- X			X			
Histamine release test	1	-	X					
Histiocytic necrotising lymphadenitis	3	- X			X			
HIV antibody negative	2	- X						
HIV antibody positive	1	-			X			
HIV infection	5	- X			X			
HIV test	1	-			X			
HIV-associated neurocognitive disorder	1	- X						
HLA-B*27 positive	1	-			X			
Hodgkin's disease	6	- X			X			
Hoffmann's sign	1	-			X			
Holmes-Adie pupil	1	- X						
Homicidal ideation	2	- X					X	
Homosexual parent	1	- X						
Homosexuality	1	- X						
Hoover's sign of leg paresis	2	- X			X			
Hordeolum	86	- X	X	X	X	X	X	
Hormone level abnormal	183	- X	X	X			X	
Hormone replacement therapy	9	- X			X		X	
Hormone therapy	17	- X			X			
Horner's syndrome	6	- X			X			
Hospitalisation	62	- X	X	X	X	X	X	
Hot flush	4,200	- X	X	X	X	X	X	
Housebound	8	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Huerthle cell carcinoma	1	-			X			
Human chorionic gonadotropin decreased	1	- X						
Human chorionic gonadotropin increased	1	-			X			
Human papilloma virus test negative	1	- X						
Human papilloma virus test positive	1	- X						
Humerus fracture	1	- X						
Humidity intolerance	1	- X						
Hunger	160	- X	X	X			X	
Huntington's disease	-	1 X						
Hydrocele	4	- X	X					
Hydrocephalus	25	1 X	X	X			X	
Hydronephrosis	3	- X			X			
Hydrops foetalis	1	-					X	
Hydrosalpinx	2	-			X			
Hyperactive pharyngeal reflex	1	-			X			
Hyperacusis	299	- X	X	X	X		X	
Hyperaemia	2	- X						
Hyperaesthesia	474	- X	X	X	X		X	
Hyperaesthesia teeth	122	- X			X	X	X	
Hyperarousal	3	- X						
Hypercalcaemia	5	- X			X			
Hypercapnia	1	- X						
Hypercarotinaemia	1	-			X			
Hypercatabolism	1	-			X			
Hyperchlorhydria	10	- X			X		X	
Hypercholesterolaemia	3	- X			X			
Hypercoagulation	38	1 X	X	X			X	
Hyperemesis gravidarum	3	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Hypereosinophilic syndrome	1	- X						
Hyperfibrinogenaemia	1	- X						
Hypergammaglobulinaemia	1	-		X				
Hypergammaglobulinaemia benign monoclonal	8	- X		X	X	X		
Hypergeusia	1	-		X				
Hyperglycaemia	243	1 X	X	X	X	X	X	
Hyperglycaemic hyperosmolar nonketotic syndrome	2	- X						
Hyperhidrosis	14,209	- X	X	X	X	X	X	X
Hyperinsulinaemic hypoglycaemia	1	- X						
Hyperintensity in brain deep nuclei	1	-		X				
Hyperkalaemia	14	- X		X				
Hyperkeratosis	7	- X		X			X	
Hyperkinesia	33	- X		X	X	X		
Hyperlactacidaemia	2	- X						
Hyperleukocytosis	1	-						
Hyperlipidaemia	5	- X		X				
Hypermetropia	7	- X		X				
Hypermobility syndrome	8	- X		X			X	
Hypernatraemia	5	- X		X	X			
Hyperosmolar state	1	- X						
Hyperoxia	1	-		X				
Hyperparathyroidism	4	- X		X			X	
Hyperphagia	31	- X		X			X	
Hyperplasia	3	- X		X				
Hyperprolactinaemia	3	- X		X				
Hyperpyrexia	54	- X	X	X				
Hyperreflexia	15	- X		X				
Hypersensitivity	3,430	2 X	X	X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Hypersensitivity myocarditis	<b>3</b>	- X		X			X	
Hypersensitivity pneumonitis	<b>5</b>	- X		X			X	
Hypersensitivity vasculitis	<b>6</b>	- X		X			X	
Hypersexuality	<b>3</b>	- X		X				
Hypersomnia	<b>415</b>	- X	X	X	X		X	
Hypertelorism	<b>1</b>	-		X				
Hypertension	<b>2,371</b>	<b>1 X</b>	X	X	X	X	X	X
Hypertensive crisis	<b>35</b>	- X	X	X				
Hypertensive emergency	<b>2</b>	- X						
Hypertensive encephalopathy	<b>2</b>	- X						
Hypertensive heart disease	<b>4</b>	<b>3 X</b>		X	X			
Hypertensive nephropathy	<b>1</b>	- X						
Hypertensive urgency	<b>7</b>	<b>1 X</b>		X			X	
Hyperthermia	<b>26</b>	- X		X	X		X	
Hyperthermia malignant	<b>1</b>	-		X				
Hyperthyroidism	<b>156</b>	- X	X	X	X		X	
Hypertonia	<b>7</b>	- X		X				
Hypertonic bladder	<b>32</b>	- X		X	X		X	
Hypertransaminasaemia	<b>18</b>	- X		X	X		X	
Hypertrichosis	<b>2</b>	-		X				
Hypertrophic cardiomyopathy	<b>4</b>	- X		X				
Hypertrophy	<b>2</b>	-		X				
Hypertrophy of tongue papillae	<b>2</b>	-		X				
Hyperventilation	<b>188</b>	<b>1 X</b>	X	X			X	
Hypervigilance	<b>25</b>	- X	X	X			X	
Hyperviscosity syndrome	<b>1</b>	-		X				
Hypervolaemia	<b>22</b>	- X	X	X				
Hyphaema	<b>1</b>	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Hypnagogic hallucination	9	- X		X			X	
Hypnopompic hallucination	2	-			X			
Hypoacusis	588	- X	X	X	X	X	X	X
Hypoesthesia	12,733	- X	X	X	X	X	X	X
Hypoesthesia eye	56	- X			X		X	
Hypoesthesia oral	1,482	- X	X	X	X	X	X	
Hypoesthesia teeth	2	- X						
Hypoalbuminaemia	2	- X						
Hypobarism	6	- X			X			
Hypocalcaemia	11	- X			X			
Hypochromic anaemia	3	- X						
Hypocoagulable state	1	- X						
Hypocomplementaemia	1	- X						
Hypofibrinogenaemia	4	- X						
Hypogammaglobulinaemia	2	-			X		X	
Hypogeusia	18	- X			X		X	
Hypoglycaemia	227	- X	X	X	X		X	
Hypoglycaemia unawareness	3	- X			X			
Hypoglycaemic coma	3	- X			X			
Hypoglycaemic seizure	1	- X						
Hypoglycaemic unconsciousness	1	- X						
Hypogonadism female	1	-			X			
Hypohidrosis	10	- X			X			
Hypokalaemia	16	- X			X		X	
Hypokalaemic syndrome	4	- X			X			
Hypokinesia	280	- X	X	X	X	X	X	
Hypokinetic dysarthria	1	-			X			
Hypomagnesaemia	4	- X			X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Hypomania	3	- X		X				
Hypomenorrhoea	1,366	- X	X	X	X	X	X	
Hypometabolism	2	- X		X				
Hyponatraemia	54	- X		X	X	X	X	
Hyponatraemic syndrome	7	1 X		X			X	
Hypoparathyroidism	4	- X	X				X	
Hypoperfusion	4	- X		X				
Hypophagia	72	- X	X	X	X	X	X	
Hypophosphataemia	5	- X		X			X	
Hypopituitarism	6	- X		X			X	
Hypoplastic anaemia	2	-		X				
Hypopnoea	451	- X	X	X	X	X	X	
Hyporeflexia	35	- X		X				
Hyporesponsive to stimuli	9	- X		X	X			
Hyposmia	36	- X	X	X			X	
Hypotension	1,293	1 X	X	X	X	X	X	X
Hypothalamo-pituitary disorder	2	- X						
Hypothermia	98	- X	X	X	X	X	X	
Hypothyroidic goitre	1	-		X				
Hypothyroidism	148	- X	X	X	X	X	X	
Hypotonia	96	- X		X			X	
Hypotonic urinary bladder	1	-		X				
Hypotonic-hyporesponsive episode	1	- X						
Hypotrichosis	4	- X		X				
Hypoventilation	3	- X		X			X	
Hypovitaminosis	11	- X		X				
Hypovolaemia	3	- X						
Hypovolaemic shock	5	1 X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Hypoxia	116	3 X		X	X	X	X	
Hypoxic-ischaemic encephalopathy	1	- X						
Hysterectomy	3	- X		X		X		
Hysteroscopy	3	-		X		X		
Idiopathic angioedema	5	- X		X				
Idiopathic environmental intolerance	3	- X	X					
Idiopathic generalised epilepsy	1	-		X				
Idiopathic intracranial hypertension	26	- X	X	X			X	
Idiopathic pulmonary fibrosis	3	1 X						
Idiopathic urticaria	22	- X		X			X	
Idiosyncratic drug reaction	1	- X						
IgA nephropathy	13	- X		X			X	
IIIrd nerve disorder	3	- X		X	X			
IIIrd nerve injury	1	-		X				
IIIrd nerve paralysis	17	- X		X	X			
IIIrd nerve paresis	1	- X						
Ileostomy	5	- X		X				
Ileus	2	-		X				
Ileus paralytic	2	-		X				
Iliac artery embolism	2	- X						
Iliac artery occlusion	3	- X		X				
III-defined disorder	16	- X						
Illiteracy	7	- X		X				
Illness	8,610	1 X	X	X	X	X	X	X
Illness anxiety disorder	1	- X						
Illogical thinking	1	- X						
Illusion	20	- X		X			X	
Immediate post-injection reaction	10	- X		X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Immobile	83	- X		X	X	X	X	
Immobilisation bandage	1	- X						
Immobilisation prolonged	4	- X						
Immune reconstitution inflammatory syndrome	1	-		X				
Immune system disorder	151	- X	X	X	X	X	X	
Immune thrombocytopenia	363	4 X	X	X	X	X	X	
Immune tolerance induction	1	-		X				
Immune-mediated adverse reaction	20	- X		X			X	X
Immune-mediated hepatic disorder	1	-		X				
Immune-mediated hepatitis	2	- X					X	
Immune-mediated hypothyroidism	2	- X		X				
Immune-mediated myocarditis	1	-						
Immune-mediated myositis	2	-		X				
Immunisation	678	1 X		X	X	X	X	
Immunisation reaction	253	- X	X	X	X	X	X	
Immunisation stress-related response	7	- X		X	X			
Immunodeficiency	33	1 X		X	X	X	X	
Immunoglobulins decreased	3	- X		X				
Immunology test	37	1 X	X	X	X	X	X	
Immunology test normal	1	- X						
Immunosuppression	15	- X		X			X	
Impaired driving ability	20	- X		X			X	
Impaired gastric emptying	22	- X		X	X	X	X	
Impaired healing	16	- X		X			X	
Impaired quality of life	21	- X		X	X	X	X	
Impaired reasoning	4	- X		X				
Impaired work ability	80	- X		X	X	X	X	
Impatience	3	- X					X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Imperception	1	- X						
Impetigo	32	- X	X	X			X	
Implant site coldness	1	- X						
Implant site discharge	1	- X						
Implant site discolouration	6	- X		X				
Implant site hypoesthesia	2	- X						
Implant site inflammation	1	-	X					
Implant site pain	8	- X		X				
Implant site rash	2	- X		X				
Implant site reaction	1	-		X				
Implant site swelling	5	- X		X				
Implant site urticaria	4	- X		X				
Implant site vesicles	1	- X						
Implant site warmth	13	- X		X			X	
Impulse-control disorder	3	- X						
Impulsive behaviour	2	- X						
Inability to crawl	5	- X		X				
Inadequate analgesia	44	- X		X			X	
Inadequate aseptic technique in use of product	3	- X		X				
Inadequate diet	1	- X						
Inappropriate affect	44	- X		X			X	
Inappropriate antidiuretic hormone secretion	2	- X	X					
Inappropriate schedule of product administration	1,048	- X		X			X	
Inappropriate schedule of product discontinuation	1	-					X	
Incision site erythema	1	- X						
Incision site haemorrhage	1	- X						
Incision site oedema	1	- X						
Incision site pain	15	- X		X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Incoherent	53	- X	X	X			X	
Incomplete course of vaccination	83	- X			X			
Incontinence	202	- X	X	X	X		X	
Incorrect dose administered	106	- X			X		X	
Incorrect drug administration rate	1	-			X			
Incorrect product administration duration	3	- X					X	
Incorrect product formulation administered	3	- X			X			
Incorrect route of product administration	79	- X			X	X	X	
Increased appetite	113	- X			X		X	
Increased bronchial secretion	5	-			X	X		
Increased insulin requirement	3	- X			X			
Increased tendency to bruise	219	- X	X	X			X	
Increased upper airway secretion	10	- X			X			
Increased viscosity of bronchial secretion	2	-			X	X		
Increased viscosity of upper respiratory secretion	74	- X	X	X	X	X	X	
Indifference	17	- X			X			
Induced labour	1	-			X			
Induration	58	- X	X	X			X	
Infant	2	-			X			
Infant irritability	16	- X			X			
Infant sedation	1	-			X			
Infantile apnoea	2	-			X			
Infantile back arching	1	- X						
Infantile spitting up	1	- X						
Infantile vomiting	13	- X			X			
Infarction	20	- X			X		X	
Infected bite	8	- X			X			
Infected cyst	6	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Infected dermal cyst	3	- X						
Infected lymphocele	3	- X			X			
Infected skin ulcer	5	-			X		X	
Infected varicose vein	1	- X						
Infection	980	4 X	X	X	X	X	X	X
Infection in an immunocompromised host	3	- X						
Infection susceptibility increased	5	- X			X			
Infectious mononucleosis	97	- X	X	X	X	X	X	
Infectious pleural effusion	5	- X			X			
Infectious thyroiditis	1	- X						
Infective exacerbation of bronchiectasis	2	- X						
Infective pulmonary exacerbation of cystic fibrosis	-	1 X						
Infective tenosynovitis	1	-			X			
Inferior vena cava dilatation	1	-			X			
Infertility	46	- X	X	X			X	
Infertility female	16	- X			X			X
Infertility male	4	- X			X			
Infertility tests	1	-			X			
Infestation	1	- X						
Inflammation	1,962	1 X	X	X	X	X	X	
Inflammation of wound	8	- X				X		X
Inflammation scan	1	- X						
Inflammatory bowel disease	40	- X	X	X			X	X
Inflammatory carcinoma of breast stage III	1	- X						
Inflammatory carcinoma of the breast	1	-			X			
Inflammatory marker decreased	2	- X			X			
Inflammatory marker increased	25	- X			X		X	
Inflammatory marker test	1	-			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Inflammatory pain	<b>73</b>	- X	X	X			X	
Influenza	<b>9,755</b>	- X	X	X	X		X	
Influenza A virus test	<b>1</b>	-					X	
Influenza immunisation	<b>2</b>	- X					X	
Influenza like illness	<b>13,873</b>	- X	X	X	X		X	X
Infrequent bowel movements	<b>6</b>	- X		X				
Infusion related hypersensitivity reaction	<b>23</b>	- X		X			X	
Infusion related reaction	<b>31</b>	- X		X			X	
Infusion site bruising	<b>1</b>	- X						
Infusion site coldness	<b>1</b>	-		X				
Infusion site discolouration	<b>1</b>	-		X				
Infusion site discomfort	<b>1</b>	- X						
Infusion site erythema	<b>6</b>	- X			X		X	
Infusion site infection	<b>1</b>	-		X				
Infusion site joint effusion	<b>1</b>	-		X				
Infusion site joint pain	<b>3</b>	- X		X				
Infusion site mass	<b>7</b>	- X		X			X	
Infusion site mobility decreased	<b>1</b>	- X						
Infusion site nerve damage	<b>1</b>	-		X				
Infusion site nodule	<b>2</b>	- X						
Infusion site pain	<b>24</b>	- X		X			X	
Infusion site pruritus	<b>5</b>	-		X			X	
Infusion site swelling	<b>2</b>	-		X				
Infusion site urticaria	<b>8</b>	- X		X			X	
Infusion site warmth	<b>9</b>	- X		X			X	
Ingrowing nail	<b>4</b>	- X		X				
Inguinal hernia	<b>8</b>	- X		X				
Inhibitory drug interaction	<b>15</b>	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Initial insomnia	83	- X		X			X	
Injected limb mobility decreased	101	- X			X		X	
Injection	128	- X	X	X	X	X	X	
Injection related reaction	766	- X	X	X	X	X	X	
Injection site abscess	4	- X			X			
Injection site atrophy	9	- X						
Injection site bruising	217	- X			X	X	X	
Injection site cellulitis	12	- X			X		X	
Injection site coldness	7	- X			X			
Injection site cyst	10	- X			X		X	
Injection site deformation	1	- X						
Injection site dermatitis	1	-					X	
Injection site discharge	4	- X			X			
Injection site discolouration	17	- X			X		X	
Injection site discomfort	37	- X			X			
Injection site dryness	1	- X						
Injection site eczema	1	-			X			
Injection site erythema	1,329	- X	X	X	X	X	X	
Injection site exfoliation	1	- X						
Injection site haematoma	5	- X			X			
Injection site haemorrhage	40	- X	X	X			X	
Injection site hypersensitivity	14	- X			X		X	
Injection site hypoesthesia	39	- X			X		X	
Injection site indentation	34	- X			X		X	
Injection site induration	18	- X			X			
Injection site infection	28	- X			X		X	
Injection site inflammation	146	- X	X	X	X	X	X	
Injection site injury	9	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Injection site irritation	10	- X		X			X	
Injection site joint discomfort	3	- X			X			
Injection site joint erythema	19	- X			X		X	
Injection site joint movement impairment	1	-			X			
Injection site joint pain	54	- X			X	X	X	
Injection site joint swelling	1	- X						
Injection site lymphadenopathy	1	-			X			
Injection site macule	1	-			X			
Injection site mass	2,367	- X	X	X	X	X	X	
Injection site movement impairment	7	- X			X		X	
Injection site muscle atrophy	3	- X			X	X		
Injection site muscle weakness	5	- X			X	X		
Injection site necrosis	11	- X			X			
Injection site nerve damage	3	- X			X			
Injection site nodule	10	- X		X	X	X	X	
Injection site oedema	56	- X	X	X			X	
Injection site pain	9,178	- X	X	X	X	X	X	
Injection site pallor	1	-			X			
Injection site papule	2	- X						
Injection site paraesthesia	45	- X			X		X	
Injection site plaque	1	-					X	
Injection site pruritus	730	- X	X	X	X	X	X	
Injection site pustule	3	-			X			
Injection site rash	756	- X	X	X	X	X	X	
Injection site reaction	214	- X	X	X	X	X	X	
Injection site scab	9	- X	X	X				
Injection site scar	10	- X			X			
Injection site swelling	783	- X	X	X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Injection site thrombosis	1	- X						
Injection site ulcer	1	- X						
Injection site urticaria	141	- X	X	X	X	X	X	
Injection site vesicles	30	- X	X	X			X	
Injection site warmth	689	- X	X	X	X	X	X	
Injury	54	- X		X			X	X
Injury associated with device	17	- X		X			X	
Injury corneal	2	- X		X				
Inner ear disorder	26	- X	X	X				
Inner ear inflammation	20	- X		X			X	
Insomnia	6,158	- X	X	X	X	X	X	X
Instillation site bruise	1	- X						
Instillation site discomfort	1	- X						
Instillation site erythema	1	-					X	
Instillation site pain	5	- X						
Instillation site pruritus	1	- X						
Instillation site warmth	26	- X		X			X	
Insulin resistance	18	- X		X	X			
Insulin resistant diabetes	3	- X		X				
Intellectual disability	17	- X	X	X				
Intelligence test	1	-		X				
Intention tremor	2	- X		X				
Intentional dose omission	23	- X						
Intentional overdose	15	- X		X				
Intentional product misuse	31	- X					X	
Intentional product use issue	13	- X		X				
Intentional self-injury	18	- X		X			X	
Intentional underdose	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Intercepted medication error	6	- X						
Intercepted product administration error	2	- X						
Intercepted product storage error	1	- X						
Interchange of vaccine products	743	- X	X	X	X	X	X	
Intercostal neuralgia	6	- X		X				
Interferon gamma level increased	1	- X						
Interferon gamma release assay positive	2	- X						
Interleukin level increased	1	- X						
Intermenstrual bleeding	2,408	- X	X	X	X	X	X	
Intermittent claudication	13	- X		X				
Intermittent explosive disorder	1	- X						
Internal capsule infarction	2	- X		X				
Internal carotid artery deformity	1	- X						
Internal haemorrhage	50	1 X		X			X	
Internal hernia	1	- X						
Internal injury	1	- X						
International normalised ratio	4	- X						
International normalised ratio abnormal	20	- X		X				
International normalised ratio decreased	70	- X		X	X	X	X	
International normalised ratio fluctuation	8	- X		X				
International normalised ratio increased	159	- X		X	X	X	X	
Interstitial granulomatous dermatitis	1	-		X				
Interstitial lung disease	25	3 X		X			X	
Intertrigo	4	- X		X				
Intervertebral disc compression	1	-		X				
Intervertebral disc degeneration	3	- X						
Intervertebral disc disorder	1	- X						
Intervertebral disc protrusion	21	- X	X	X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Intervertebral discitis	4	- X		X				
Intestinal anastomosis	1	-		X				
Intestinal angioedema	3	- X		X				
Intestinal congestion	1	- X						
Intestinal dilatation	5	- X		X				
Intestinal haemorrhage	3	- X		X				
Intestinal infarction	7	1 X		X				
Intestinal ischaemia	60	5 X	X	X	X	X	X	
Intestinal obstruction	19	- X		X			X	
Intestinal perforation	13	2 X		X			X	
Intestinal pseudo-obstruction	2	-		X				
Intestinal resection	1	- X						
Intestinal sepsis	1	-					X	
Intoxication by breast feeding	2	- X		X				
Intra-abdominal haematoma	2	- X						
Intra-abdominal haemorrhage	2	- X						
Intracardiac thrombus	29	6 X	X	X				
Intracranial aneurysm	9	2 X		X				
Intracranial haematoma	11	1 X		X			X	
Intracranial hypotension	5	- X		X				
Intracranial mass	5	- X		X				
Intracranial pressure increased	51	- X	X	X			X	
Intracranial tumour haemorrhage	1	- X						
Intraductal proliferative breast lesion	1	- X						
Intranasal hypoesthesia	3	- X		X				
Intranasal paraesthesia	1	-		X				
Intraocular pressure increased	20	- X		X			X	
Intraocular pressure test	11	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Intrauterine contraception	1	- X						
Intravascular haemolysis	2	-			X			
Intraventricular haemorrhage	7	- X					X	
Intrusive thoughts	15	- X			X		X	
Intussusception	2	- X			X			
Invasive ductal breast carcinoma	1	-			X			
Invasive lobular breast carcinoma	1	-						
Iridocyclitis	55	- X			X		X	
Iritis	32	- X			X		X	
Iron binding capacity total decreased	1	- X						
Iron deficiency	36	- X			X			
Iron deficiency anaemia	33	- X			X		X	
Iron overload	2	- X			X			
Irregular breathing	69	- X			X	X	X	
Irregular sleep phase	6	- X			X			
Irregular sleep wake rhythm disorder	3	- X			X			
Irritability	658	- X	X	X	X	X	X	
Irritability postvaccinal	6	- X			X		X	
Irritable bowel syndrome	330	- X	X	X	X	X	X	
Ischaemia	31	- X			X		X	
Ischaemic cerebral infarction	5	- X			X			
Ischaemic contracture of the left ventricle	2	- X			X			
Ischaemic enteritis	1	- X						
Ischaemic hepatitis	1	- X						
Ischaemic limb pain	7	- X			X			
Ischaemic mitral regurgitation	1	- X						
Ischaemic neuropathy	2	- X						
Ischaemic skin ulcer	2	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Ischaemic stroke	269	16 X	X	X	X	X	X	
Itching scar	19	- X		X			X	
IVth nerve paralysis	2	- X		X				
IVth nerve paresis	1	-				X		
Jamais vu	1	- X						
Janeway lesion	1	- X						
Jaundice	102	- X		X	X	X	X	
Jaundice acholuric	1	-		X				
Jaundice cholestatic	24	- X		X			X	
Jaundice neonatal	1	-		X				
Jaw clicking	13	- X		X				
Jaw cyst	2	- X					X	
Jaw disorder	12	- X		X			X	
Jaw fracture	1	-					X	
Job dissatisfaction	5	- X		X				
Joint abscess	1	-		X				
Joint adhesion	1	- X						
Joint ankylosis	4	- X		X				
Joint contracture	2	- X		X				
Joint deposit	1	-		X				
Joint destruction	1	-		X				
Joint dislocation	22	1 X		X			X	
Joint effusion	31	- X		X			X	
Joint injection	13	- X		X			X	
Joint injury	37	- X		X	X	X	X	
Joint instability	4	- X		X				
Joint laxity	10	- X		X				
Joint lock	121	- X		X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Joint microhaemorrhage	1	-			X			
Joint noise	110	- X	X	X			X	
Joint position sense decreased	3	- X			X			
Joint range of motion decreased	50	- X	X	X			X	
Joint stabilisation	4	- X					X	
Joint stiffness	1,003	- X	X	X	X	X	X	X
Joint surgery	1	-			X			
Joint swelling	2,179	- X	X	X	X		X	
Joint vibration	12	- X			X		X	
Joint warmth	70	- X	X	X	X		X	
Judgement impaired	5	- X						
Jugular vein occlusion	4	- X			X			
Jugular vein thrombosis	39	- X			X			
Juvenile idiopathic arthritis	3	- X			X			
Juvenile spring eruption	1	- X						
Kaposi's sarcoma	2	-			X			
Keloid scar	8	- X			X		X	
Keratitis	14	- X			X			
Keratoacanthoma	1	-					X	
Keratolysis exfoliativa acquired	2	-			X			
Keratosis pilaris	3	-			X			
Keratouveitis	2	- X			X			
Ketoacidosis	8	1 X			X			
Ketonuria	1	-			X			
Ketosis	6	- X						
Kidney enlargement	2	- X			X			
Kidney fibrosis	1	-			X			
Kidney infection	132	- X	X	X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Kidney rupture	2	- X						
Kidney small	2	-			X			
Kidney transplant rejection	2	-			X			
Klebsiella infection	3	- X			X			
Klinefelter's syndrome	1	- X						
Knee arthroplasty	2	-			X		X	
Knee deformity	2	- X			X			
Knee operation	3	- X						
Knuckle pads	1	- X						
Koebner phenomenon	1	-			X			
Kosher diet	1	- X						
Kyphosis	8	- X			X			
Labelled drug-drug interaction medication error	1	- X						
Labia enlarged	5	- X			X		X	
Labile blood pressure	10	- X			X			
Labile hypertension	4	- X			X			
Laboratory test	2	- X			X			
Laboratory test abnormal	1	- X						
Labour pain	2	- X			X			
Labour stimulation	1	-			X			
Labyrinthitis	349	- X	X	X	X		X	
Lack of administration site rotation	1	-			X			
Lack of injection site rotation	1	-				X		
Lack of spontaneous speech	5	- X			X		X	
Lack of vaccination site rotation	2	- X			X			
Lacrimal disorder	1	- X						
Lacrimal gland enlargement	1	-			X			
Lacrimation decreased	1	-			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Lacrimation increased	485	- X	X	X	X	X	X	
Lactate dehydrogenase urine increased	1	- X						
Lactation disorder	16	- X		X			X	
Lactation insufficiency	90	- X		X			X	
Lactation puerperal increased	14	- X		X			X	
Lactic acidosis	7	- X		X				
Lactose intolerance	18	- X	X	X			X	
Lacunar infarction	13	- X		X	X		X	
Lacunar stroke	37	- X		X			X	
Lagophthalmos	11	- X		X			X	
Language disorder	6	- X		X				
Large for dates baby	1	-						
Large intestinal obstruction	1	2 X		X				
Large intestinal stenosis	1	- X						
Large intestinal ulcer	2	- X		X				
Large intestinal ulcer haemorrhage	1	-		X				
Large intestine infection	2	- X						
Large intestine perforation	2	- X		X				
Large intestine polyp	1	- X						
Laryngeal disorder	1	-		X				
Laryngeal obstruction	1	-		X				
Laryngeal oedema	9	- X	X	X				
Laryngeal pain	2	- X		X				
Laryngitis	90	- X		X			X	
Laryngoscopy	1	- X						
Laryngospasm	7	- X		X				
Latent autoimmune diabetes in adults	2	-		X				
Latent tuberculosis	1	-		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Lateral medullary syndrome	<b>2</b>	-			X			
Laziness	<b>7</b>	- X			X			
Learning disability	<b>1</b>	-			X			
Learning disorder	<b>1</b>	-			X			
Left atrial dilatation	<b>2</b>	- X			X			
Left ventricular dilatation	<b>4</b>	- X					X	
Left ventricular dysfunction	<b>58</b>	- X			X		X	
Left ventricular enlargement	<b>4</b>	-			X		X	
Left ventricular failure	<b>19</b>	<b>3 X</b>	X	X	X	X	X	
Left ventricular hypertrophy	<b>12</b>	<b>1 X</b>			X		X	
Leg amputation	<b>8</b>	- X						
Leiomyoma	<b>1</b>	- X						
Lesion excision	<b>2</b>	- X			X			
Lethargy	<b>8,843</b>	- X	X	X	X	X	X	X
Leukaemia	<b>13</b>	<b>2 X</b>			X		X	
Leukaemia recurrent	<b>1</b>	- X						
Leukocytosis	<b>8</b>	- X			X			
Leukopenia	<b>22</b>	<b>1 X</b>			X	X		
Leukoplakia	<b>1</b>	- X						
Leukoplakia oral	<b>4</b>	- X			X			
Lhermitte's sign	<b>6</b>	- X			X			
Libido decreased	<b>53</b>	- X			X		X	
Libido disorder	<b>3</b>	- X			X			
Libido increased	<b>20</b>	- X			X		X	
Lice infestation	<b>2</b>	-			X		X	
Lichen planopilaris	<b>11</b>	- X	X	X				
Lichen planus	<b>104</b>	- X	X	X	X	X	X	
Lichen sclerosus	<b>30</b>	- X			X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Lichen striatus	1	- X						
Lichenoid keratosis	11	- X	X	X				
Lid sulcus deepened	6	- X		X		X		
Life expectancy shortened	2	- X						
Ligament injury	6	- X		X				
Ligament laxity	2	- X		X				
Ligament pain	15	- X		X				
Ligament rupture	2	- X						
Ligament sprain	45	- X		X	X	X		
Ligamentitis	3	-		X				
Light anaesthesia	1	-				X		
Limb crushing injury	17	- X		X			X	
Limb deformity	17	- X		X				
Limb discomfort	4,809	- X	X	X	X	X	X	X
Limb immobilisation	48	- X	X	X	X	X	X	
Limb injury	713	- X	X	X	X	X	X	X
Limb mass	50	- X		X			X	
Limb operation	27	- X		X			X	
Limb reattachment surgery	1	- X						
Limb reduction defect	3	- X						
Limbal swelling	13	- X		X			X	
Limbic encephalitis	4	- X		X				
Limited symptom panic attack	3	- X		X			X	
Linear IgA disease	1	- X						
Lip and/or oral cavity cancer	1	- X						
Lip and/or oral cavity cancer recurrent	1	-		X				
Lip blister	83	- X	X	X	X	X	X	
Lip discolouration	19	- X	X	X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Lip disorder	14	- X		X			X	
Lip dry	149	- X		X			X	
Lip erythema	9	- X		X				
Lip exfoliation	17	- X		X			X	
Lip haemorrhage	8	- X		X			X	
Lip infection	1	- X						
Lip injury	2	- X						
Lip neoplasm malignant stage unspecified	1	- X						
Lip oedema	18	- X		X	X		X	
Lip pain	146	- X		X	X		X	
Lip pruritus	38	- X		X			X	
Lip scab	1	-		X				
Lip swelling	2,339	- X	X	X	X		X	
Lip ulceration	47	- X		X			X	
Lipase increased	1	- X						
Lipoatrophy	7	- X		X				
Lipodystrophy acquired	2	-		X				
Lipoedema	1	- X						
Lipohypertrophy	2	- X						
Lipoma	23	- X	X	X			X	
Liquid product physical issue	14	- X		X				
Listless	175	- X	X	X			X	
Live birth	12	- X		X			X	
Livedo reticularis	105	- X		X	X		X	
Liver abscess	2	- X		X				
Liver contusion	1	-		X				
Liver disorder	41	- X	X	X				
Liver function test	5	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Liver function test abnormal	111	- X	X	X	X	X	X	
Liver function test increased	48	- X			X		X	
Liver injury	71	- X	X	X	X	X	X	
Liver scan	2	-		X				
Liver tenderness	11	- X		X	X		X	
Local anaesthesia	5	- X		X				
Local reaction	289	- X	X	X	X	X	X	
Localised alternating hot and cold therapy	9	- X	X	X				
Localised infection	182	- X	X	X	X	X	X	
Localised oedema	43	- X		X	X	X	X	
Locked-in syndrome	2	- X		X				
Loefgren syndrome	1	-		X				
Logorrhoea	5	- X		X				
Loin pain haematuria syndrome	1	-					X	
Long QT syndrome	2	- X						
Long thoracic nerve palsy	2	- X						
Loose body in joint	2	- X		X				
Loose tooth	9	- X		X			X	
Lordosis	1	-		X				
Loss of bladder sensation	20	- X	X	X	X	X	X	
Loss of consciousness	2,601	2 X	X	X	X	X	X	
Loss of control of legs	110	- X	X	X	X	X	X	
Loss of employment	1	-	X					
Loss of libido	96	- X	X	X	X	X	X	
Loss of personal independence in daily activities	119	- X	X	X	X	X	X	
Loss of proprioception	12	- X		X			X	
Low birth weight baby	2	- X		X				
Low density lipoprotein	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Low density lipoprotein increased	2	- X					X	
Low income	1	-			X			
Low turnover osteopathy	1	- X						
Lower gastrointestinal haemorrhage	3	- X						
Lower limb fracture	5	- X			X			
Lower motor neurone lesion	3	- X			X			
Lower respiratory tract congestion	7	- X			X		X	
Lower respiratory tract infection	833	16 X	X	X	X		X	
Lower respiratory tract inflammation	1	-			X			
Lower urinary tract symptoms	3	-			X			
Ludwig angina	1	-			X			
Lumbar puncture	26	- X			X			
Lumbar radiculopathy	7	- X					X	
Lumbar spinal stenosis	1	-					X	
Lumbosacral plexopathy	1	- X						
Lung abscess	1	-			X			
Lung adenocarcinoma	-	1 X						
Lung cancer metastatic	1	3 X			X			
Lung carcinoma cell type unspecified stage III	1	- X						
Lung consolidation	17	- X			X			
Lung cyst	1	- X						
Lung disorder	48	- X	X	X			X	
Lung hyperinflation	3	- X			X			
Lung induration	1	- X						
Lung infiltration	3	1 X			X			
Lung neoplasm malignant	33	4 X			X		X	
Lung opacity	14	- X			X			
Lung transplant	2	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Lupus nephritis	7	- X		X				
Lupus pleurisy	2	- X						
Lupus vasculitis	1	-		X				
Lupus-like syndrome	7	- X		X	X	X		
Luteal phase deficiency	3	- X		X				
Lyme disease	17	- X		X		X	X	
Lymph gland infection	30	- X		X		X		
Lymph node abscess	12	- X		X			X	
Lymph node fibrosis	1	- X						
Lymph node pain	3,386	- X	X	X	X	X	X	X
Lymph node palpable	59	- X		X			X	
Lymph node tuberculosis	5	- X		X			X	
Lymph node ulcer	3	-		X			X	
Lymph nodes scan abnormal	1	-		X				
Lymphadenectomy	2	-		X				
Lymphadenitis	281	- X	X	X	X	X	X	
Lymphadenopathy	22,840	- X	X	X	X	X	X	X
Lymphadenopathy mediastinal	5	- X		X				
Lymphangioma	1	-		X				
Lymphangiopathy	4	- X		X	X			
Lymphangitis	25	- X		X			X	
Lymphatic disorder	6	- X		X			X	
Lymphatic insufficiency	2	- X		X				
Lymphatic malformation	3	-		X				
Lymphocele	10	- X		X			X	
Lymphocyte count	4	- X		X				
Lymphocyte count abnormal	1	- X						
Lymphocyte count decreased	12	- X		X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Lymphocyte count increased	5	- X		X				
Lymphocytic infiltration	1	-		X				
Lymphocytosis	17	- X		X				
Lymphoedema	418	- X	X	X	X	X	X	
Lymphoid hyperplasia of intestine	2	-					X	
Lymphoid tissue hyperplasia	2	- X		X				
Lymphoma	88	1 X	X	X			X	
Lymphomatoid papulosis	3	- X	X	X				
Lymphopenia	14	- X			X	X		
Lymphoproliferative disorder	1	- X						
Lymphoproliferative disorder in remission	1	- X						
Lymphorrhoea	3	- X		X				
Lymphostasis	1	-		X				
Macrocytosis	5	- X		X				
Macroglossia	1	- X						
Macular cherry-red spots	1	-		X				
Macular cyst	1	- X						
Macular degeneration	20	- X		X			X	
Macular detachment	1	- X						
Macular hole	8	- X			X	X	X	
Macular oedema	17	- X	X	X				
Macular rupture	3	- X		X				
Macule	19	- X	X	X				
Maculopathy	6	- X		X				
Madarosis	19	- X		X				
MAGIC syndrome	5	1 X		X			X	
Magnesium deficiency	1	-		X				
Magnetic resonance imaging	8	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Magnetic resonance imaging abnormal	2	- X		X				
Magnetic resonance imaging head	62	- X	X	X				
Magnetic resonance imaging head abnormal	3	- X		X				
Magnetic resonance imaging heart	2	- X		X				
Magnetic resonance imaging neck	1	- X						
Magnetic resonance imaging pelvic	1	- X						
Magnetic resonance imaging whole body	1	- X						
Magnetic resonance neurography	1	-		X				
Magnetic therapy	2	- X		X				
Major depression	49	- X	X	X			X	
Malabsorption	3	-		X				
Malaise	22,252	2 X	X	X	X	X	X	
Malaria	11	- X		X				
Male genital examination abnormal	3	- X		X				
Male sexual dysfunction	2	- X						
Malignant hypertension	13	- X		X	X	X	X	
Malignant melanoma	12	- X		X				
Malignant melanoma in situ	3	- X						
Malignant neoplasm progression	2	1 X						
Mallet finger	1	-		X				
Mallory-Weiss syndrome	1	-		X				
Malnutrition	4	- X		X				
Malnutrition-inflammation-atherosclerosis syndrome	1	- X						
Malpositioned teeth	5	- X		X				
Mammary duct ectasia	1	- X						
Mammogram	1	- X						
Mammoplasty	1	-		X				
Mandibular mass	5	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Mania	53	- X			X	X	X	
Manipulation	1	- X						
Mantle cell lymphoma	2	-			X			
Manufacturing equipment issue	1	- X						
Manufacturing materials contamination	1	-			X			
Manufacturing materials issue	1	-					X	
Masked fever	1	- X						
Mass	234	- X			X		X	
Mass excision	19	- X			X	X	X	
Mast cell activation syndrome	49	- X	X	X			X	
Mast cell degranulation present	1	- X						
Mastication disorder	23	- X			X		X	X
Mastitis	168	- X	X	X	X		X	
Mastocytosis	5	- X					X	
Mastoid effusion	1	-			X			
Mastoiditis	9	- X			X			
Mastoptosis	1	-			X			
Maternal condition affecting foetus	1	-			X			
Maternal exposure before pregnancy	55	- X			X		X	
Maternal exposure during breast feeding	4,099	- X	X	X	X		X	
Maternal exposure during pregnancy	1,881	- X	X	X	X		X	
Maternal exposure timing unspecified	21	- X			X		X	
Maxillofacial sinus neoplasm	1	- X						
Maximal voluntary ventilation	5	- X			X		X	
Maximum heart rate	15	- X			X		X	
Maximum heart rate decreased	1	- X						
Maximum heart rate increased	5	- X			X		X	
May-Thurner syndrome	2	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Mean cell haemoglobin concentration	1	- X						
Mean cell haemoglobin increased	1	-			X			
Mean cell volume abnormal	3	- X						
Mean cell volume increased	1	-			X			
Mean platelet volume decreased	1	-			X			
Mean platelet volume increased	1	-			X			
Measles	11	- X			X			
Measles post vaccine	1	- X						
Mechanical urticaria	60	- X			X		X	
Medial tibial stress syndrome	19	- X	X		X			X
Median nerve injury	2	- X						
Mediastinal mass	1	-			X			
Medical device pain	1	-			X			
Medical device site dysaesthesia	1	- X						
Medical device site joint pain	1	- X						
Medical device site pain	1	-			X			
Medical device site papule	1	- X						
Medical device site swelling	1	-			X			
Medical diet	15	- X			X			X
Medical induction of coma	1	-			X			
Medical procedure	1	-			X			
Medication crystals in urine present	1	- X						
Medication dilution	5	- X			X			
Medication error	611	- X	X		X	X	X	
Medication overuse headache	22	- X			X			X
Meibomian gland dysfunction	1	-			X			
Meibomianitis	1	- X						
Meige's syndrome	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Melaena	22	- X		X			X	
Melanocytic naevus	19	- X	X	X			X	
Melanoderma	2	- X						
Memory impairment	848	- X	X	X	X	X	X	X
Menarche	8	- X		X			X	
Meniere's disease	55	- X	X	X			X	
Meningeal thickening	1	-		X				
Meningioma	8	- X		X				
Meningism	9	- X		X	X	X	X	
Meningitis	48	- X		X			X	
Meningitis aseptic	6	-		X			X	
Meningitis bacterial	5	- X		X			X	
Meningitis herpes	1	-		X				
Meningitis noninfective	2	- X						
Meningitis pneumococcal	3	1 X		X			X	
Meningitis tuberculous	1	- X						
Meningitis viral	34	- X		X			X	
Meningococcal bacteraemia	1	-		X				
Meningococcal infection	1	-		X				
Meningoencephalitis herpetic	2	- X						
Meningoencephalitis viral	1	-		X				
Meniscus injury	2	-		X				
Menometrorrhagia	52	- X		X			X	
Menopausal depression	3	- X						
Menopausal disorder	4	- X		X				
Menopausal symptoms	138	- X		X			X	
Menopause	159	- X	X	X	X	X	X	
Menopause delayed	6	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Menstrual cycle management	23	- X		X			X	
Menstrual discomfort	60	- X			X		X	
Menstrual disorder	4,687	- X	X	X	X	X	X	X
Menstrual headache	27	- X		X			X	
Menstruation delayed	10,480	- X	X	X	X	X	X	X
Menstruation irregular	7,638	- X	X	X	X	X	X	
Menstruation normal	12	- X		X				
Mental disability	3	- X		X				
Mental disorder	87	- X	X	X			X	
Mental disorder due to a general medical condition	1	- X						
Mental fatigue	869	- X	X	X	X		X	X
Mental impairment	251	- X	X	X	X	X	X	
Mental status changes	10	- X		X				
Meralgia paraesthesia	6	- X		X	X			
Mesenteric abscess	1	-		X				
Mesenteric arterial occlusion	1	- X						
Mesenteric artery embolism	1	- X						
Mesenteric artery stenosis	1	- X						
Mesenteric artery thrombosis	5	- X						
Mesenteric haemorrhage	5	- X						
Mesenteric lymphadenitis	2	-		X				
Mesenteric panniculitis	1	- X						
Mesenteric vein thrombosis	37	- X		X			X	
Mesenteric venous occlusion	1	- X						
Mesothelioma	1	- X						
Metabolic acidosis	18	- X		X				
Metabolic disorder	3	- X		X				
Metabolic syndrome	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Metal poisoning	2	- X						
Metamorphopsia	74	- X	X	X	X		X	
Metastases to bone	5	- X		X	X			
Metastases to central nervous system	1	1 X		X				
Metastases to heart	1	-						
Metastases to liver	2	- X		X				
Metastases to lung	-	1 X						
Metastases to lymph nodes	6	-		X			X	
Metastases to spine	2	-		X				
Metastasis	5	1 X		X			X	
Metastatic malignant melanoma	2	- X		X				
Metastatic neoplasm	5	- X		X				
Metastatic renal cell carcinoma	1	1 X	X					
Metatarsalgia	1	-		X				
Methaemoglobinaemia	2	- X		X				
Metrorrhoea	2	- X					X	
Microalbuminuria	1	- X						
Microangiopathic haemolytic anaemia	2	- X		X				
Microcytic anaemia	3	- X		X			X	
Microembolism	5	- X		X				
Microglial nodules	1	- X						
Micrographia	2	- X		X				
Micropenis	7	- X		X			X	
Microsleep	4	- X		X				
Microvascular coronary artery disease	7	- X		X				
Microvascular cranial nerve palsy	4	- X		X				
Micturition disorder	6	- X		X				
Micturition frequency decreased	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Micturition urgency	189	- X	X	X	X	X	X	
Middle ear disorder	4	- X			X			
Middle ear effusion	8	- X			X	X		
Middle ear inflammation	2	-			X		X	
Middle insomnia	126	- X	X	X			X	
Migraine	13,336	- X	X	X	X	X	X	X
Migraine with aura	774	- X	X	X	X	X	X	
Migraine without aura	79	- X		X	X	X	X	
Migraine-triggered seizure	3	- X						
Milia	3	-			X			
Miliaria	436	- X	X	X	X	X	X	
Milk allergy	6	- X		X	X	X	X	
Miller Fisher syndrome	37	- X			X			
Mineral supplementation	1	- X						
Miosis	19	- X			X			
Misophonia	3	-			X			
Mite allergy	4	- X			X			
Mitochondrial myopathy acquired	1	-			X			
Mitral valve disease	3	- X			X			
Mitral valve incompetence	24	- X			X		X	
Mitral valve prolapse	10	- X			X		X	
Mixed anxiety and depressive disorder	12	- X			X		X	
Mixed connective tissue disease	1	- X						
Mixed deafness	4	- X			X			
Mixed delusion	1	- X						
Mixed dementia	1	- X						
Mixed incontinence	5	- X			X	X		
Moaning	15	- X			X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Mobility decreased	507	- X	X	X	X	X	X	
Molluscum contagiosum	4	- X			X			
Monocyte count increased	3	- X			X			
Monocytosis	2	- X						
Mononeuritis	8	- X			X		X	
Mononeuropathy	8	- X			X			
Mononeuropathy multiplex	1	-				X		
Mononuclear cell count abnormal	1	- X						
Monoparesis	259	- X	X	X	X	X	X	
Monoplegia	330	- X	X	X	X	X	X	
Mood altered	191	- X			X		X	
Mood disorder due to a general medical condition	2	- X			X			
Mood swings	360	- X	X	X	X	X	X	
Morbid thoughts	6	- X			X			
Morning sickness	29	- X	X	X	X	X	X	
Morose	1	-			X			
Morphea	6	- X					X	
Morton's neuralgia	4	-			X			
Morvan syndrome	1	-			X			
Motion sickness	229	- X	X	X			X	
Motor dysfunction	32	- X			X		X	
Motor neurone disease	29	5 X	X	X			X	
Mouth breathing	18	- X			X	X	X	
Mouth cyst	21	- X			X			
Mouth haemorrhage	97	- X	X	X	X	X	X	
Mouth injury	7	- X			X			
Mouth swelling	300	- X	X	X	X	X	X	
Mouth ulceration	1,467	- X	X	X	X	X	X	X

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Movement disorder	235	- X	X	X	X	X	X	
Mucocutaneous haemorrhage	3	- X						
Mucocutaneous ulceration	1	-		X				
Mucolipidosis	1	- X						
Mucosa vesicle	3	- X		X				
Mucosal discolouration	2	-					X	
Mucosal disorder	2	- X						
Mucosal dryness	2	- X		X				
Mucosal haemorrhage	22	- X		X				
Mucosal inflammation	17	- X		X	X	X		
Mucosal pain	3	- X					X	
Mucosal ulceration	2	- X		X				
Mucous membrane pemphigoid	1	-		X				
Mucous stools	30	- X		X			X	
Multigravida	1	-		X				
Multiple allergies	55	- X	X	X			X	
Multiple cardiac defects	1	- X						
Multiple congenital abnormalities	1	-		X				
Multiple fractures	3	- X		X				
Multiple injuries	3	-		X			X	
Multiple organ dysfunction syndrome	27	23 X	X	X	X	X	X	
Multiple sclerosis	132	- X	X	X			X	
Multiple sclerosis pseudo relapse	3	- X					X	
Multiple sclerosis relapse	100	- X		X	X	X	X	
Multiple sclerosis relapse prophylaxis	5	- X		X				
Multiple use of single-use product	1	-	X					
Multisystem inflammatory syndrome	3	- X						
Multisystem inflammatory syndrome in adults	1	-		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Multisystem inflammatory syndrome in children	6	-		X				
Mumps	28	- X		X			X	
Muscle abscess	1	- X						
Muscle atrophy	113	- X	X	X	X		X	
Muscle contractions involuntary	91	- X		X	X		X	
Muscle contracture	10	- X		X			X	
Muscle discomfort	35	- X		X			X	
Muscle disorder	36	- X	X	X			X	
Muscle enzyme	1	-			X			
Muscle enzyme increased	1	- X						
Muscle fatigue	1,614	- X	X	X	X		X	
Muscle haemorrhage	7	- X		X			X	
Muscle hernia	1	-		X				
Muscle hypertrophy	1	- X						
Muscle hypoxia	1	-		X				
Muscle injury	132	- X	X	X	X		X	
Muscle mass	20	- X		X			X	
Muscle mass percentage	1	- X						
Muscle necrosis	2	- X						
Muscle oedema	12	- X	X	X				
Muscle relaxant therapy	3	- X						
Muscle rigidity	103	- X	X	X	X		X	
Muscle rupture	33	- X		X	X		X	
Muscle spasms	7,474	- X	X	X	X		X	
Muscle spasticity	71	- X			X	X	X	
Muscle strain	118	- X	X	X	X		X	
Muscle strength abnormal	16	- X		X	X		X	
Muscle swelling	103	- X		X	X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Muscle tension dysphonia	1	- X						
Muscle tightness	381	- X	X	X	X	X	X	
Muscle tone disorder	1	-		X				
Muscle twitching	1,510	- X	X	X	X	X	X	X
Muscular weakness	4,307	- X	X	X	X	X	X	X
Musculoskeletal chest pain	878	- X	X	X	X	X	X	
Musculoskeletal deformity	1	-		X				
Musculoskeletal discomfort	365	- X	X	X	X	X	X	
Musculoskeletal disorder	22	- X		X			X	
Musculoskeletal injury	2	- X		X				
Musculoskeletal pain	369	- X	X	X	X	X	X	
Musculoskeletal stiffness	5,106	- X	X	X	X	X	X	
Mutism	11	- X		X			X	
Myalgia	45,808	- X	X	X	X	X	X	X
Myalgia intercostal	6	- X		X			X	
Myasthenia gravis	53	- X	X	X			X	X
Myasthenia gravis crisis	7	- X		X				
Myasthenic syndrome	2	-		X			X	
Mycotoxicosis	1	-		X				
Mydriasis	67	- X		X			X	
Myelin oligodendrocyte glycoprotein antibody-associated disease	1	- X						
Myelitis	49	- X		X			X	
Myelitis transverse	193	1 X	X	X	X	X	X	
Myelodysplastic syndrome	5	1 X		X			X	
Myeloid leukaemia	1	- X						
Myelopathy	12	- X		X				
Myeloproliferative neoplasm	1	- X						
Myelosuppression	7	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Myocardial fibrosis	20	- X		X			X	
Myocardial haemorrhage	1	-			X			
Myocardial infarction	903	145 X	X	X	X	X	X	
Myocardial injury	73	- X	X	X	X	X	X	X
Myocardial ischaemia	37	31 X	X	X	X	X	X	
Myocardial necrosis	1	-			X			
Myocardial necrosis marker	2	- X			X			
Myocardial necrosis marker increased	5	- X			X		X	
Myocardial oedema	10	- X			X		X	
Myocardial rupture	4	- X			X			
Myocardial strain imaging	25	- X			X			
Myocarditis	1,292	15 X	X	X	X	X	X	X
Myocarditis bacterial	1	-			X			
Myocarditis infectious	2	- X			X			
Myocarditis mycotic	4	-			X	X	X	
Myocarditis post infection	3	- X			X			
Myocarditis septic	1	-			X			
Myoclonic epilepsy	6	- X						X
Myoclonus	79	- X	X	X	X			
Myofascial pain syndrome	47	- X	X	X				
Myofascial spasm	1	-			X			
Myoglobinuria	1	-			X			
Myopathy	17	- X			X	X		
Myopericarditis	167	- X	X	X	X	X	X	
Myopia	13	- X			X		X	
Myopic chorioretinal degeneration	1	- X						
Myosclerosis	1	-					X	
Myositis	145	2 X	X	X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Myxoedema	1	-			X			
Myxoid cyst	2	- X						
Nail avulsion	1	-			X			
Nail bed bleeding	3	- X			X			
Nail bed disorder	2	- X						
Nail bed inflammation	1	- X						
Nail bed tenderness	2	- X						
Nail discolouration	35	- X			X		X	
Nail disorder	17	- X			X		X	
Nail growth abnormal	5	- X			X			
Nail hypertrophy	1	- X						
Nail infection	3	-			X		X	
Nail injury	1	- X						
Nail necrosis	1	- X						
Nail operation	6	- X			X			
Nail pigmentation	4	- X			X			
Nail pitting	1	- X						
Nail psoriasis	5	- X			X			
Nail ridging	13	- X			X		X	
Narcolepsy	34	- X			X		X	
Nasal cavity cancer	1	- X						
Nasal congestion	971	- X	X	X	X	X	X	
Nasal crusting	9	- X			X		X	
Nasal cyst	2	- X						
Nasal discharge discolouration	6	- X			X			
Nasal discomfort	77	- X	X	X			X	
Nasal disorder	13	- X			X			
Nasal dryness	113	- X			X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Nasal flaring	2	- X		X				
Nasal herpes	22	- X		X			X	
Nasal inflammation	18	- X		X			X	
Nasal injury	7	- X		X	X		X	
Nasal irrigation	1	- X						
Nasal mucosal blistering	1	- X						
Nasal mucosal discolouration	2	- X		X				
Nasal obstruction	6	- X	X	X				
Nasal odour	12	- X		X	X		X	
Nasal oedema	28	- X		X			X	
Nasal polyps	6	- X		X				
Nasal pruritus	30	- X		X			X	
Nasal septum deviation	1	- X						
Nasal septum perforation	1	- X						
Nasal ulcer	8	- X		X				
Nasal vestibulitis	1	- X						
Nasopharyngeal swab	1	-		X				
Nasopharyngitis	3,698	1 X	X	X	X	X	X	X
Natural killer cell count increased	1	- X						
Nausea	57,867	- X	X	X	X	X	X	X
Near death experience	6	- X		X			X	
Neck crushing	2	- X		X				
Neck deformity	1	-		X				
Neck injury	5	- X		X				
Neck lift	2	- X		X				
Neck mass	95	- X		X	X	X		
Neck pain	6,368	- X	X	X	X	X	X	X
Necrobiosis lipoidica diabetorum	1	-		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Necrosis	14	- X		X			X	
Necrotic lymphadenopathy	4	-			X			
Necrotising fasciitis	3	- X			X			
Necrotising ulcerative gingivostomatitis	1	-					X	
Needle fatigue	1	- X						
Needle issue	16	- X			X			
Needle track marks	10	- X			X		X	
Negative thoughts	17	- X			X		X	
Neonatal alloimmune thrombocytopenia	2	-			X		X	
Neonatal epileptic seizure	1	-			X			
Neonatal insufficient breast milk syndrome	16	- X			X		X	
Neonatal intestinal obstruction	1	-			X			
Neonatal seizure	1	- X						
Neoplasm	5	- X			X			
Neoplasm malignant	42	7 X	X	X	X	X	X	
Neoplasm progression	1	- X						
Neoplasm recurrence	10	- X			X			
Neoplasm skin	8	- X			X			
Neovascular age-related macular degeneration	20	- X			X			
Neovascularisation	1	- X						
Nephritis	12	- X			X		X	
Nephrolithiasis	48	- X	X	X			X	
Nephropathy	4	- X			X			
Nephrosclerosis	1	- X						
Nephrotic syndrome	61	- X	X	X	X			
Nerve block	11	- X	X	X				
Nerve compression	100	- X	X	X	X	X	X	
Nerve conduction studies	2	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Nerve conduction studies abnormal	2	- X						
Nerve degeneration	3	- X			X			
Nerve injury	437	- X	X	X	X	X	X	
Nerve root injury lumbar	1	-					X	
Nerve stimulation test abnormal	1	- X						
Nervous system disorder	161	- X	X	X	X	X	X	X
Nervous system injury	9	- X		X			X	
Nervousness	924	- X	X	X	X	X	X	
Neural tube defect	-	1 X						
Neuralgia	2,691	- X	X	X	X		X	
Neuralgic amyotrophy	33	- X	X	X	X		X	
Neurilemmoma benign	1	-		X				
Neuritis	35	- X		X			X	
Neurodermatitis	14	- X	X	X	X	X	X	
Neuroendocrine carcinoma of the skin	2	- X		X				
Neuroendocrine tumour	2	- X		X				
Neurofibromatosis	2	- X		X				
Neurogenic bladder	7	- X		X				
Neurogenic bowel	3	- X						
Neurogenic hypertension	1	- X						
Neurogenic shock	35	- X		X			X	
Neurologic neglect syndrome	4	- X		X				
Neurological decompensation	5	- X	X					
Neurological examination	1	- X						
Neurological examination abnormal	1	- X						
Neurological examination normal	1	- X						
Neurological rehabilitation	1	- X						
Neurological symptom	290	1 X	X	X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Neurolysis	1	-			X			
Neuroma	1	-			X			
Neuromuscular pain	11	- X			X		X	
Neuromyelitis optica spectrum disorder	10	- X			X			
Neuromyopathy	4	- X						
Neuromyotonia	1	- X						
Neuropathic muscular atrophy	3	- X						
Neuropathy peripheral	598	- X	X	X	X		X	
Neuropsychiatric symptoms	2	- X						
Neurosarcoidosis	5	- X						
Neurosensory hypoacusis	2	- X						
Neurosis	4	- X		X				
Neosyphilis	1	- X						
Neurotoxicity	9	- X			X			
Neurotransmitter level altered	1	- X						
Neurovascular conflict	2	- X						
Neutropenia	141	- X		X	X		X	
Neutropenic sepsis	13	1 X			X			
Neutrophil count	9	- X			X		X	
Neutrophil count abnormal	1	- X						
Neutrophil count decreased	45	- X			X	X	X	
Neutrophil count increased	6	- X			X			
Neutrophil toxic granulation present	1	- X						
Neutrophilia	27	- X			X			
Neutrophilic dermatosis	2	- X			X			
New daily persistent headache	35	- X			X	X	X	
Nicotine dependence	3	- X			X			
Night blindness	8	- X					X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Night sweats	<b>3,605</b>	- X	X	X	X	X	X	
Nightmare	<b>824</b>	- X	X	X	X		X	
NIH stroke scale score increased	<b>1</b>	-		X				
Nipple disorder	<b>2</b>	- X		X				
Nipple exudate bloody	<b>1</b>	- X						
Nipple inflammation	<b>4</b>	- X		X				
Nipple pain	<b>92</b>	1 X		X			X	
Nipple swelling	<b>10</b>	- X		X			X	
No adverse event	<b>29</b>	- X	X	X	X	X	X	
No reaction on previous exposure to drug	<b>48</b>	- X	X	X	X		X	
Nocturia	<b>33</b>	- X	X	X	X		X	
Nocturnal dyspnoea	<b>2</b>	-		X				
Nocturnal emission	<b>1</b>	-					X	
Nodal arrhythmia	<b>2</b>	-		X				
Nodal osteoarthritis	<b>2</b>	- X		X				
Nodular rash	<b>1</b>	- X						
Nodular vasculitis	<b>1</b>	- X						
Nodule	<b>92</b>	- X	X	X	X	X	X	X
Non-24-hour sleep-wake disorder	<b>3</b>	- X		X				
Non-alcoholic fatty liver	<b>1</b>	- X						
Non-cardiac chest pain	<b>90</b>	- X		X			X	
Non-Hodgkin's lymphoma	<b>4</b>	1 X		X				
Noninfective encephalitis	<b>28</b>	- X		X			X	
Noninfective gingivitis	<b>45</b>	- X		X			X	
Noninfective oophoritis	<b>9</b>	- X		X				
Noninfective sialadenitis	<b>4</b>	- X		X				
Nonspecific reaction	<b>5</b>	- X		X				
Non-tobacco user	<b>13</b>	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Norepinephrine increased	4	- X					X	
Normal newborn	1	-			X			
Normocytic anaemia	6	- X			X		X	
Norovirus infection	2	- X						
Nose deformity	1	-			X			
Nosocomial infection	1	-			X			
Nothing by mouth order	23	- X			X			
NSAID exacerbated respiratory disease	1	- X						
N-terminal prohormone brain natriuretic peptide increased	2	- X			X			
Nuchal rigidity	38	- X			X		X	
Numb chin syndrome	6	- X			X	X		
Nystagmus	51	- X	X		X	X	X	
Obesity	4	- X			X			
Obsessive thoughts	3	- X						
Obsessive-compulsive disorder	2	- X						
Obsessive-compulsive symptom	2	- X			X			
Obstructed labour	1	-			X			
Obstructive airways disorder	17	- X			X		X	
Obstructive pancreatitis	1	1 X			X			
Obstructive sleep apnoea syndrome	3	-			X		X	
Occipital neuralgia	51	- X			X	X	X	
Occult blood	1	- X						
Occupational exposure to product	2	- X			X			
Occupational exposure to SARS-CoV-2	1	-			X			
Occupational exposure to toxic agent	1	-					X	
Occupational therapy	1	- X						
Ocular discomfort	151	- X			X	X	X	
Ocular hyperaemia	851	- X	X		X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Ocular hypertension	1	-			X			
Ocular icterus	3	- X			X			
Ocular myasthenia	11	- X	X	X				
Ocular retrobulbar haemorrhage	1	- X						
Ocular rosacea	2	- X						
Ocular sarcoidosis	1	-						
Ocular vascular disorder	4	- X			X			
Ocular vasculitis	1	-			X			
Oculofacial paralysis	1	- X						
Odynophagia	94	- X	X	X			X	
Oedema	246	- X	X	X	X	X	X	
Oedema blister	3	- X					X	
Oedema mouth	5	- X			X			
Oedema mucosal	6	- X			X		X	
Oedema peripheral	333	- X	X	X	X	X	X	
Oedematous kidney	1	- X						
Oesophageal achalasia	7	- X			X		X	
Oesophageal cancer metastatic	10	- X			X			
Oesophageal carcinoma	5	- X					X	
Oesophageal discomfort	1	- X						
Oesophageal disorder	5	- X			X		X	
Oesophageal hypomotility	1	- X						
Oesophageal motility disorder	2	-			X			
Oesophageal obstruction	1	- X						
Oesophageal pain	26	- X			X		X	
Oesophageal rupture	-	1 X						
Oesophageal spasm	18	- X			X			
Oesophageal squamous cell carcinoma	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Oesophageal stenosis	<b>3</b>	-			X			
Oesophageal ulcer	<b>1</b>	- X						
Oesophageal varices haemorrhage	<b>1</b>	-			X			
Oesophagitis	<b>31</b>	- X			X	X	X	
Oestradiol	<b>2</b>	- X						
Oestradiol decreased	<b>1</b>	- X						
Oestriol	<b>1</b>	- X						
Oestrogen deficiency	<b>1</b>	-			X			
Oestrogenic effect	<b>1</b>	- X						
Off label use	<b>798</b>	- X	X	X	X	X	X	X
Oil acne	<b>1</b>	-			X			
Olfactory test	<b>1</b>	- X						
Oligoarthritis	<b>3</b>	- X			X			
Oligohydramnios	<b>1</b>	-			X			
Oligomenorrhoea	<b>408</b>	- X			X		X	
Oliguria	<b>15</b>	- X			X	X	X	
Omental infarction	<b>1</b>	-			X			
Omphalitis	<b>1</b>	- X						
Onychalgia	<b>18</b>	- X			X		X	
Onychoclasia	<b>30</b>	- X			X		X	
Onycholysis	<b>4</b>	- X						
Onychomadesis	<b>16</b>	- X			X		X	
Onychomycosis	<b>6</b>	-			X	X		
Ophthalmic herpes simplex	<b>6</b>	- X			X		X	
Ophthalmic herpes zoster	<b>19</b>	- X			X		X	
Ophthalmic migraine	<b>44</b>	- X			X			
Ophthalmic vein thrombosis	<b>5</b>	- X			X			
Ophthalmological examination	<b>11</b>	- X			X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Ophthalmological examination abnormal	1	- X						
Ophthalmoplegia	31	- X			X		X	X
Ophthalmoplegic migraine	3	- X			X			
Opiates	1	-			X			
Opisthotonus	5	- X			X			
Opitz-G/BBB syndrome	1	- X						
Opportunistic infection	1	-			X			
Optic atrophy	3	- X			X			
Optic disc disorder	1	-			X			
Optic disc drusen	1	- X						
Optic disc haemorrhage	3	- X			X			
Optic discs blurred	5	- X	X					X
Optic ischaemic neuropathy	19	- X			X			X
Optic nerve compression	2	- X						
Optic nerve disorder	6	- X			X			
Optic nerve injury	13	- X			X			X
Optic nerve sheath haemorrhage	1	- X						
Optic neuritis	131	- X			X	X		X
Optic neuropathy	11	- X						
Optic perineuritis	1	-			X			
Oral allergy syndrome	8	- X			X			
Oral blood blister	81	- X			X			X
Oral candidiasis	125	- X	X		X	X		X
Oral contraception	4	- X			X			
Oral contusion	23	- X			X	X		X
Oral discharge	1	- X						
Oral discomfort	236	- X	X		X	X		X
Oral disorder	54	- X			X	X		X

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Oral dysaesthesia	2	- X		X				
Oral fungal infection	4	- X			X			
Oral herpes	1,327	- X	X	X	X	X	X	X
Oral infection	3	- X		X			X	
Oral lichen planus	42	- X	X	X	X			
Oral lichenoid reaction	1	-		X				
Oral mucosa erosion	2	-		X			X	
Oral mucosal blistering	58	- X		X	X		X	
Oral mucosal discolouration	3	- X		X				
Oral mucosal eruption	63	- X		X	X		X	
Oral mucosal erythema	14	- X		X			X	
Oral mucosal exfoliation	24	- X		X	X		X	
Oral mucosal hypertrophy	1	-		X				
Oral mucosal roughening	7	- X		X			X	
Oral mucosal scab	2	-		X				
Oral mucosal scar	1	-		X				
Oral pain	639	- X	X	X	X	X	X	
Oral papule	4	- X		X				
Oral pruritus	48	- X		X			X	
Oral purpura	4	- X		X				
Oral pustule	4	- X		X				
Oral viral infection	2	-		X				
Orbital infection	1	-		X				
Orbital myositis	3	- X					X	
Orbital oedema	5	- X		X	X			
Orchitis	19	- X		X			X	
Orchitis noninfective	1	- X						
Organ failure	10	3 X	X	X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Organic erectile dysfunction	<b>43</b>	- X		X			X	
Organising pneumonia	<b>2</b>	-			X			
Orgasm abnormal	<b>6</b>	- X			X		X	
Orgasmic sensation decreased	<b>6</b>	- X			X		X	
Oropharyngeal blistering	<b>40</b>	- X			X		X	
Oropharyngeal discolouration	<b>2</b>	- X			X			
Oropharyngeal discomfort	<b>130</b>	- X	X	X	X	X	X	
Oropharyngeal pain	<b>8,681</b>	- X	X	X	X	X	X	X
Oropharyngeal plaque	<b>3</b>	- X			X			
Oropharyngeal swelling	<b>2</b>	- X						
Orthopaedic examination	<b>1</b>	-			X			
Orthopnoea	<b>8</b>	- X	X	X				
Orthostatic heart rate response increased	<b>1</b>	- X						
Orthostatic hypertension	<b>3</b>	-			X			
Orthostatic hypotension	<b>101</b>	- X		X	X	X	X	
Orthostatic intolerance	<b>20</b>	- X			X		X	
Os trigonum	<b>1</b>	- X						
Oscillopsia	<b>4</b>	- X			X			
Osmophobia	<b>1</b>	-			X			
Osteitis	<b>24</b>	- X			X		X	
Osteoarthritis	<b>217</b>	- X	X	X	X	X	X	
Osteochondral fracture	<b>2</b>	- X			X			
Osteochondritis	<b>1</b>	-			X			
Osteochondrosis	<b>1</b>	- X						
Osteoma	<b>1</b>	- X						
Osteomyelitis	<b>8</b>	<b>1 X</b>			X	X	X	
Osteomyelitis acute	<b>2</b>	-			X			
Osteomyelitis chronic	<b>1</b>	-			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Osteonecrosis	6	- X		X				
Osteonecrosis of jaw	7	- X		X				
Osteopenia	6	- X		X				
Osteoporosis	24	- X		X				
Osteoporotic fracture	6	- X		X				
Osteosclerosis	2	- X						
Otitis externa	17	- X		X		X		
Otitis media	13	- X		X				
Otitis media acute	1	-			X			
Otitis media chronic	21	- X	X	X				
Otorrhoea	16	- X		X				
Otosalpingitis	2	- X					X	
Ototoxicity	1	-			X			
Ovarian abscess	2	- X		X				
Ovarian adhesion	1	- X						
Ovarian cancer	12	- X		X				
Ovarian cancer recurrent	2	- X						
Ovarian cancer stage IV	1	- X						
Ovarian cyst	81	- X		X			X	
Ovarian cyst ruptured	6	- X		X				
Ovarian enlargement	4	- X		X				
Ovarian failure	5	- X		X				
Ovarian haemorrhage	14	- X		X				
Ovarian hyperstimulation syndrome	2	- X		X				
Ovarian injury	1	- X						
Ovarian mass	4	- X		X				
Ovarian necrosis	2	- X		X				
Ovarian neoplasm	2	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Ovarian oedema	1	- X						
Ovarian operation	1	-			X			
Ovarian vein thrombosis	2	- X						
Overdose	125	- X			X	X	X	
Overfeeding of infant	1	- X						
Overgrowth fungal	2	- X					X	
Oversensing	62	- X	X	X	X		X	
Overweight	5	- X	X	X			X	
Ovulation delayed	67	- X	X	X			X	
Ovulation disorder	5	-			X			
Ovulation induction	4	- X			X			
Ovulation pain	180	- X			X		X	
Oxygen consumption	3	- X			X			
Oxygen consumption decreased	3	-			X		X	
Oxygen saturation	43	- X		X	X	X	X	
Oxygen saturation abnormal	8	- X			X		X	X
Oxygen saturation decreased	366	- X	X	X	X	X	X	
Oxygen saturation increased	1	-	X					
Oxygen saturation normal	1	- X						
Pacemaker generated rhythm	1	- X						
Packaging design issue	1	-			X			
Paediatric acute-onset neuropsychiatric syndrome	1	-			X			
Pain	33,097	- X	X	X	X	X	X	X
Pain assessment	1	-				X		
Pain in extremity	46,407	2 X	X	X	X	X	X	X
Pain in jaw	1,245	- X	X	X	X	X	X	
Pain of skin	1,568	- X	X	X	X	X	X	
Pain threshold decreased	1	-			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Painful ejaculation	4	- X		X			X	
Painful erection	4	- X			X			
Painful respiration	36	1 X			X		X	
Palatal disorder	2	- X						
Palatal oedema	5	- X			X			
Palatal swelling	19	- X			X			
Palatal ulcer	2	-			X			
Palate injury	4	- X			X		X	
Palindromic rheumatism	16	- X	X	X			X	
Pallor	1,053	- X	X	X	X		X	
Palmar erythema	12	- X	X	X				
Palmar-plantar erythrodysaesthesia syndrome	7	- X			X		X	
Palmoplantar keratoderma	14	- X						
Palmoplantar pustulosis	12	- X	X	X			X	
Palpatory finding abnormal	4	- X			X		X	
Palpitations	17,526	1 X	X	X	X	X	X	X
Pancreas divisum	1	-				X		
Pancreatic carcinoma	10	1 X			X			
Pancreatic carcinoma metastatic	1	- X						
Pancreatic cyst	1	- X						
Pancreatic disorder	6	- X	X	X				
Pancreatic enzymes increased	1	- X						
Pancreatic failure	4	- X			X			
Pancreatic mass	2	- X			X			
Pancreatic neuroendocrine tumour	1	-			X			
Pancreatic pseudocyst	1	- X						
Pancreatic steatosis	1	- X						
Pancreatitis	72	2 X	X	X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Pancreatitis acute	44	1 X		X			X	
Pancreatitis chronic	3	- X		X				
Pancreatitis necrotising	5	- X		X				
Pancytopenia	34	1 X		X	X		X	
Panic attack	760	- X	X	X	X		X	
Panic disorder	23	- X	X	X			X	
Panic reaction	95	- X	X	X	X		X	
Panniculitis	10	- X		X				
Papillary cystadenoma lymphomatosum	1	- X						
Papillary thyroid cancer	2	-		X				
Papillitis	2	- X		X				
Papilloedema	29	- X	X	X			X	
Papilloma	1	-		X				
Papilloma viral infection	3	- X		X				
Papillophlebitis	2	-		X			X	
Papule	274	- X		X			X	
Papulopustular rosacea	2	- X		X				
Paradoxical embolism	1	- X						
Paraesthesia	17,939	1 X	X	X	X	X	X	X
Paraesthesia ear	2	- X		X				
Paraesthesia oral	2,258	- X	X	X	X	X	X	X
Parakeratosis	1	- X						
Paralysis	627	1 X	X	X	X	X	X	
Paralytic disability	1	- X						
Paralytic lagophthalmos	3	- X		X				
Parametritis	1	-	X					
Paramnesia	18	- X		X			X	
Paranasal sinus discomfort	149	- X	X	X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Paranasal sinus haemorrhage	5	- X						
Paranasal sinus hypersecretion	1	- X						
Paranasal sinus inflammation	9	- X		X				
Paraneoplastic syndrome	3	- X		X				
Paranoia	87	- X		X		X		
Paraparesis	13	- X		X		X		
Paraplegia	8	- X		X				
Parapsoriasis	16	- X		X	X	X		
Parasomnia	6	- X		X				
Paratracheal lymphadenopathy	1	-			X			
Paravaccinia	1	- X						
PARENTERAL NUTRITION	1	- X						
Paresis	26	- X		X		X		
Paresis cranial nerve	2	- X						
Parinaud syndrome	1	- X						
Parity	1	-		X				
Parkinsonian gait	2	-		X				
Parkinsonian rest tremor	1	-		X				
Parkinsonism	17	2 X		X		X		
Parkinson's disease	29	- X		X				
Paronychia	4	-		X		X		
Parophthalmia	2	- X		X				
Parosmia	905	- X	X	X	X	X	X	
Parotid gland enlargement	29	- X		X			X	
Parotitis	33	- X	X	X				
Paroxysmal arrhythmia	4	- X		X			X	
Paroxysmal extreme pain disorder	19	- X	X	X	X	X	X	
Partial seizures	109	- X	X	X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Partial seizures with secondary generalisation	1	-			X			
Partner stress	1	- X						
Paruresis	1	-					X	
Patella fracture	1	- X						
Patellofemoral pain syndrome	10	- X			X			
Paternal exposure before pregnancy	3	-			X			
Paternal exposure during pregnancy	2	- X						
Pathergy reaction	1	-			X			
Pathogen resistance	4	- X			X			
Pathological fracture	2	- X	X					
Patient dissatisfaction with treatment	1	-			X			
Patient elopement	4	- X			X			
Patient-device incompatibility	2	- X						
PCO2 increased	1	-			X			
Peak expiratory flow rate	3	- X			X			
Peak expiratory flow rate abnormal	1	- X						
Peak expiratory flow rate decreased	15	- X			X			
Pedantic speech	1	- X						
Pelvic bone injury	1	- X						
Pelvic congestion	4	-			X			
Pelvic discomfort	11	- X			X		X	
Pelvic floor muscle weakness	1	-			X			
Pelvic fluid collection	1	-			X			
Pelvic fracture	1	-			X			
Pelvic girdle pain	2	- X						
Pelvic haematoma	1	- X						
Pelvic haemorrhage	54	- X			X	X	X	
Pelvic infection	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Pelvic inflammatory disease	4	- X		X				
Pelvic mass	1	- X						
Pelvic misalignment	2	- X			X			
Pelvic organ prolapse	1	- X						
Pelvic pain	382	- X	X	X	X	X	X	
Pelvic sepsis	1	- X						
Pelvic venous thrombosis	31	1 X	X	X			X	
Pemphigoid	104	1 X	X	X	X		X	
Pemphigus	24	- X			X		X	
Penetrating abdominal trauma	1	- X						
Penetrating aortic ulcer	1	- X						
Penile blister	7	- X		X				
Penile burning sensation	1	- X						
Penile cancer	1	- X						
Penile contusion	4	- X		X				
Penile curvature	4	- X						
Penile dermatitis	1	-		X				
Penile discharge	6	- X		X				
Penile discomfort	1	-		X				
Penile erosion	1	- X						
Penile erythema	1	-		X				
Penile exfoliation	1	- X						
Penile gangrene	1	- X						
Penile haemorrhage	10	- X		X				
Penile oedema	4	- X		X				
Penile pain	5	- X		X			X	
Penile size reduced	3	- X		X				
Penile swelling	7	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Penis disorder	<b>31</b>	- X		X			X	
Penis injury	<b>5</b>	- X			X			
Penoscrotal fusion	<b>4</b>	- X			X			
Peptic ulcer	<b>4</b>	- X			X		X	
Peptic ulcer haemorrhage	<b>28</b>	- X	X	X	X		X	
Perforation	<b>5</b>	- X			X		X	
Performance fear	<b>2</b>	- X			X			
Performance status decreased	<b>1</b>	- X						
Perfume sensitivity	<b>2</b>	-					X	
Periarthritis	<b>1,025</b>	- X	X	X	X		X	
Pericardial cyst	<b>1</b>	-			X			
Pericardial disease	<b>1</b>	- X						
Pericardial effusion	<b>116</b>	<b>2 X</b>	X	X	X		X	X
Pericardial excision	<b>2</b>	- X						
Pericardial fibrosis	<b>1</b>	-			X			
Pericardial haemorrhage	<b>10</b>	<b>8 X</b>			X	X	X	
Pericardial lipoma	<b>1</b>	-			X			
Pericardial rub	<b>6</b>	- X			X		X	
Pericarditis	<b>1,064</b>	<b>3 X</b>	X	X	X		X	
Pericarditis constrictive	<b>1</b>	-			X			
Pericarditis gonococcal	<b>1</b>	-					X	
Pericarditis infective	<b>4</b>	-			X			
Pericarditis lupus	<b>1</b>	-			X			
Perichondritis	<b>4</b>	- X			X			
Pericoronitis	<b>6</b>	- X			X			
Perinatal stroke	<b>1</b>	- X						
Perineal disorder	<b>2</b>	- X						
Perineal pain	<b>5</b>	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Perineal rash	1	-			X			
Perineal ulceration	2	-			X		X	
Periodic limb movement disorder	2	- X						
Periodontal disease	1	-			X			
Periodontal inflammation	1	-			X			
Periodontitis	3	- X			X			
Perioral dermatitis	8	- X			X			
Periorbital cellulitis	8	- X			X			
Periorbital discomfort	1	- X						
Periorbital haematoma	2	- X			X			
Periorbital haemorrhage	2	- X						
Periorbital infection	2	-			X			
Periorbital oedema	48	- X			X		X	
Periorbital pain	9	- X			X			
Periorbital swelling	289	- X	X	X	X	X	X	
Peripancreatic fluid collection	1	- X						
Peripartum cardiomyopathy	2	- X			X			
Peripheral arterial occlusive disease	9	- X			X	X		
Peripheral artery aneurysm	5	- X			X			
Peripheral artery occlusion	11	- X			X			
Peripheral artery thrombosis	26	- X	X	X				
Peripheral circulatory failure	10	- X			X			
Peripheral coldness	2,116	- X	X	X	X	X	X	
Peripheral embolism	17	- X			X		X	
Peripheral ischaemia	56	2 X			X	X	X	
Peripheral motor neuropathy	4	- X	X					
Peripheral nerve injury	3	- X			X			
Peripheral nerve lesion	4	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Peripheral nerve neurostimulation	1	-			X			
Peripheral nerve palsy	1	- X						
Peripheral paralysis	2	- X						
Peripheral sensorimotor neuropathy	7	- X			X	X		
Peripheral sensory neuropathy	42	- X	X	X			X	
Peripheral swelling	13,835	- X	X	X	X		X	
Peripheral vascular disorder	14	- X			X			
Peripheral vein thrombus extension	2	- X						
Peripheral venous disease	16	- X			X		X	
Periprosthetic osteolysis	1	-			X			
Peritoneal disorder	1	-			X			
Peritonitis	8	1 X			X		X	
Peritonsillar abscess	8	- X			X		X	
Pernicious anaemia	8	- X			X			
Pernio-like erythema	2	-			X	X		
Peroneal nerve palsy	51	- X	X	X	X		X	
Persistent generalised lymphadenopathy	2	- X			X			
Persistent genital arousal disorder	4	- X			X			
Persistent postural-perceptual dizziness	72	- X			X	X	X	
Personality change	26	- X			X		X	
Personality disorder	2	- X			X			
Pertussis	4	- X			X			
Petechiae	618	- X	X	X	X		X	
Petit mal epilepsy	84	- X			X	X	X	
Peyronie's disease	5	- X			X			
PFAPA syndrome	1	- X						
pH urine	19	- X	X	X			X	
pH urine decreased	2	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
pH urine increased	5	- X		X				
Phantom limb syndrome	32	- X		X				
Phantom shocks	6	- X		X				
Phantom vibration syndrome	2	- X		X				
Pharyngeal abscess	1	- X						
Pharyngeal contusion	4	- X		X				
Pharyngeal enanthema	1	-		X				
Pharyngeal erythema	20	- X	X	X			X	
Pharyngeal haemorrhage	5	- X		X			X	
Pharyngeal hypoesthesia	89	- X		X	X		X	
Pharyngeal inflammation	6	- X		X				
Pharyngeal lesion	1	-		X				
Pharyngeal mass	1	-		X				
Pharyngeal oedema	33	- X		X			X	
Pharyngeal paraesthesia	106	- X	X	X			X	
Pharyngeal swelling	722	- X	X	X	X		X	
Pharyngeal ulceration	36	- X		X				
Pharyngitis	95	- X	X	X	X		X	
Pharyngitis streptococcal	19	- X		X	X		X	
Phimosis	1	-		X				
Phlebitis	125	- X	X	X	X		X	
Phlebitis superficial	24	- X		X			X	
Phlebotomy	2	- X						
Phobia	7	- X		X			X	
Phobic postural vertigo	3	- X		X				
Phonophobia	12	- X		X	X		X	
Phospholipase A2 activity increased	1	-					X	
Photodermatoses	2	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Photopheresis	1	- X						
Photophobia	1,839	- X	X	X	X	X	X	
Photopsia	599	- X	X	X	X	X	X	
Photosensitivity reaction	289	- X		X	X	X	X	
Phrenic nerve paralysis	1	-		X				
Phyllodes tumour	1	-					X	
Physical deconditioning	2	-		X				
Physical disability	13	- X		X				
Physical fitness training	5	- X		X				
Physiotherapy	1	- X						
Pica	1	- X						
Pigmentation disorder	43	- X	X	X	X	X	X	
Pigmentation lip	1	-		X				
Piloerection	149	- X		X			X	
Pilonidal disease	2	- X						
Pineal gland cyst	1	- X						
Pinta	1	- X						
Piriformis syndrome	6	- X		X				
Pituitary apoplexy	2	- X						
Pituitary haemorrhage	2	- X					X	
Pituitary tumour	1	- X						
Pituitary tumour benign	3	- X		X				
Pituitary-dependent Cushing's syndrome	1	-		X				
Pityriasis	57	- X	X	X			X	
Pityriasis alba	1	-		X				
Pityriasis lichenoides et varioliformis acuta	2	- X		X				
Pityriasis rosea	252	- X	X	X	X	X	X	
Pityriasis rubra pilaris	5	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Placental calcification	2	- X		X				
Placental disorder	5	- X		X				
Placental insufficiency	1	-		X				
Plantar erythema	3	- X						
Plantar fasciitis	41	- X	X	X			X	
Plasma cell mastitis	1	-						
Plasma cell myeloma	5	- X		X				
Plasma cell myeloma refractory	1	-		X				
Plasma viscosity	1	-		X				
Plasma viscosity abnormal	2	- X		X				
Plasmacytoma	1	- X						
Plasmapheresis	1	- X						
Platelet anisocytosis	5	- X		X				
Platelet count	7	- X		X				
Platelet count abnormal	3	- X		X				
Platelet count decreased	484	1 X	X	X	X	X	X	
Platelet count increased	25	- X		X	X			
Platelet count normal	2	- X					X	
Platelet disorder	18	- X		X			X	
Platelet factor 4	1	-		X				
Platelet morphology abnormal	1	- X						
Plateletcrit	1	- X						
Platybasia	1	-		X				
Pleocytosis	4	- X						
Pleomorphic leiomyosarcoma	1	- X						
Plethoric face	1	- X						
Pleural effusion	118	1 X	X	X	X	X	X	
Pleural infection	2	- X					X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Pleural rub	<b>2</b>	- X		X				
Pleural thickening	<b>1</b>	- X						
Pleurisy	<b>116</b>	- X	X	X		X		
Pleurisy viral	<b>3</b>	- X		X				
Pleuritic pain	<b>88</b>	- X		X	X	X		
Pleuropericarditis	<b>2</b>	-		X			X	
Plicated tongue	<b>8</b>	- X		X				
Pneumocystis jirovecii pneumonia	<b>3</b>	- X		X				
Pneumonia	<b>536</b>	<b>58 X</b>	X	X	X	X	X	
Pneumonia aspiration	<b>37</b>	<b>14 X</b>		X	X	X	X	
Pneumonia bacterial	<b>11</b>	<b>1 X</b>		X				
Pneumonia cytomegaloviral	<b>1</b>	-					X	
Pneumonia fungal	<b>6</b>	- X		X			X	
Pneumonia klebsiella	<b>1</b>	- X						
Pneumonia pneumococcal	<b>2</b>	- X		X				
Pneumonia staphylococcal	<b>2</b>	- X		X				
Pneumonia viral	<b>19</b>	<b>3 X</b>		X			X	
Pneumonitis	<b>83</b>	<b>3 X</b>		X	X	X	X	
Pneumoperitoneum	<b>1</b>	- X						
Pneumothorax	<b>32</b>	- X		X				
Pneumothorax spontaneous	<b>8</b>	- X		X				
PO2 decreased	<b>1</b>	-		X				
POEMS syndrome	<b>1</b>	-		X				
Poikilocytosis	<b>1</b>	- X						
Poikilothermia	<b>1</b>	-		X				
Poisoning	<b>22</b>	- X		X				
Pollakiuria	<b>574</b>	- X	X	X	X	X	X	
Polyarteritis nodosa	<b>2</b>	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Polyarthritis	47	- X		X	X	X	X	
Polychondritis	5	- X		X				
Polychromasia	6	- X		X				
Polycystic ovaries	108	- X		X		X		
Polycythaemia	12	- X		X	X			
Polycythaemia vera	1	- X						
Polydipsia	26	- X		X	X	X	X	
Polyglandular disorder	1	-					X	
Polyhydramnios	1	-		X				
Polymenorrhoea	2,030	- X	X	X	X	X	X	
Polymerase chain reaction	1	-		X				
Polymerase chain reaction positive	38	- X		X			X	
Polymers allergy	2	- X		X				
Polymorphic eruption of pregnancy	1	-		X				
Polymorphic light eruption	11	- X		X				
Polymyalgia rheumatica	290	- X	X	X	X	X	X	
Polymyositis	18	- X		X				
Polyneuropathy	25	- X	X	X			X	
Polyneuropathy chronic	2	- X						
Polyp	14	- X		X			X	
Polypectomy	1	-					X	
Polyuria	46	- X		X	X	X	X	
Poor feeding infant	36	- X		X			X	
Poor peripheral circulation	95	- X	X	X			X	
Poor quality product administered	10	- X		X			X	
Poor quality sleep	1,099	- X	X	X	X	X	X	
Poor sucking reflex	4	- X						
Popliteal pulse	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Porphyria	1	-			X			
Porphyria acute	1	- X						
Portal hypertension	4	- X						
Portal hypertensive gastropathy	1	- X						
Portal vein embolism	1	- X						
Portal vein phlebitis	2	- X						
Portal vein thrombosis	98	4 X	X	X			X	
Portosplenomesenteric venous thrombosis	3	- X			X			
Positron emission tomogram abnormal	1	-			X			
Positron emission tomography-magnetic resonance imaging	1	-					X	
Post cardiac arrest syndrome	1	-			X			
Post coital contraception	1	-					X	
Post concussion syndrome	4	- X			X			
Post herpetic neuralgia	38	- X			X			X
Post lumbar puncture syndrome	12	- X	X	X				
Post procedural cellulitis	1	- X						
Post procedural complication	41	- X			X			X
Post procedural constipation	1	-			X			
Post procedural contusion	2	- X						
Post procedural discomfort	2	- X						
Post procedural erythema	2	-			X			X
Post procedural haematoma	1	- X						
Post procedural haemorrhage	1	- X						
Post procedural inflammation	1	-			X			
Post procedural pruritus	1	-			X			
Post procedural pulmonary embolism	1	-					X	
Post procedural stroke	1	-			X			
Post stroke seizure	1	-			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Post thrombotic syndrome	5	- X						
Post vaccination fever	2	- X					X	
Post vaccination syndrome	12	- X			X		X	
Post viral fatigue syndrome	259	- X	X	X	X	X	X	
Post-acute COVID-19 syndrome	96	- X	X	X	X	X	X	
Posterior fossa decompression	1	-			X			
Posterior fossa syndrome	1	- X						
Posterior reversible encephalopathy syndrome	7	- X			X			
Posterior tibial tendon dysfunction	1	-			X			
Postictal paralysis	3	- X						
Postictal state	8	- X			X		X	
Postmastectomy lymphoedema syndrome	1	- X						
Postmenopausal haemorrhage	487	- X	X	X	X	X	X	
Postmenopause	26	- X			X		X	
Postoperative ileus	1	-			X			
Postpartum haemorrhage	6	-			X		X	
Postprandial hypoglycaemia	7	- X			X			
Post-traumatic headache	3	- X						
Post-traumatic neck syndrome	8	- X			X	X		
Post-traumatic neuralgia	1	-			X			
Post-traumatic stress disorder	32	- X	X	X	X		X	
Postural orthostatic tachycardia syndrome	146	- X	X	X	X	X	X	
Postural tremor	2	- X						
Posture abnormal	5	- X			X			
Potentiating drug interaction	2	-					X	
Poverty of speech	1	- X						
Precipitate labour	1	- X						
Pre-eclampsia	8	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Pre-engraftment immune reaction	1	- X						
Pre-existing condition improved	30	- X			X		X	
Pre-existing disease	1	-					X	
Pregnancy	66	- X			X		X	
Pregnancy after post coital contraception	4	- X			X			
Pregnancy of unknown location	1	- X						
Pregnancy on contraceptive	8	- X			X			
Pregnancy on oral contraceptive	2	-			X			
Pregnancy test	36	- X			X		X	
Pregnancy test false positive	4	- X			X		X	
Pregnancy test negative	2	- X						
Pregnancy test positive	1	-			X			
Pregnancy with contraceptive device	2	-			X			
Pregnancy with implant contraceptive	3	- X			X			
Prehypertension	1	-					X	
Premature ageing	3	- X						
Premature baby	14	1 X			X		X	
Premature delivery	1	-			X			
Premature ejaculation	5	- X			X			
Premature labour	18	- X			X		X	
Premature menarche	41	- X			X		X	
Premature menopause	97	- X			X		X	
Premature ovulation	13	- X			X		X	
Premature rupture of membranes	6	- X			X			
Premature separation of placenta	6	-			X	X	X	
Premenstrual dysphoric disorder	23	- X			X		X	
Premenstrual pain	296	- X			X		X	
Premenstrual syndrome	237	- X			X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Presbyopia	1	- X						
Prescribed overdose	1	- X						
Prescribed underdose	1	-						
Prescription drug used without a prescription	6	- X		X				
Pressure of speech	1	-		X				
Presyncope	1,736	- X	X	X	X	X	X	
Preterm premature rupture of membranes	5	- X		X				
Prevertebral soft tissue swelling of cervical space	1	- X						
Priapism	4	- X					X	
Primary cough headache	8	- X		X	X	X		
Primary gastrointestinal follicular lymphoma	1	-		X				
Primary headache associated with sexual activity	25	- X		X			X	
Primary hyperthyroidism	1	-		X				
Primary hypoparathyroidism	1	- X						
Primary mediastinal large B-cell lymphoma	1	-	X					
Prinzmetal angina	5	- X		X	X	X	X	
Procedural anxiety	1	- X						
Procedural complication	1	- X						
Procedural dizziness	58	- X		X	X	X	X	
Procedural hypertension	1	- X						
Procedural nausea	40	- X		X	X	X	X	
Procedural pain	13	- X		X			X	
Procedural site reaction	1	- X						
Procedural vomiting	10	- X		X			X	
Proctalgia	58	- X		X	X	X	X	
Proctitis	10	- X		X			X	
Proctitis ulcerative	2	-		X				
Product administered at inappropriate site	94	- X		X	X	X	X	X

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Product administered to patient of inappropriate age	40	- X		X	X		X	
Product administration error	57	- X		X	X		X	
Product administration interrupted	1	-					X	
Product after taste	12	- X		X			X	
Product availability issue	8	- X		X			X	
Product barcode issue	1	- X						
Product closure issue	1	-		X				
Product colour issue	4	- X						
Product communication issue	3	- X					X	
Product complaint	6	-		X			X	
Product container issue	2	- X						
Product contamination	20	- X		X				
Product contamination physical	19	-		X			X	
Product deposit	1	-		X				
Product dispensing error	22	- X		X			X	
Product dosage form confusion	1	-		X				
Product dose omission in error	4	- X		X				
Product dose omission issue	66	- X		X			X	
Product formulation issue	1	- X						
Product impurity	1	-					X	
Product intolerance	1	-		X				
Product label confusion	19	- X		X			X	
Product label issue	10	- X				X	X	
Product leakage	1	- X						
Product monitoring error	2	- X				X		
Product name confusion	2	- X						
Product odour abnormal	6	- X		X				
Product origin unknown	9	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Product package associated injury	1	-				X		
Product packaging confusion	3	- X			X			
Product physical issue	4	- X			X			
Product preparation error	5	-			X			
Product preparation issue	6	-			X			
Product prescribing error	9	- X			X			
Product quality issue	3	- X					X	
Product residue present	6	- X			X		X	
Product selection error	12	- X			X		X	
Product storage error	19	- X			X		X	
Product tampering	1	-					X	
Product taste abnormal	18	- X			X		X	
Product temperature excursion issue	5	- X						
Product use complaint	3	-			X	X		
Product use in unapproved indication	1	-			X			
Product use issue	61	- X	X	X				
Product used for unknown indication	4	- X			X			
Productive cough	522	- X	X	X	X	X	X	
Progesterone decreased	3	- X			X			
Progressive bulbar palsy	1	-			X			
Progressive facial hemiatrophy	1	- X						
Progressive multiple sclerosis	2	- X					X	
Prolapse	4	- X			X			
Prolonged labour	1	- X						
Prolonged pregnancy	1	-						
Promotion of wound healing	2	- X			X			
Prone position	1	- X						
Prophylaxis against gastrointestinal ulcer	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Prophylaxis against transplant rejection	1	-			X			
Prophylaxis of nausea and vomiting	49	- X			X	X	X	
Prosopagnosia	1	- X						
Prostate cancer	16	- X			X			
Prostate infection	2	-			X			
Prostatic disorder	1	-			X			
Prostatic pain	5	- X			X		X	
Prostatic specific antigen decreased	2	- X				X		
Prostatic specific antigen increased	10	- X			X			
Prostatism	1	- X						
Prostatitis	15	- X		X	X		X	
Prostatitis gonococcal	1	- X						
Prostomatomegaly	9	- X			X			
Prosthetic cardiac valve thrombosis	2	-			X			
Protein deficiency	1	- X						
Protein total	4	- X			X			
Protein total abnormal	2	- X			X			
Protein total increased	2	- X						
Protein urine	5	- X			X		X	
Protein urine absent	1	-			X			
Protein urine present	3	- X			X			
Proteinuria	33	- X		X	X			
Prothrombin level increased	1	- X						
Prothrombin time	1	- X						
Prothrombin time prolonged	2	- X			X			
Prothrombin time shortened	1	-			X			
PRPF8 gene mutation	1	-			X			
Prurigo	3	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Pruritus	20,094	- X	X	X	X	X	X	X
Pruritus allergic	1	- X						
Pruritus genital	31	- X		X				
Pseudodementia	1	- X						
Pseudofolliculitis	5	- X		X				
Pseudohallucination	1	- X						
Pseudolymphoma	13	- X		X				
Pseudomonas infection	2	- X		X				
Pseudostroke	6	- X		X				
Psoas abscess	1	-		X				
Psoriasis	712	- X	X	X	X	X	X	
Psoriasis area severity index decreased	3	- X		X				
Psoriasis area severity index increased	3	- X		X				
Psoriatic arthropathy	84	- X		X	X	X		
Psychiatric symptom	37	- X		X	X	X	X	
Psychogenic seizure	19	- X	X	X			X	
Psychogenic tremor	2	- X						
Psychological factor affecting medical condition	1	-		X				
Psychological trauma	12	- X		X			X	
Psychomotor hyperactivity	81	- X	X	X			X	
Psychomotor retardation	2	-		X				
Psychomotor skills impaired	7	- X		X			X	
Psychotherapy	1	- X						
Psychotic behaviour	3	- X		X				
Psychotic disorder	100	1 X		X			X	
Psychotic symptom	1	- X						
Pubic pain	4	- X		X			X	
Pudendal canal syndrome	3	-		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Pulmonary alveolar haemorrhage	2	- X		X				
Pulmonary arterial pressure abnormal	1	- X						
Pulmonary artery occlusion	1	- X						
Pulmonary artery thrombosis	6	- X		X				
Pulmonary calcification	1	- X						
Pulmonary cavitation	4	- X		X				
Pulmonary congestion	54	- X		X	X	X	X	
Pulmonary embolism	2,617	177 X	X	X	X	X	X	X
Pulmonary fibrosis	30	- X	X	X				
Pulmonary function test	8	- X		X				
Pulmonary function test decreased	10	- X		X			X	
Pulmonary haemorrhage	9	1 X		X			X	
Pulmonary hilum mass	2	- X		X				
Pulmonary hypertension	14	1 X	X	X			X	
Pulmonary hypoperfusion	1	-						
Pulmonary hypoplasia	1	-		X				
Pulmonary infarction	24	1 X		X	X			
Pulmonary mass	25	- X	X	X			X	
Pulmonary oedema	84	3 X		X	X		X	
Pulmonary oil microembolism	2	- X						
Pulmonary pain	417	- X	X	X	X		X	
Pulmonary sarcoidosis	8	- X		X			X	
Pulmonary sepsis	1	- X						
Pulmonary thrombosis	57	10 X	X	X			X	
Pulmonary toxicity	1	-		X				
Pulmonary tuberculosis	3	- X		X				
Pulmonary vascular disorder	1	- X						
Pulmonary vasculitis	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Pulmonary venous thrombosis	4	- X						
Pulpitis dental	3	- X			X			
Pulse abnormal	62	- X			X		X	
Pulse absent	6	- X			X		X	
Pulse pressure decreased	1	- X						
Pulse pressure increased	6	- X			X			
Pulse waveform abnormal	1	- X						
Pulseless electrical activity	16	- X			X			
Puncture site bruise	113	- X	X	X			X	
Puncture site haemorrhage	1	- X						
Puncture site pain	36	- X	X	X			X	
Puncture site reaction	4	- X			X			
Puncture site swelling	4	- X	X	X				
Pupil constriction procedure	1	- X						
Pupil dilatation procedure	1	-			X			
Pupil fixed	20	- X			X			
Pupillary deformity	1	- X						
Pupillary disorder	1	-			X			
Pupillary light reflex tests abnormal	1	- X						
Pupillary reflex impaired	4	- X						
Purple glove syndrome	2	-			X			
Purpura	254	- X	X	X	X	X	X	X
Purpura non-thrombocytopenic	5	- X			X			
Purpura senile	3	-			X	X		
Purulent discharge	2	- X			X			
Pustular psoriasis	16	- X			X			
Pustule	64	- X			X		X	
Pyelonephritis	13	- X			X	X		

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Pyelonephritis acute	2	- X	X					
Pyelonephritis chronic	1	- X						
Pylorospasm	1	-		X				
Pyoderma	3	- X		X		X		
Pyoderma gangrenosum	6	- X		X				
Pyogenic granuloma	1	-		X				
Pyometra	2	- X						
Pyrexia	91,944	1 X	X	X	X	X	X	X
Pyromania	1	- X						
Pyuria	2	- X	X					
Q fever	138	- X		X	X		X	
QRS axis abnormal	3	- X		X				
Quadrantanopia	3	- X		X				
Quadripareisis	5	- X		X				
Quadriplegia	6	- X		X		X		
Quality of life decreased	24	- X		X			X	
Rabies	-	1					X	
Radial nerve injury	5	- X		X	X			
Radial nerve palsy	3	- X		X				
Radial pulse	1	- X						
Radial pulse abnormal	1	-		X				
Radiation inflammation	1	-					X	
Radicular pain	2	- X					X	
Radiculitis brachial	59	- X		X			X	
Radiculopathy	18	- X			X		X	
Radiologically isolated syndrome	1	-	X					
Rales	10	- X			X	X		
Rapid eye movements sleep abnormal	4	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Rash	<b>21,688</b>	<b>1</b>	X	X	X	X	X	X
Rash erythematous	<b>5,324</b>	-	X	X	X	X	X	X
Rash follicular	<b>4</b>	-	X					
Rash macular	<b>1,701</b>	-	X	X	X	X	X	X
Rash maculo-papular	<b>154</b>	-	X		X	X	X	
Rash morbilliform	<b>116</b>	-	X	X	X		X	
Rash papular	<b>1,293</b>	-	X	X	X	X	X	X
Rash pruritic	<b>4,296</b>	-	X	X	X	X	X	X
Rash pustular	<b>37</b>	-	X		X		X	
Rash rubelliform	<b>1</b>	-	X					
Rash scarlatiniform	<b>3</b>	-	X		X			
Rash vesicular	<b>227</b>	-	X	X	X	X	X	
Raynaud's phenomenon	<b>287</b>	-	X	X	X	X	X	
Reaction to colouring	<b>3</b>	-	X		X			
Reaction to excipient	<b>27</b>	-	X		X		X	
Reaction to flavouring	<b>1</b>	-	X					
Reaction to preservatives	<b>23</b>	-	X		X			
Reaction to previous exposure to any vaccine	<b>1</b>	-	X					
Reactive perforating collagenosis	<b>1</b>	-			X			
Reading disorder	<b>7</b>	-	X		X	X		
Rebound eczema	<b>1</b>	-	X					
Rebound effect	<b>4</b>	-	X		X		X	
Rebound psoriasis	<b>3</b>	-			X		X	
Rebound psychosis	<b>1</b>	-	X					
Recall phenomenon	<b>3</b>	-	X		X			
Rectal abscess	<b>1</b>	-			X			
Rectal cancer	<b>2</b>	-			X			
Rectal discharge	<b>4</b>	-	X		X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Rectal haemorrhage	<b>242</b>	- X	X	X	X	X	X	
Rectal injury	<b>1</b>	-			X			
Rectal prolapse	<b>2</b>	- X			X			
Rectal spasm	<b>3</b>	- X			X			
Rectal tenesmus	<b>3</b>	- X			X			
Recurrent cancer	<b>1</b>	- X						
Red blood cell abnormality	<b>6</b>	- X			X			
Red blood cell count	<b>3</b>	- X						
Red blood cell count decreased	<b>7</b>	- X			X			
Red blood cell count increased	<b>2</b>	- X			X			
Red blood cell elliptocytes present	<b>1</b>	- X						
Red blood cell morphology abnormal	<b>1</b>	- X						
Red blood cell rouleaux formation present	<b>1</b>	-			X			
Red blood cell sedimentation rate	<b>1</b>	- X						
Red blood cell sedimentation rate abnormal	<b>1</b>	- X						
Red blood cell sedimentation rate increased	<b>23</b>	- X			X		X	
Red blood cell target cells present	<b>1</b>	- X						
Red blood cells urine	<b>2</b>	- X			X			
Red cell distribution width increased	<b>1</b>	- X						
Red cell fragmentation syndrome	<b>1</b>	- X						
Red ear syndrome	<b>8</b>	- X			X		X	
Reduced facial expression	<b>22</b>	- X			X		X	
Reflexes abnormal	<b>4</b>	- X			X			
Reflux gastritis	<b>34</b>	- X	X	X	X	X	X	
Reflux laryngitis	<b>9</b>	- X			X		X	
Refraction disorder	<b>2</b>	- X			X			
Refusal of treatment by patient	<b>1</b>	- X						
Refusal of vaccination	<b>3</b>	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Regurgitation	8	- X		X			X	
Relapsing fever	3	- X		X			X	
Relapsing multiple sclerosis	1	- X						
Relapsing-remitting multiple sclerosis	3	- X		X				
Remission not achieved	1	- X						
Remnant-like lipoprotein particles	4	-		X				
Renal abscess	2	- X						
Renal aneurysm	1	-		X				
Renal artery occlusion	3	- X						
Renal artery stenosis	1	- X						
Renal artery thrombosis	3	- X						
Renal atrophy	4	- X		X				
Renal cancer	6	1 X		X				
Renal cell carcinoma	1	-		X				
Renal colic	9	- X		X				
Renal cortical necrosis	1	- X						
Renal cyst	5	- X		X				
Renal disorder	37	1 X		X	X	X		
Renal dysplasia	1	-		X				
Renal embolism	1	- X						
Renal failure	95	4 X	X	X	X	X	X	
Renal haemorrhage	5	- X		X				
Renal hypertrophy	1	-		X				
Renal impairment	82	- X	X	X	X	X	X	
Renal infarct	23	1 X		X				
Renal injury	16	1 X		X			X	
Renal ischaemia	2	- X						
Renal mass	2	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Renal neoplasm	1	1			X		X	
Renal pain	1,515	- X	X	X	X		X	
Renal scan	1	-	X					
Renal tubular injury	1	- X						
Renal tubular necrosis	2	-		X				
Renal vascular thrombosis	2	- X						
Renal vasculitis	3	1 X			X			
Renal vein embolism	1	- X						
Renal vein occlusion	4	- X				X		
Renal vein thrombosis	11	- X					X	
Renin	1	-		X				
Reperfusion injury	1	-		X				
Repetitive speech	10	- X		X	X			
Repetitive strain injury	4	- X		X				
Reproductive hormone	1	- X						
Reproductive system disorder prophylaxis	2	- X		X				
Respiration abnormal	234	- X	X	X	X	X	X	
Respiratory acidosis	4	-		X				
Respiratory arrest	58	1 X		X			X	
Respiratory depression	1	-		X				
Respiratory disorder	37	1 X	X	X	X	X	X	
Respiratory distress	39	- X		X			X	
Respiratory failure	50	8 X		X	X		X	
Respiratory fatigue	9	- X		X				
Respiratory fremitus	1	-		X				
Respiratory moniliasis	1	-		X				
Respiratory muscle weakness	6	- X	X	X			X	
Respiratory rate	29	- X		X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Respiratory rate decreased	71	- X	X	X			X	
Respiratory rate increased	153	- X	X	X	X		X	
Respiratory symptom	54	- X	X	X			X	
Respiratory syncytial virus test positive	2	-		X			X	
Respiratory therapy	1	- X						
Respiratory tract congestion	18	- X		X			X	
Respiratory tract haemorrhage	4	- X		X				
Respiratory tract infection	32	1 X		X			X	
Respiratory tract inflammation	2	-		X				
Respiratory tract irritation	23	- X		X	X		X	
Respiratory tract oedema	9	- X		X	X			
Rest regimen	43	- X	X	X			X	
Resting tremor	16	- X		X			X	
Restless arm syndrome	19	- X		X				
Restless legs syndrome	673	- X	X	X	X		X	X
Restlessness	769	- X	X	X	X		X	
Restrictive cardiomyopathy	1	-					X	
Retained placenta or membranes	2	-		X				
Retching	417	- X	X	X	X		X	
Retinal aneurysm	2	- X						
Retinal artery embolism	5	- X						
Retinal artery occlusion	49	- X	X	X				
Retinal artery thrombosis	2	-		X				
Retinal degeneration	3	- X		X				
Retinal deposits	1	-				X		
Retinal detachment	48	- X	X	X			X	
Retinal disorder	4	- X		X				
Retinal drusen	2	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Retinal exudates	21	- X	X	X				
Retinal fovea disorder	2	- X						
Retinal function test abnormal	1	- X						
Retinal haemorrhage	41	- X	X	X	X		X	
Retinal infarction	1	- X						
Retinal injury	7	- X			X			
Retinal ischaemia	4	- X			X		X	
Retinal migraine	138	- X			X	X	X	
Retinal occlusive vasculitis	1	- X						
Retinal oedema	7	- X	X	X			X	
Retinal tear	25	- X			X			
Retinal toxicity	9	- X			X			
Retinal vascular occlusion	5	- X			X			
Retinal vascular thrombosis	7	- X			X			
Retinal vasculitis	4	- X			X			
Retinal vein occlusion	201	- X	X	X	X		X	
Retinal vein thrombosis	11	- X			X			
Retinal vein varices	1	- X						
Retinal vessel avulsion	1	- X						
Retinal white dots syndrome	1	- X						
Retinitis	7	- X						
Retinitis pigmentosa	1	-			X			
Retinopathy	13	- X			X			
Retinopexy	2	-	X	X				
Retirement	11	- X			X		X	
Retracted nipple	1	-					X	
Retrograde amnesia	2	- X			X			
Retrograde ejaculation	4	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Retrograde menstruation	6	- X		X				
Retroperitoneal effusion	1	- X						
Retroperitoneal fibrosis	2	- X				X		
Retroperitoneal haematoma	2	- X		X				
Retroperitoneal haemorrhage	2	1 X		X				
Retroperitoneal lymphadenopathy	2	-		X				
Retroplacental haematoma	1	-		X				
Reversed hot-cold sensation	5	- X		X				
Reversible airways obstruction	2	- X		X				
Reversible cerebral vasoconstriction syndrome	6	- X		X				
Reye's syndrome	1	- X						
Reynold's syndrome	13	- X		X			X	
Rhabdomyolysis	27	1 X	X	X			X	
Rhesus antigen negative	1	- X						
Rhesus antigen positive	1	-		X				
Rheumatic disorder	55	- X	X	X				
Rheumatic fever	11	- X		X			X	
Rheumatoid arthritis	491	- X	X	X	X		X	
Rheumatoid factor	7	- X		X				
Rheumatoid factor increased	8	- X		X			X	
Rheumatoid factor negative	1	- X						
Rheumatoid factor positive	1	-		X				
Rheumatoid nodule	2	- X		X				
Rhinalgia	177	- X	X	X	X		X	
Rhinitis	129	- X	X	X			X	
Rhinitis allergic	63	- X		X	X		X	
Rhinorrhoea	3,127	- X	X	X	X		X	
Rhinovirus infection	2	-		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Rib fracture	1	- X						
Right atrial dilatation	2	- X						
Right atrial enlargement	1	-		X				
Right atrial volume abnormal	1	-		X				
Right ventricular dilatation	4	- X		X				
Right ventricular dysfunction	7	- X		X				
Right ventricular enlargement	1	-		X				
Right ventricular failure	6	1 X		X				
Risk of future pregnancy miscarriage	2	- X		X				
Road traffic accident	2	- X						
Romberg test positive	2	-	X		X			
Rosacea	105	- X	X	X	X	X	X	
Rotator cuff syndrome	187	- X	X	X	X	X	X	
Rotavirus infection	1	- X						
Rouleaux formation	1	- X						
Rubber sensitivity	4	- X		X				
Rubella	3	- X					X	
Ruptured cerebral aneurysm	2	1 X		X			X	
Ruptured ectopic pregnancy	1	-		X				
Sacral pain	12	- X		X			X	
Sacroiliac joint dysfunction	1	-		X				
Sacroiliitis	10	- X		X				
Saliva altered	21	- X		X			X	
Saliva discolouration	1	- X						
Salivary gland calculus	4	- X						
Salivary gland cancer stage 0	1	- X						
Salivary gland cancer stage III	1	- X						
Salivary gland cyst	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Salivary gland disorder	2	- X		X				
Salivary gland enlargement	12	- X			X			
Salivary gland mass	3	- X				X		
Salivary gland mucocoele	1	-		X				
Salivary gland neoplasm	2	-		X				
Salivary gland pain	32	- X	X	X		X		
Salivary hypersecretion	168	- X		X		X		
Salt craving	7	- X		X		X		
Salt intoxication	1	-		X				
Sarcoidosis	60	- X		X	X	X		
Sarcoma	2	- X		X				
Sarcopenia	2	- X						
SARS-CoV-1 test	1	-		X				
SARS-CoV-1 test positive	2	- X		X				
SARS-CoV-2 antibody test	24	- X		X		X		
SARS-CoV-2 antibody test negative	55	- X		X		X		
SARS-CoV-2 antibody test positive	19	- X		X		X		
SARS-CoV-2 carrier	3	- X					X	
SARS-CoV-2 RNA	3	- X					X	
SARS-CoV-2 sepsis	1	- X						
SARS-CoV-2 test	72	- X		X			X	
SARS-CoV-2 test false negative	8	- X		X				
SARS-CoV-2 test false positive	8	- X		X				
SARS-CoV-2 test negative	35	- X		X		X		
SARS-CoV-2 test positive	248	- X		X	X	X	X	
Scab	77	- X	X	X	X	X	X	
Scalloped tongue	9	- X		X				
Scan	3	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Scan brain	2	- X	X					
Scan lymph nodes	6	- X			X			
Scan myocardial perfusion abnormal	1	-			X			
Scar	108	- X			X		X	
Scar discomfort	2	- X			X			
Scar inflammation	5	- X			X		X	
Scar pain	48	- X			X		X	
Scarlet fever	2	- X			X			
Schizoaffective disorder	1	- X						
Schizophrenia	4	1 X			X		X	
Schwannoma	1	- X						
Sciatic hernia	1	-			X			
Sciatic nerve injury	4	- X			X		X	
Sciatic nerve neuropathy	8	- X			X		X	
Sciatica	454	- X	X	X	X	X	X	
Scintillating scotoma	15	- X			X		X	
Scleral discolouration	3	- X			X			
Scleral disorder	1	-					X	
Scleral haemorrhage	2	- X			X			
Scleritis	24	- X			X		X	
Scleritis allergic	1	-				X		
Scleroderma	9	- X			X			
Scleroderma associated digital ulcer	1	-			X			
Scoliosis	8	- X			X		X	
Scratch	20	- X			X	X	X	
Screaming	68	- X			X	X	X	
Scrotal angiokeratoma	1	-			X			
Scrotal cyst	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Scrotal dermatitis	2	- X					X	
Scrotal discomfort	1	-			X			
Scrotal erythema	2	-			X			
Scrotal exfoliation	2	-			X			
Scrotal oedema	1	- X						
Scrotal pain	51	- X	X	X			X	
Scrotal swelling	14	- X		X			X	
Scrotum erosion	1	-		X				
Seasonal allergy	292	- X	X	X	X		X	
Sebaceous glands overactivity	2	- X		X				
Seborrhoea	34	- X		X			X	
Seborhoeic dermatitis	32	- X		X	X		X	
Seborhoeic keratosis	4	- X		X				
Second primary malignancy	1	-		X				
Secondary adrenocortical insufficiency	1	- X						
Secondary hypertension	2	- X		X				
Secondary tic	2	- X						
Secondary transmission	26	- X		X			X	
Secretion discharge	70	- X	X	X	X		X	
Sedation	28	- X		X				
Sedation complication	5	- X		X				
Seizure	2,764	5 X	X	X	X		X	X
Seizure anoxic	9	- X		X			X	
Seizure cluster	18	- X		X			X	
Seizure like phenomena	9	- X		X				
Selective eating disorder	3	- X		X				
Self esteem decreased	5	- X	X	X				
Self-induced vomiting	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Self-injurious ideation	5	- X		X				
Self-medication	1	- X						
Semen analysis abnormal	3	- X		X		X		
Semen discolouration	3	- X		X				
Semen volume decreased	2	- X						
Semen volume increased	1	-		X				
Senile dementia	2	- X		X				
Senile pruritus	1	- X						
Sensation of blood flow	24	- X		X	X	X	X	
Sensation of foreign body	140	- X	X	X	X	X	X	
Sense of a foreshortened future	7	- X		X			X	
Sense of oppression	1	-		X				
Sensitisation	49	- X		X	X	X	X	
Sensitive skin	1,034	- X	X	X	X	X	X	
Sensitivity to weather change	4	- X						
Sensorimotor disorder	2	- X						
Sensory disturbance	383	- X	X	X	X	X	X	
Sensory level	3	-		X			X	
Sensory level abnormal	1	- X						
Sensory loss	450	- X	X	X	X	X	X	
Sensory overload	19	- X	X	X	X		X	
Sensory processing disorder	4	- X		X				
Separation anxiety disorder	1	-					X	
Sepsis	213	29 X	X	X	X	X	X	
Sepsis syndrome	3	- X		X				
Septic arthritis staphylococcal	1	-		X				
Septic pulmonary embolism	1	- X						
Septic rash	19	- X	X	X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Septic screen	1	- X						
Septic shock	10	5 X			X		X	
Serology test	1	- X						
Seroma	1	-			X			
Seronegative arthritis	13	- X			X	X		
Serositis	2	- X			X			
Serotonin syndrome	3	- X			X			
Serous retinopathy	2	- X					X	
Serratia infection	2	- X			X			
Serum ferritin	3	- X			X			
Serum ferritin abnormal	3	-			X			
Serum ferritin decreased	15	- X			X			
Serum ferritin increased	16	- X			X		X	
Serum serotonin increased	1	- X						
Serum sickness	21	- X			X		X	
Serum sickness-like reaction	24	- X	X	X	X		X	
Severe acute respiratory syndrome	9	- X			X			
Severe asthma with fungal sensitisation	8	- X			X			
Severe cutaneous adverse reaction	5	- X			X		X	
Severe fever with thrombocytopenia syndrome	2	- X						
Sexual dysfunction	27	- X			X		X	
Sexual inhibition	1	-			X			
Sexually inappropriate behaviour	1	- X						
Shagreen skin	1	-			X			
Shock	98	1 X			X	X	X	
Shock haemorrhagic	1	- X						
Shock symptom	10	- X			X			
Shoulder deformity	7	-			X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Shoulder injury related to vaccine administration	<b>241</b>	- X	X	X	X	X	X	
Shoulder operation	<b>3</b>	- X						
Shunt blood flow excessive	<b>1</b>	-		X				
Sialoadenitis	<b>8</b>	- X		X			X	
Sick leave	<b>1</b>	-		X				
Sick relative	<b>8</b>	- X		X				
Sickle cell anaemia with crisis	<b>8</b>	- X					X	
Sight disability	<b>47</b>	- X	X	X			X	
Sigmoid sinus thrombosis	<b>1</b>	<b>1 X</b>						
Sigmoidoscopy abnormal	<b>1</b>	-		X				
Similar reaction on previous exposure to drug	<b>1</b>	- X						
Simple partial seizures	<b>7</b>	- X						
Sinoatrial block	<b>1</b>	-					X	
Sinobronchitis	<b>1</b>	- X						
Sinonasal obstruction	<b>38</b>	- X	X	X			X	
Sinus arrest	<b>2</b>	- X		X				
Sinus arrhythmia	<b>16</b>	- X		X			X	
Sinus bradycardia	<b>25</b>	- X	X	X				
Sinus congestion	<b>194</b>	- X	X	X	X		X	
Sinus disorder	<b>43</b>	- X	X	X	X		X	
Sinus headache	<b>1,554</b>	- X	X	X	X		X	
Sinus node dysfunction	<b>6</b>	- X		X	X			
Sinus pain	<b>970</b>	- X	X	X	X		X	
Sinus polyp	<b>3</b>	- X						
Sinus polyp degeneration	<b>1</b>	-		X				
Sinus rhythm	<b>23</b>	- X		X			X	
Sinus tachycardia	<b>203</b>	- X	X	X	X		X	
Sinusitis	<b>720</b>	- X	X	X	X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Sinusitis bacterial	<b>2</b>	-			X			
Sinusoidal foetal heart rate pattern	<b>1</b>	-				X		
Sitting disability	<b>10</b>	- X			X			
Sjogren-Larsson syndrome	<b>1</b>	-			X			
Sjogren's syndrome	<b>16</b>	- X			X			
Skeletal dysplasia	<b>1</b>	-	X					
Skeletal injury	<b>1</b>	- X						
Skin abrasion	<b>15</b>	- X			X		X	
Skin atrophy	<b>20</b>	- X			X		X	
Skin bacterial infection	<b>12</b>	- X			X		X	
Skin burning sensation	<b>1,072</b>	- X	X	X	X		X	
Skin cancer	<b>17</b>	- X	X	X			X	
Skin candida	<b>6</b>	- X		X	X			
Skin degenerative disorder	<b>2</b>	-			X			
Skin depigmentation	<b>16</b>	- X		X				
Skin discharge	<b>1</b>	- X						
Skin discolouration	<b>498</b>	- X	X	X	X		X	
Skin discomfort	<b>15</b>	- X			X		X	
Skin disorder	<b>108</b>	- X	X	X	X		X	
Skin erosion	<b>104</b>	- X	X	X	X		X	
Skin exfoliation	<b>421</b>	- X	X	X	X		X	
Skin fissures	<b>37</b>	- X	X	X				
Skin fragility	<b>3</b>	- X						
Skin graft	<b>1</b>	- X						
Skin haemorrhage	<b>94</b>	- X			X	X	X	
Skin hyperpigmentation	<b>20</b>	- X			X		X	
Skin hypertrophy	<b>7</b>	- X			X			
Skin hypopigmentation	<b>6</b>	- X			X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Skin indentation	23	- X		X				
Skin induration	34	- X		X			X	
Skin infection	131	- X	X	X			X	
Skin injury	40	- X	X	X	X		X	
Skin irritation	396	- X		X	X		X	
Skin laceration	13	- X		X			X	
Skin laxity	2	- X		X				
Skin lesion	169	- X	X	X	X		X	
Skin lesion inflammation	1	-		X				
Skin mass	104	- X		X	X		X	
Skin necrosis	14	- X		X			X	
Skin neoplasm excision	1	- X						
Skin odour abnormal	93	- X		X	X		X	
Skin oedema	8	- X		X				
Skin papilloma	69	- X		X			X	
Skin plaque	10	- X	X	X			X	
Skin pressure mark	2	- X		X				
Skin procedural complication	2	- X		X				
Skin reaction	620	- X	X	X	X		X	
Skin sensitisation	157	- X	X	X	X		X	
Skin striae	21	- X		X				
Skin swelling	272	- X	X	X	X		X	
Skin temperature	262	- X	X	X	X		X	
Skin test	1	- X						
Skin test positive	10	- X		X				
Skin texture abnormal	6	- X		X			X	
Skin tightness	82	- X		X			X	
Skin ulcer	77	- X		X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Skin warm	1,255	- X	X	X	X	X	X	
Skin weeping	42	- X	X	X			X	
Skin wound	16	- X		X	X	X	X	
Skin wrinkling	14	- X		X			X	
Skull fracture	1	- X						
Skull X-ray	18	- X		X				
Sleep apnoea syndrome	76	- X	X	X			X	
Sleep attacks	5	- X			X			
Sleep deficit	78	- X			X	X	X	
Sleep disorder	902	- X	X	X	X	X	X	
Sleep disorder due to a general medical condition	2	- X		X				
Sleep disorder due to general medical condition, insomnia type	9	- X		X	X			
Sleep inertia	3	- X		X			X	
Sleep paralysis	65	- X		X			X	
Sleep study normal	1	- X						
Sleep talking	28	- X		X	X	X	X	
Sleep terror	119	- X	X	X	X	X	X	
Sleep-related eating disorder	2	- X						
Slow response to stimuli	17	- X		X	X	X	X	
Slow speech	80	- X			X	X	X	
Slow vital capacity	1	- X						
Sluggishness	56	- X	X	X	X	X	X	
Small cell lung cancer	4	- X	X	X				
Small cell lung cancer metastatic	-	1 X						
Small fibre neuropathy	32	- X	X	X			X	
Small for dates baby	1	-			X			
Small intestinal haemorrhage	33	- X			X		X	
Small intestinal obstruction	5	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Small intestinal perforation	1	- X						
Small intestinal resection	1	- X						
Small intestine adenocarcinoma	1	-				X		
Small intestine carcinoma	1	-				X		
Small intestine gangrene	1	-		X				
Small size placenta	2	-		X				
Smallpox	1	-		X				
Smear cervix	6	- X		X			X	
Smear test	1	- X						
Smoke sensitivity	4	- X		X				
Smoking cessation therapy	1	- X						
Smooth muscle antibody	1	- X						
Sneezing	1,178	- X	X	X	X		X	
Snoring	15	- X		X	X			
Social (pragmatic) communication disorder	1	-		X				
Social anxiety disorder	4	- X		X				
Social avoidant behaviour	16	- X		X			X	
Social fear	4	- X		X			X	
Social problem	1	-					X	
Soft tissue disorder	6	- X		X				
Soft tissue infection	8	- X		X				
Soft tissue inflammation	2	-		X			X	
Soft tissue injury	6	- X						
Soft tissue mass	3	- X						
Soft tissue necrosis	1	-		X				
Soft tissue swelling	18	- X	X	X			X	
Solar dermatitis	3	- X		X				
Solar lentigo	12	- X		X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Solar urticaria	5	- X		X				
Solid organ transplant rejection	1	-		X				
Soliloquy	6	- X		X			X	
Solitary fibrous tumour	1	-			X			
Somatic dysfunction	1	- X						
Somatic hallucination	2	- X					X	
Somatic symptom disorder	4	- X		X				
Somatic symptom disorder of pregnancy	5	- X		X			X	
Somnambulism	26	- X		X	X	X	X	
Somnolence	3,798	1 X	X	X	X	X	X	X
Specialist consultation	3	- X		X				
Speech disorder	291	- X	X	X	X	X	X	X
Speech disorder developmental	9	- X		X				
Speech sound disorder	3	- X		X				
Sperm concentration	4	- X		X				
Sperm concentration decreased	2	-		X				
Spermatozoa abnormal	2	- X		X				
Sphincter of Oddi dysfunction	3	- X						
Spider naevus	7	- X		X			X	
Spider vein	31	- X		X			X	
Spina bifida	3	1 X		X				
Spinal column injury	1	-						
Spinal compression fracture	5	- X		X				
Spinal cord abscess	2	- X		X				
Spinal cord disorder	9	- X					X	
Spinal cord haematoma	1	- X						
Spinal cord infarction	2	- X		X				
Spinal cord infection	2	- X					X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Spinal cord injury	7	- X		X				
Spinal cord injury cervical	2	-		X			X	
Spinal cord injury sacral	1	- X						
Spinal cord injury thoracic	1	- X						
Spinal cord ischaemia	1	- X						
Spinal cord neoplasm	-	1		X				
Spinal cord oedema	1	- X						
Spinal cord paralysis	2	- X		X				
Spinal decompression	1	-		X				
Spinal disorder	10	- X		X				
Spinal fracture	13	- X		X				
Spinal implantation	1	- X						
Spinal muscular atrophy	1	- X						
Spinal operation	1	- X						
Spinal osteoarthritis	18	- X		X	X	X		
Spinal pain	438	- X	X	X	X	X	X	
Spinal stenosis	8	- X		X				
Spinal stroke	11	- X		X				
Spirometry abnormal	1	-		X				
Spleen atrophy	1	-		X				
Spleen disorder	3	- X		X				
Splenectomy	2	- X		X				
Splenic artery aneurysm	2	- X		X				
Splenic artery embolisation	1	-		X				
Splenic artery thrombosis	3	- X						
Splenic cyst	1	- X						
Splenic haematoma	2	- X		X				
Splenic haemorrhage	3	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Splenic infarction	27	- X			X	X	X	
Splenic infection	1	- X						
Splenic lesion	1	-			X			
Splenic rupture	11	- X			X			
Splenic thrombosis	3	- X			X			
Splenic varices	1	- X						
Splenic vein thrombosis	15	- X			X		X	
Splenomegaly	22	- X			X	X		
Splenorenal shunt	1	- X						
Splinter	1	-			X			
Splinter haemorrhages	13	- X			X	X		
Spondylitis	15	- X			X		X	
Spondyloarthropathy	6	- X			X			
Spontaneous cerebrospinal fluid leak syndrome	2	- X						
Spontaneous ejaculation	2	-			X			
Spontaneous haematoma	11	- X			X		X	
Spontaneous haemorrhage	2	- X						
Spontaneous hyphaema	1	-			X			
Spontaneous penile erection	7	- X			X		X	
Sports injury	1	- X						
Sputum abnormal	7	- X			X	X		
Sputum discoloured	33	- X			X		X	
Sputum increased	7	- X			X			
Sputum purulent	4	- X			X			
Sputum retention	1	- X						
Squamous cell carcinoma	9	- X			X			
Squamous cell carcinoma of skin	2	- X			X			
Squamous cell carcinoma of the oral cavity	2	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Squamous cell carcinoma of the vulva	1	- X						
Stab wound	1	-					X	
Staphylococcal abscess	1	-			X			
Staphylococcal bacteraemia	2	- X						
Staphylococcal infection	11	- X			X			
Staphylococcal scalded skin syndrome	1	- X						
Staphylococcal sepsis	4	1 X			X			
Staphylococcus test	1	- X						
Staphylococcus test positive	1	- X						
Staring	23	- X			X		X	
Starvation	1	- X						
Stasis dermatitis	13	- X			X			
Status epilepticus	100	2 X			X		X	
Status migrainosus	5	- X						
Steatorrhoea	7	- X			X	X		
Stem cell transplant	1	-			X			
Stenosis	4	- X			X			
Stent malfunction	2	- X					X	
Stent placement	3	- X			X			
Stereotypy	1	-			X			
Sternal fracture	1	-					X	
Steroid diabetes	1	- X						
Steroid therapy	2	- X						
Stevens-Johnson syndrome	16	- X			X		X	
Sticky skin	13	- X			X	X		
Stiff leg syndrome	14	- X			X		X	
Stiff person syndrome	1	- X						
Stiff tongue	11	- X			X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Stillbirth	1	27	X	X	X	X	X	
Still's disease	13	-	X	X	X			
Stoma care	2	-	X		X			
Stoma obstruction	1	-	X					
Stoma site discharge	2	-			X			
Stoma site discomfort	1	-					X	
Stoma site haemorrhage	2	-	X		X			
Stoma site oedema	1	-					X	
Stoma site pain	2	-	X					
Stoma site rash	1	-	X					
Stomach mass	10	-	X	X	X		X	
Stomach scan	1	-	X					
Stomatitis	199	-	X	X	X	X	X	X
Stool analysis abnormal	2	-	X					
Strabismus	17	-	X		X		X	
Strabismus correction	1	-			X			
Strawberry tongue	1	-	X					
Streptococcal abscess	1	-			X			
Streptococcal bacteraemia	1	-	X					
Streptococcal endocarditis	1	-			X			
Streptococcal infection	7	-	X		X			
Streptococcal sepsis	3	-	X		X		X	
Streptococcus test positive	2	-	X			X		
Stress	370	-	X	X	X	X	X	
Stress at work	5	-	X		X			
Stress cardiomyopathy	17	-	X	X	X		X	
Stress fracture	4	-	X					
Stress management	1	-			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Stress polycythaemia	5	- X					X	
Stress ulcer	1	-					X	
Stress urinary incontinence	5	- X			X		X	
Stridor	55	- X	X	X			X	
Stroke in evolution	2	- X			X			
Stroke volume decreased	3	- X			X			
Stroke volume increased	4	1 X						
Struck by lightning	2	- X					X	
Stupor	18	- X	X	X			X	
Subacute combined cord degeneration	1	- X						
Subacute cutaneous lupus erythematosus	5	- X			X			
Subacute hepatic failure	3	- X						
Subacute inflammatory demyelinating polyneuropathy	5	- X			X			
Subarachnoid haematoma	4	- X			X			
Subarachnoid haemorrhage	166	18 X	X	X	X	X	X	
Subchorionic haematoma	3	-			X			
Subchorionic haemorrhage	3	- X			X		X	
Subclavian artery embolism	3	- X						
Subclavian artery thrombosis	2	- X			X			
Subclavian vein occlusion	1	-			X			
Subclavian vein thrombosis	9	- X			X			
Subcutaneous abscess	24	- X			X			
Subcutaneous haematoma	7	- X			X		X	
Subdural abscess	1	-			X			
Subdural haematoma	33	2 X		X	X	X	X	
Subdural haemorrhage	14	- X			X			
Submaxillary gland enlargement	10	-			X		X	
Substance abuse	2	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Substance-induced mood disorder	1	- X						
Sudden cardiac death	-	6 X			X		X	
Sudden death	-	84 X	X	X			X	
Sudden hearing loss	167	- X	X	X	X		X	
Sudden onset of sleep	2	- X			X			
Sudden unexplained death in epilepsy	-	1 X						
Sudden visual loss	12	- X	X	X				
Suffocation feeling	9	- X			X			
Suicidal behaviour	10	- X					X	
Suicidal ideation	232	- X	X	X	X		X	
Suicide attempt	49	- X			X	X	X	
Suicide threat	3	- X			X			
Sunburn	98	- X			X			X
Superficial inflammatory dermatosis	1	- X						
Superficial injury of eye	2	- X			X			
Superficial vein prominence	13	- X			X			
Superficial vein thrombosis	123	- X	X	X	X		X	
Superinfection	1	-			X			
Superior mesenteric artery syndrome	1	- X						
Superior sagittal sinus thrombosis	41	3 X			X	X		
Superior vena cava syndrome	2	- X						
Superovulation	2	-			X			
Suprapubic pain	2	- X			X			
Supraventricular extrasystoles	16	- X	X	X	X		X	
Supraventricular tachycardia	121	- X	X	X	X		X	
Surgery	2	- X						
Surgical failure	1	-						
Suspected counterfeit product	2	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Suspected COVID-19	218	4 X	X	X	X	X	X	
Suspected product contamination	2	- X					X	
Suspected product quality issue	2	- X						
Suspected suicide attempt	1	-			X			
Suspiciousness	1	-		X				
Suture related complication	1	- X						
Swallow study	5	- X				X		
Sweat discolouration	4	- X		X				
Sweat gland disorder	1	- X						
Sweat gland infection	1	-		X				
Sweat test	5	- X		X				
Sweating fever	966	- X	X	X	X	X	X	
Swelling	8,233	- X	X	X	X	X	X	
Swelling face	2,603	- X	X	X	X	X	X	X
Swelling of eyelid	349	- X	X	X	X	X	X	
Swollen joint count	4	- X		X				
Swollen joint count increased	6	- X		X				
Swollen tear duct	2	-		X				
Swollen tongue	1,378	- X	X	X	X	X	X	
Sydenham's chorea	1	- X						
Sympathetic posterior cervical syndrome	1	- X						
Syphysiolyis	1	-		X				
Symptom masked	1	- X						
Symptom recurrence	6	- X		X				
Synesthesia	2	-		X				
Syncope	7,555	- X	X	X	X	X	X	X
Synkinesis	3	-		X				
Synovial cyst	47	- X		X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Synovial rupture	2	- X						
Synovitis	44	- X			X	X	X	
Syphilis	6	- X			X			
Syringe issue	1	- X						
Syringomyelia	2	- X			X			
Systemic candida	1	-			X			
Systemic immune activation	4	- X			X		X	
Systemic infection	1	-				X		
Systemic inflammatory response syndrome	23	- X	X	X			X	
Systemic lupus erythematosus	92	- X			X	X	X	
Systemic lupus erythematosus disease activity index increased	1	-			X			
Systemic lupus erythematosus rash	19	- X			X	X		
Systemic mastocytosis	1	- X						
Systemic scleroderma	8	- X	X	X			X	X
Systemic toxicity	3	- X					X	
Systolic dysfunction	2	- X			X			
Systolic hypertension	11	- X			X	X		
Tachyarrhythmia	30	- X	X	X	X	X	X	
Tachycardia	5,879	1 X	X	X	X	X	X	X
Tachycardia foetal	2	-			X		X	
Tachycardia paroxysmal	2	-			X	X		
Tachyphrenia	42	- X	X	X	X	X	X	
Tachypnoea	85	- X	X	X			X	
Tanning	2	- X						
Tardive dyskinesia	3	- X			X			
Target skin lesion	6	- X	X	X				
Taste disorder	956	- X	X	X	X	X	X	
Tattoo	3	- X			X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Tattoo associated skin reaction	1	-			X			
Tattoo excision	1	- X						
T-cell lymphoma	-	1 X						
Tearfulness	165	- X	X	X			X	
Teeth brittle	3	-			X			
Teething	33	- X			X		X	
Telangiectasia	7	- X			X			
Temperature difference of extremities	29	- X			X		X	
Temperature intolerance	182	- X	X	X	X	X	X	
Temperature perception test abnormal	1	-			X			
Temperature perception test increased	1	-			X			
Temperature regulation disorder	55	- X			X		X	
TEMPI syndrome	2	-			X			
Temporal lobe epilepsy	9	- X			X			
Temporomandibular joint syndrome	49	- X	X	X			X	
Tender joint count	5	- X					X	
Tender joint count increased	1	-				X		
Tenderness	2,869	- X	X	X	X	X	X	
Tendon calcification	4	- X	X			X	X	
Tendon discomfort	4	- X						
Tendon disorder	22	- X			X	X	X	
Tendon injury	19	- X			X	X	X	
Tendon pain	95	- X	X	X			X	
Tendon rupture	65	- X	X	X			X	
Tendon sheath disorder	1	- X						
Tendonitis	223	- X	X	X	X	X	X	
Tenodesis	2	-			X	X		
Tenosynovitis	7	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Tenosynovitis stenosans	7	- X	X	X				
Tension	134	- X	X	X	X	X	X	
Tension headache	2,474	- X	X	X	X	X	X	
Term birth	1	-		X				
Terminal ileitis	1	- X						
Terminal insomnia	75	- X		X			X	
Terminal state	1	-		X				
Testes exploration	1	- X						
Testicle adenoma	2	- X						
Testicular atrophy	2	- X		X				
Testicular cyst	2	- X		X				
Testicular disorder	16	- X		X			X	
Testicular injury	1	-		X				
Testicular mass	2	- X					X	
Testicular oedema	3	- X		X				
Testicular pain	224	- X	X	X	X		X	
Testicular retraction	3	- X						
Testicular swelling	49	- X		X			X	
Testicular torsion	1	-		X				
Testis cancer	1	-		X				
Testis discomfort	9	- X		X				
Tetanus	6	- X		X				
Tetany	7	- X		X				
Thalamic infarction	4	- X		X				
Thalamus haemorrhage	11	- X						
Thanatophobia	1	- X						
Therapeutic hypothermia	2	- X						
Therapeutic procedure	2	-		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Therapeutic product effect decreased	7	- X		X			X	
Therapeutic product effect delayed	3	- X			X			
Therapeutic product effect incomplete	3	- X						
Therapeutic product effect increased	1	-		X				
Therapeutic product effect prolonged	1	- X						
Therapeutic product ineffective	13	- X		X				
Therapeutic reaction time decreased	1	- X						
Therapeutic response changed	2	- X					X	
Therapeutic response decreased	5	- X		X				
Therapeutic response delayed	1	- X						
Therapeutic response shortened	2	- X						
Therapeutic response unexpected	312	- X		X	X		X	
Therapeutic skin care topical	1	-		X				
Therapy change	5	- X		X				
Therapy non-responder	4	- X		X				
Thermal burn	100	- X		X			X	
Thermal burns of eye	75	- X	X	X	X		X	
Thinking abnormal	63	- X	X	X	X		X	
Thirst	1,959	- X	X	X	X		X	
Thirst decreased	14	- X		X			X	
Thoracic outlet syndrome	4	- X		X				
Thoracic spinal stenosis	1	- X						
Thought blocking	14	- X		X			X	
Thought withdrawal	1	- X						
Threatened labour	1	-		X				
Throat cancer	5	1 X	X	X				
Throat clearing	21	- X		X	X		X	
Throat irritation	569	- X	X	X	X		X	X

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Throat lesion	3	- X		X				
Throat tightness	633	- X	X	X	X	X	X	
Thrombectomy	4	- X						
Thrombin time	1	- X						
Thrombin time abnormal	2	- X						
Thromboangiitis obliterans	1	-		X				
Thrombocytopenia	1,283	11 X	X	X	X	X	X	
Thrombocytopenic purpura	23	- X		X			X	
Thrombocytosis	25	- X	X	X				
Thromboembolectomy	1	- X						
Thrombolysis	4	- X						
Thrombophlebitis	221	- X	X	X	X	X	X	
Thrombophlebitis migrans	2	- X						
Thrombosis	2,807	61 X	X	X	X	X	X	X
Thrombosis in device	88	1 X		X			X	
Thrombosis mesenteric vessel	7	1 X		X				
Thrombosis prophylaxis	2	1 X						
Thrombosis with thrombocytopenia syndrome	110	10 X		X				
Thrombotic microangiopathy	5	-		X				
Thrombotic stroke	24	1 X	X	X				
Thrombotic thrombocytopenic purpura	22	- X		X	X			
Thunderclap headache	87	1 X	X	X			X	
Thymus enlargement	1	-		X				
Thyroid adenoma	1	- X						
Thyroid atrophy	1	-		X				
Thyroid cancer	1	-		X				
Thyroid cyst	2	- X		X				
Thyroid disorder	48	- X	X	X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Thyroid function test abnormal	5	- X		X				
Thyroid hormones increased	1	-		X				
Thyroid mass	14	- X		X				
Thyroid neoplasm	1	-		X				
Thyroid pain	38	- X		X	X	X	X	
Thyroiditis	56	- X	X	X	X	X	X	
Thyroiditis acute	15	- X		X	X	X	X	
Thyroiditis chronic	2	- X						
Thyroiditis subacute	24	- X		X			X	
Thyrotoxic crisis	14	- X	X	X				
Thyroxine	3	- X		X				
Thyroxine abnormal	1	- X						
Thyroxine decreased	1	-		X				
Thyroxine free decreased	1	- X						
Thyroxine free increased	2	-		X				
Thyroxine increased	2	- X						
Tibia fracture	2	- X		X				
Tic	51	- X		X			X	
Tick paralysis	1	- X						
Time perception altered	8	- X		X				
Tinea capitis	2	-		X			X	
Tinea cruris	3	- X						
Tinea infection	5	- X		X			X	
Tinea pedis	8	- X		X				
Tinea versicolour	8	- X		X				
Tinnitus	9,165	- X	X	X	X	X	X	X
Tissue discolouration	1	- X						
Tissue infiltration	2	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Tissue injury	6	- X	X					
Tissue irritation	1	-			X			
Tissue rupture	1	-			X			
Tobacco user	3	- X			X			
Toe amputation	6	- X						
Toe walking	1	-				X		
Tolosa-Hunt syndrome	2	- X			X			
Tongue abscess	6	- X			X			
Tongue atrophy	1	-			X			
Tongue biting	23	- X			X		X	
Tongue blistering	51	- X			X		X	
Tongue coated	99	- X	X		X		X	
Tongue cyst	9	- X			X			
Tongue discolouration	55	- X			X		X	
Tongue discomfort	123	- X	X		X	X	X	
Tongue disorder	95	- X			X	X	X	
Tongue dry	47	- X			X	X	X	
Tongue eruption	28	- X	X		X	X	X	
Tongue erythema	22	- X			X			
Tongue exfoliation	7	- X			X		X	
Tongue geographic	16	- X	X		X			
Tongue haemorrhage	7	- X			X		X	
Tongue injury	5	- X			X			
Tongue movement disturbance	18	- X			X		X	
Tongue oedema	48	- X			X	X	X	
Tongue paralysis	8	- X			X		X	
Tongue polyp	4	- X			X			
Tongue pruritus	8	- X	X		X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Tongue rough	10	- X		X			X	
Tongue spasm	21	- X	X	X	X		X	
Tongue thrust	1	- X						
Tongue ulceration	78	- X	X	X	X	X	X	
Tonic clonic movements	13	- X		X			X	
Tonic convulsion	97	- X	X	X	X		X	
Tonic posturing	1	-		X				
Tonsil cancer	11	- X		X			X	
Tonsillar cyst	1	-		X				
Tonsillar disorder	1	- X						
Tonsillar erythema	24	- X		X			X	
Tonsillar exudate	3	- X		X			X	
Tonsillar haemorrhage	2	- X		X				
Tonsillar hypertrophy	194	- X	X	X	X		X	
Tonsillar inflammation	10	- X		X			X	
Tonsillar ulcer	3	- X		X				
Tonsillectomy	1	- X						
Tonsillitis	265	- X	X	X	X		X	
Tonsillitis bacterial	3	-		X				
Tonsillitis fungal	1	- X						
Tonsillitis streptococcal	1	- X						
Tonsillolith	3	- X		X				
Tooth abscess	28	- X		X			X	
Tooth discolouration	29	- X		X				
Tooth disorder	9	- X		X			X	
Tooth erosion	2	- X		X				
Tooth extraction	7	- X		X			X	
Tooth fracture	4	- X		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Tooth impacted	2	- X		X				
Tooth infection	27	- X		X			X	
Tooth injury	5	- X		X	X			
Tooth loss	27	- X	X	X			X	
Tooth restoration	4	- X						
Tooth socket haemorrhage	3	- X		X				
Toothache	646	- X	X	X	X		X	
Torticollis	27	- X	X	X				
Total lung capacity decreased	10	- X		X				
Tourette's disorder	8	- X		X				
Toxic anterior segment syndrome	1	-		X				
Toxic cardiomyopathy	1	-					X	
Toxic epidermal necrolysis	6	1 X		X			X	
Toxic shock syndrome	2	- X						
Toxic shock syndrome staphylococcal	1	- X						
Toxic skin eruption	2	-		X				
Toxicity to various agents	20	- X	X	X			X	
Toxicologic test abnormal	1	-		X				
Toxoplasmosis	1	-		X				
Tracheal disorder	1	-		X				
Tracheal fistula	1	- X						
Tracheal inflammation	1	-					X	
Tracheal pain	6	- X		X				
Tracheitis	7	- X		X				
Tracheomalacia	1	- X						
Tracheostomy	3	- X		X				
Tracheostomy infection	1	-		X				
Traction	1	-		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Trance	2	-		X			X	
Transaminases increased	3	- X						
Transferrin decreased	2	- X		X				
Transferrin saturation increased	1	-		X				
Transfusion	4	- X		X				
Transgender operation	1	- X						
Transient acantholytic dermatosis	7	- X		X	X			
Transient aphasia	1	- X						
Transient global amnesia	40	- X	X	X		X		
Transient ischaemic attack	900	6 X	X	X	X		X	
Transplant	1	- X						
Transplant failure	1	- X						
Transplant rejection	9	- X		X				
Transposition of the great vessels	2	- X		X				
Transverse sinus thrombosis	14	- X		X				
Transvestism	1	-		X				
Traumatic delivery	1	- X						
Traumatic fracture	1	- X						
Traumatic haematoma	4	- X		X				
Traumatic haemothorax	1	- X						
Traumatic intracranial haemorrhage	1	1 X		X				
Traumatic iritis	1	- X						
Traumatic lung injury	7	- X	X	X			X	
Traumatic shock	1	- X						
Treatment failure	33	- X		X			X	
Treatment noncompliance	2	- X						
Tremor	14,026	1 X	X	X	X		X	
Treponema test positive	1	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Trichodynia	8	- X					X	
Trichoglossia	13	- X			X			
Trichorrhexis	13	- X	X	X			X	
Tricuspid valve incompetence	16	- X			X			
Trifascicular block	3	- X			X			
Trigeminal nerve disorder	11	- X			X			
Trigeminal neuralgia	288	- X	X	X	X		X	
Trigeminal neuritis	7	- X	X	X			X	
Trigeminal palsy	3	- X			X			
Trigger finger	81	- X			X		X	
Trigger points	2	- X			X			
Tri-iodothyronine	1	-			X			
Tri-iodothyronine decreased	13	- X			X		X	
Tri-iodothyronine free decreased	1	-			X			
Triple negative breast cancer	10	- X	X	X	X			
Trismus	120	- X	X	X			X	
Trisomy 18	1	- X						
Trisomy 21	1	- X						
Trisomy 8	1	-			X			
Trombiculiasis	3	- X						
Troponin	2	- X						
Troponin abnormal	2	-			X	X		
Troponin I increased	6	- X			X		X	
Troponin increased	62	- X	X	X			X	
Troponin T	1	- X						
Troponin T increased	4	- X			X		X	
Tryptase increased	2	- X						
Tuberculin test positive	1	-			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Tuberculosis	6	2 X		X				
Tuberculosis immunisation	1	- X						
Tuberculosis of central nervous system	1	-		X				
Tuberous sclerosis complex	1	- X						
Tubulointerstitial nephritis	20	- X		X				
Tumefactive multiple sclerosis	1	1 X		X				
Tumour excision	1	- X						
Tumour haemorrhage	1	-		X				
Tumour lysis syndrome	2	- X		X				
Tumour marker increased	1	- X						
Tumour pain	1	- X						
Tumour vaccine therapy	1	- X						
Tunnel vision	65	- X	X	X		X		
Turner's syndrome	1	-		X				
Twin pregnancy	3	- X				X		
Tympanic membrane perforation	15	- X	X	X				
Type 1 diabetes mellitus	53	- X		X		X		
Type 2 diabetes mellitus	17	- X	X	X		X		
Type 2 lepra reaction	1	-				X		
Type I hypersensitivity	4	- X		X		X		
Type IIa hyperlipidaemia	1	- X						
Type III immune complex mediated reaction	14	- X		X		X		
Type IV hypersensitivity reaction	25	- X		X		X		
Typhoid fever	3	- X		X				
Typical aura without headache	34	- X	X	X	X	X	X	
Tyramine reaction	1	- X						
Ubiquinone	5	- X		X				
Ubiquinone decreased	2	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Uhthoff's phenomenon	3	- X					X	
Ulcer	96	- X			X		X	
Ulcer haemorrhage	6	- X			X			
Ulcerative keratitis	11	- X			X		X	
Ulnar nerve injury	11	- X			X		X	
Ulnar nerve palsy	5	- X			X			
Ulnar neuritis	7	- X			X			
Ulnar tunnel syndrome	3	- X			X			
Ultrasound abdomen abnormal	1	-				X		
Ultrasound kidney	1	- X						
Ultrasound kidney normal	1	-			X			
Ultrasound scan	1	- X						
Ultrasound scan vagina normal	1	- X						
Umbilical cord abnormality	1	-			X			
Umbilical cord around neck	1	- X						
Umbilical cord thrombosis	2	-			X		X	
Underdose	17	- X			X			
Undersensing	11	- X			X		X	
Underweight	2	- X						
Unemployment	1	- X						
Unevaluable event	15	- X			X	X		X
Unhealthy lifestyle	1	- X						
Unintended pregnancy	6	- X			X			
Unresponsive to stimuli	207	- X	X	X			X	
Unwanted pregnancy	1	-			X			
Upper airway obstruction	4	- X			X			
Upper gastrointestinal haemorrhage	29	1 X			X		X	
Upper limb fracture	7	- X			X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Upper motor neurone lesion	1	-			X			
Upper respiratory tract congestion	3	- X			X			
Upper respiratory tract infection	31	- X	X	X	X	X	X	
Upper respiratory tract irritation	1	-			X			
Upper-airway cough syndrome	57	- X			X	X	X	
Urea urine increased	1	- X						
Ureteral disorder	2	- X						
Ureteric stenosis	1	-			X			
Urethral pain	17	- X	X	X			X	
Urethral spasm	1	- X						
Urethral stenosis	2	- X			X			
Urethritis	4	- X			X			
Urge incontinence	5	- X			X			
Urinary bladder haemorrhage	26	1 X			X		X	
Urinary bladder rupture	1	- X						
Urinary hesitation	11	- X			X			
Urinary incontinence	293	- X	X	X	X	X	X	X
Urinary retention	189	- X	X	X	X	X	X	
Urinary straining	3	- X					X	
Urinary tract candidiasis	1	-			X			
Urinary tract discomfort	4	- X			X			
Urinary tract disorder	17	- X			X			
Urinary tract infection	635	- X	X	X	X	X	X	
Urinary tract infection bacterial	7	- X			X		X	
Urinary tract infection viral	1	-				X		
Urinary tract inflammation	2	-			X		X	
Urinary tract pain	27	- X	X	X			X	
Urine abnormality	42	- X			X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Urine analysis	1	- X						
Urine analysis abnormal	23	- X			X			
Urine analysis normal	3	- X						
Urine copper	5	- X		X		X		
Urine cytology	1	-			X			
Urine flow decreased	48	- X		X		X		
Urine ketone body	1	-			X			
Urine ketone body present	4	- X			X			
Urine leukocyte esterase positive	1	-			X			
Urine odour abnormal	41	- X	X	X		X		
Urine osmolarity	1	-			X			
Urine output	80	- X		X	X	X	X	
Urine output decreased	36	- X		X			X	
Urine output increased	18	- X			X			
Urine uric acid increased	1	-			X			
Urogenital haemorrhage	1	- X						
Urological examination	1	- X						
Urosepsis	16	1 X			X		X	
Urticaria	6,491	- X	X	X	X	X	X	
Urticaria aquagenic	1	-					X	
Urticaria cholinergic	5	- X			X		X	
Urticaria chronic	123	- X	X	X	X	X	X	
Urticaria contact	5	- X			X		X	
Urticaria papular	13	- X	X	X			X	
Urticaria pigmentosa	1	- X						
Urticaria pressure	1	-			X			
Urticaria thermal	19	- X			X			
Urticular dermatitis	2	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Urticarial vasculitis	15	- X		X			X	
Use of accessory respiratory muscles	8	- X		X			X	
Uterine atony	1	-					X	
Uterine cancer	7	- X		X			X	
Uterine contractions abnormal	3	- X		X				
Uterine contractions during pregnancy	7	- X		X				
Uterine cyst	1	- X						
Uterine dilation and evacuation	1	- X						
Uterine enlargement	2	- X						
Uterine haemorrhage	144	- X	X	X	X		X	
Uterine hypertonus	11	-		X			X	
Uterine inflammation	1	-		X				
Uterine irritability	1	-					X	
Uterine leiomyoma	52	- X	X	X			X	
Uterine leiomyoma prolapse	1	- X						
Uterine mass	2	- X		X				
Uterine pain	38	- X		X			X	
Uterine polyp	12	- X		X			X	
Uterine rupture	2	- X		X				
Uterine spasm	88	- X		X			X	
UV light therapy	2	- X		X				
Uveitis	140	- X	X	X	X		X	
Uvulitis	13	- X		X			X	
Vaccination complication	11	- X		X	X		X	
Vaccination error	19	- X		X	X			
Vaccination failure	230	- X		X			X	
Vaccination site abscess	21	- X		X			X	
Vaccination site anaesthesia	1	-		X				

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Vaccination site atrophy	1	- X						
Vaccination site bruising	327	- X	X	X	X	X	X	
Vaccination site cellulitis	48	- X		X			X	
Vaccination site coldness	5	- X		X				
Vaccination site cyst	10	- X		X				
Vaccination site dermatitis	2	-		X				
Vaccination site discharge	2	- X		X				
Vaccination site discolouration	39	- X		X			X	
Vaccination site discomfort	116	- X	X	X	X	X	X	
Vaccination site dryness	3	- X		X				
Vaccination site eczema	2	-		X			X	
Vaccination site erythema	1,789	- X	X	X	X	X	X	X
Vaccination site extravasation	1	- X						
Vaccination site granuloma	13	- X		X				
Vaccination site haematoma	4	- X		X				
Vaccination site haemorrhage	55	- X	X	X	X			
Vaccination site hyperaesthesia	1	- X						
Vaccination site hypersensitivity	9	- X		X				
Vaccination site hypoesthesia	51	- X		X			X	
Vaccination site induration	180	- X		X	X	X	X	
Vaccination site infection	45	- X	X	X			X	
Vaccination site inflammation	151	- X		X	X		X	
Vaccination site injury	6	- X		X				
Vaccination site irritation	34	- X	X	X			X	
Vaccination site joint discomfort	5	- X		X				
Vaccination site joint erythema	20	- X	X	X			X	
Vaccination site joint inflammation	3	- X		X				
Vaccination site joint movement impairment	53	- X		X	X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Vaccination site joint pain	112	- X		X	X	X	X	X
Vaccination site joint swelling	8	- X		X				
Vaccination site joint warmth	4	- X		X			X	
Vaccination site lymphadenopathy	14	- X		X	X		X	
Vaccination site macule	2	-		X			X	
Vaccination site mass	1,032	- X	X	X	X		X	
Vaccination site movement impairment	254	- X		X	X	X	X	X
Vaccination site necrosis	1	-		X				
Vaccination site nerve damage	3	- X		X				
Vaccination site nodule	7	- X		X				
Vaccination site oedema	8	- X	X	X			X	
Vaccination site pain	5,279	- X	X	X	X	X	X	X
Vaccination site papule	9	- X		X			X	
Vaccination site paraesthesia	25	- X		X			X	
Vaccination site phlebitis	1	-		X				
Vaccination site photosensitivity reaction	1	-		X				
Vaccination site pruritus	407	- X	X	X	X	X	X	
Vaccination site pustule	10	- X		X			X	
Vaccination site rash	519	- X	X	X	X	X	X	X
Vaccination site reaction	76	- X		X			X	
Vaccination site scab	7	- X		X				
Vaccination site scar	12	- X		X			X	
Vaccination site swelling	1,470	- X	X	X	X	X	X	X
Vaccination site thrombosis	1	-		X				
Vaccination site ulcer	3	-		X				
Vaccination site urticaria	40	- X		X	X		X	
Vaccination site vesicles	32	- X		X	X		X	
Vaccination site warmth	873	- X	X	X	X		X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Vaccine breakthrough infection	27	- X		X			X	
Vaccine coadministration	3	- X		X			X	
Vaccine derived SARS-CoV-2 infection	1	- X						
Vaccine induced antibody absent	2	- X		X				
Vaccine positive rechallenge	1	- X						
Vaccine virus shedding	3	- X		X				
Vaccinia virus infection	5	- X		X			X	
Vaginal abscess	3	- X						
Vaginal cyst	24	- X		X			X	
Vaginal discharge	210	- X		X			X	
Vaginal disorder	2	- X						
Vaginal haemorrhage	3,717	- X	X	X	X		X	
Vaginal infection	10	- X		X			X	
Vaginal lesion	8	- X		X				
Vaginal mucosal blistering	2	- X		X				
Vaginal odour	12	- X		X			X	
Vaginal oedema	1	-		X				
Vaginal polyp	1	-		X				
Vaginal prolapse	3	- X		X				
Vaginal ulceration	17	- X		X			X	
Vagotomy	3	- X						
Vagus nerve disorder	4	- X		X			X	
Vagus nerve paralysis	1	- X						
Vancomycin infusion reaction	3	-		X			X	
Varicella	89	- X		X			X	
Varicella virus test positive	1	- X						
Varicella zoster virus infection	12	- X		X			X	
Varices oesophageal	4	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Varicocele	8	- X		X			X	
Varicophlebitis	17	- X		X			X	
Varicose ulceration	1	- X						
Varicose vein	222	- X		X			X	
Varicose vein ruptured	3	- X		X			X	
Varicose veins pelvic	1	- X						
Vascular access site bruising	1	- X						
Vascular compression	3	- X		X				
Vascular dementia	7	- X	X					
Vascular endothelial growth factor overexpression	1	- X						
Vascular fragility	2	- X		X				
Vascular graft	1	- X						
Vascular graft occlusion	1	- X						
Vascular graft thrombosis	1	- X						
Vascular headache	119	- X		X			X	
Vascular injury	25	- X		X	X		X	
Vascular occlusion	5	- X		X				
Vascular pain	200	- X		X	X	X	X	X
Vascular parkinsonism	2	- X					X	
Vascular pseudoaneurysm	3	- X		X				
Vascular purpura	1	-					X	
Vascular rupture	3	- X						
Vascular skin disorder	2	- X		X				
Vascular stent occlusion	1	- X						
Vascular stent thrombosis	3	- X		X	X			
Vascular wall discolouration	1	- X						
Vascular wall hypertrophy	1	-		X				
Vasculitic rash	60	- X		X	X	X		

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Vasculitic ulcer	1	- X						
Vasculitis	229	2 X	X	X	X	X	X	
Vasoconstriction	3	-		X				
Vasodilatation	191	- X	X	X	X	X	X	
Vasodilation procedure	1	-		X				
Vasogenic cerebral oedema	1	- X						
Vasoligation	2	-		X			X	
Vasomotor rhinitis	1	-					X	
Vasoplegia syndrome	1	- X						
Vasospasm	16	- X		X			X	
Vein collapse	2	- X						
Vein discolouration	22	- X		X			X	
Vein disorder	39	- X		X				
Vein rupture	27	- X		X			X	
Vein wall hypertrophy	1	-		X				
Vena cava embolism	1	-		X				
Vena cava thrombosis	10	1 X		X			X	
Venogram	5	- X		X				
Venous aneurysm	1	- X						
Venous haemorrhage	13	- X		X				
Venous hypertension	4	- X						
Venous injury	1	- X						
Venous occlusion	3	- X		X				
Venous oxygen saturation decreased	2	- X		X				
Venous pressure	1	- X						
Venous pressure jugular increased	1	- X						
Venous recanalisation	1	- X						
Venous thrombosis	54	- X		X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Venous thrombosis limb	7	- X						
Venous valve ruptured	1	- X						
Ventilation perfusion mismatch	1	- X						
Ventilation/perfusion scan	4	- X		X				
Ventricular arrhythmia	11	- X		X			X	
Ventricular dysfunction	2	-		X				
Ventricular dyskinesia	1	- X						
Ventricular enlargement	1	-			X			
Ventricular extrasystoles	72	- X	X	X	X	X	X	
Ventricular failure	1	- X						
Ventricular fibrillation	21	2 X		X			X	
Ventricular hypertrophy	7	1 X		X				
Ventricular hypokinesia	8	- X		X				
Ventricular hypoplasia	1	-		X				
Ventricular septal defect	2	-		X				
Ventricular tachycardia	68	- X	X	X	X	X	X	
Verbal abuse	2	- X		X				
Verbigeration	1	- X						
Vertebral artery occlusion	1	- X						
Vertebral artery thrombosis	2	- X						
Vertebral osteophyte	1	-		X				
Vertebrobasilar artery dissection	4	- X		X				
Vertebrobasilar insufficiency	1	-	X					
Vertebrobasilar stroke	1	-			X			
Vertigo	4,782	- X	X	X	X	X	X	X
Vertigo CNS origin	9	- X		X	X			
Vertigo labyrinthine	37	- X		X	X	X	X	
Vertigo positional	309	- X	X	X	X	X	X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Very low density lipoprotein decreased	1	- X						
Vessel puncture site bruise	6	- X			X		X	
Vessel puncture site erythema	1	-			X			
Vessel puncture site pain	1	-			X			
Vestibular ataxia	1	- X						
Vestibular disorder	32	- X			X		X	
Vestibular migraine	84	- X			X	X	X	
Vestibular neuritis	88	- X			X		X	
Vestibulitis	9	- X	X	X			X	
VEXAS syndrome	2	- X						
Vibration syndrome	7	- X			X			
Vibratory sense increased	7	- X					X	
Victim of abuse	1	- X						
VIIth nerve injury	2	- X						
Violence-related symptom	4	- X					X	
Viraemia	4	- X						
Viral diarrhoea	7	- X			X	X		
Viral infection	181	- X			X		X	
Viral labyrinthitis	13	- X			X		X	
Viral load	3	- X			X			
Viral myelitis	1	- X						
Viral myocarditis	9	- X			X		X	
Viral pericarditis	11	- X			X		X	
Viral pharyngitis	64	- X	X	X	X	X	X	
Viral rash	165	- X	X	X			X	
Viral sepsis	1	- X						
Viral sinusitis	2	- X			X			
Viral test	8	- X			X			

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Viral test positive	2	- X		X				
Viral tonsillitis	3	- X		X				
Viral upper respiratory tract infection	2	- X	X					
Visceral pain	7	- X		X		X		
Visceral venous thrombosis	17	1 X		X		X		
Vision blurred	5,412	- X	X	X	X	X	X	
Visual acuity reduced	76	- X		X		X		
Visual acuity reduced transiently	2	- X		X				
Visual acuity tests	1	-		X				
Visual brightness	14	- X		X		X		
Visual field defect	101	- X	X	X		X		
Visual impairment	1,560	- X	X	X	X	X	X	
Visual perseveration	4	- X		X				
Visual snow syndrome	16	- X	X	X				
Visual tracking test	2	- X				X		
Visual tracking test abnormal	1	-				X		
Visuospatial deficit	4	- X		X				
Vital capacity	1	-		X				
Vital signs measurement	1	- X						
Vitamin B complex deficiency	3	- X		X				
Vitamin B12	5	- X		X				
Vitamin B12 abnormal	5	- X		X				
Vitamin B12 decreased	13	- X		X				
Vitamin B12 deficiency	31	- X	X	X	X			
Vitamin B12 increased	1	- X						
Vitamin D	8	- X		X				
Vitamin D decreased	15	- X		X		X		
Vitamin D deficiency	37	- X		X		X		

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Vitamin D increased	1	- X						
Vitamin E decreased	1	- X						
VIth nerve disorder	2	-			X			
VIth nerve paralysis	26	- X	X	X				
Vitiligo	103	- X	X	X	X	X	X	
Vitreoretinal traction syndrome	1	- X						
Vitreous cyst	1	- X						
Vitreous detachment	96	- X		X	X	X	X	
Vitreous disorder	1	-		X				
Vitreous floaters	426	- X	X	X	X	X	X	
Vitreous haematoma	1	- X						
Vitreous haemorrhage	18	- X	X	X	X			
Vitreous opacities	1	- X						
Vocal cord disorder	8	- X	X	X				
Vocal cord dysfunction	14	- X		X				
Vocal cord inflammation	1	-	X					
Vocal cord paralysis	14	- X		X	X	X	X	
Vocal cord paresis	1	-	X					
Vocal cord thickening	2	- X						
Vogt-Koyanagi-Harada disease	1	-			X			
Volume blood	8	- X			X			
Volume blood decreased	1	-			X			
Volvulus	1	1 X			X			
Vomiting	20,484	1 X	X	X	X	X	X	X
Vomiting projectile	279	- X	X	X	X	X	X	
Vomiting psychogenic	1	-			X			
Vth nerve injury	3	- X			X			
Vulva cyst	4	- X		X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Vulval abscess	2	- X		X				
Vulval cancer	1	- X						
Vulval disorder	6	- X		X				
Vulval eczema	1	-		X				
Vulval haemorrhage	80	- X	X	X	X	X	X	
Vulval oedema	3	- X		X				
Vulval ulceration	22	- X		X			X	
Vulvitis	1	-		X				
Vulvovaginal burning sensation	22	- X		X			X	
Vulvovaginal candidiasis	146	- X	X	X			X	
Vulvovaginal discomfort	14	- X		X			X	
Vulvovaginal disorder	2	- X						
Vulvovaginal dryness	22	- X		X			X	
Vulvovaginal erythema	4	- X		X				
Vulvovaginal inflammation	5	- X		X				
Vulvovaginal mycotic infection	13	- X		X			X	
Vulvovaginal pain	83	- X		X			X	
Vulvovaginal pruritus	27	- X	X	X			X	
Vulvovaginal rash	5	- X		X				
Vulvovaginal swelling	14	- X		X			X	
Vulvovaginal ulceration	9	- X		X				
Vulvovaginitis staphylococcal	1	- X						
Walking aid user	6	- X		X			X	
Walking disability	18	- X	X	X				
Walking distance test abnormal	1	-	X					
Warm autoimmune haemolytic anaemia	3	-		X				
Water pollution	8	- X		X			X	
Waxy flexibility	2	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Weber tuning fork test abnormal	1	-			X			
Weber's syndrome	1	-						
Weight	2	- X			X			
Weight abnormal	2	-			X		X	
Weight bearing difficulty	22	- X			X	X	X	
Weight decreased	507	- X	X	X	X	X	X	
Weight gain poor	1	- X						
Weight increased	170	- X	X	X			X	
Weight loss poor	10	- X			X		X	
Wheat-free diet	1	-			X			
Wheelchair user	5	- X			X		X	
Wheezing	1,471	- X	X	X	X		X	
White blood cell count	27	- X			X		X	
White blood cell count decreased	60	- X	X	X			X	
White blood cell count increased	36	- X		X	X	X	X	
White blood cell count normal	1	- X						
White blood cell disorder	6	- X			X			
White blood cells urine	1	-			X			
White blood cells urine positive	1	- X						
White coat hypertension	14	- X			X		X	
White matter lesion	7	- X			X			
Winged scapula	2	- X						
Withdrawal bleed	32	- X			X		X	
Withdrawal syndrome	160	- X			X		X	
Wolff-Parkinson-White syndrome	1	-			X			
Wound	23	- X	X	X				
Wound abscess	1	- X						
Wound complication	36	- X	X	X			X	

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
Wound haematoma	2	-			X	X		
Wound haemorrhage	18	-	X	X	X		X	
Wound infection	3	-			X		X	
Wound infection staphylococcal	1	- X						
Wound necrosis	-	1			X			
Wound secretion	12	- X			X			
Wound sepsis	2	- X						
Wound treatment	1	- X						
Wrist deformity	2	- X						
Wrist fracture	6	- X			X			
Writer's cramp	2	- X			X			
Wrong device used	1	- X						
Wrong dose	4	-			X			
Wrong drug	16	- X			X			
Wrong patient received product	1	- X						
Wrong product administered	56	- X	X	X			X	
Wrong route	1	- X						
Wrong schedule	4	- X			X		X	
Wrong technique in device usage process	2	-					X	
Wrong technique in product usage process	33	- X	X	X	X		X	
Xanthochromia	1	- X						
Xanthopsia	12	- X			X		X	
Xerosis	1	-			X			
X-ray	4	- X			X		X	
X-ray limb	2	- X						
X-ray limb abnormal	1	- X						
X-ray limb normal	1	-					X	
X-ray of pelvis and hip	2	- X						

REACTION NAME	AE	FATAL	AZ	PFIZER Mono	PFIZER BiValent	Moderna Mono	Moderna BiValent	Novavax
X-ray with contrast upper gastrointestinal tract	<b>2</b>	-			<b>X</b>		<b>X</b>	
Yawning	<b>127</b>	- <b>X</b>			<b>X</b>		<b>X</b>	
Yellow fever	<b>1</b>	- <b>X</b>						
Yellow fever vaccine-associated neurotropic disease	<b>1</b>	- <b>X</b>						
Yellow skin	<b>71</b>	- <b>X</b>			<b>X</b>		<b>X</b>	
Young's syndrome		<b>1</b>	- <b>X</b>					
Zinc sulphate turbidity increased		<b>1</b>	- <b>X</b>					
Zoonotic bacterial infection	-	<b>1</b>			<b>X</b>			
<b>TOTALS</b>	<b>1,651,006</b>	<b>2,564</b>						

